VID

USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

WATER WELL RECORD KSA 82a-1201-1215 add

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

| | | | SE- | SEA | IE | 2 | 5 | | peka, Kansas 666 | | |
|---|-----------------------|------------------|----------------|------------|---------------------|---------------------|---|--|--|------------------------|--|
|) lasska of | County | | Fraction | | | Section | number | Township number | Range numbe | г | |
| 1. Location of well: | Nemaha | | NE VA | VE 1/4 1/4 | 1/4 | 36 | | т / | s R 14 | E/W | |
| 2. Distance and dire | ction from nearest to | own or city: '2 | ~ | | 1 | er of wel | l: F | Rodney wen | yer | | |
| Street address of well | location if in city: | of SAt | etha | | R.R. or City, st | street: ate, zip | | Sabetha, K | 5 , | | |
| 4. Locate with "X" | | | ketch map: | | | | | 6. Bore hole did, 8 i | n. Completion d | 1-76 | |
| House | | | | | | | | 7 Cable tool Rotary Driven Dug Hollow rod Jetted Bored Reverse rotary | | | |
| SW SE F 720 9. Casing: N | | | | | | | | 8. Use: Domestic Public supply Industry Irrigation Air conditioning Stock | | | |
| | | | | | | | 9. Casing: Material | Height: (bo) | ve or below | | |
| 1 i i i i i i i i i i i i i i i i i i i | | | | | | | | Threaded Welded Surface Z9 in. RMP PVC 94 Weight 2.58 lbs./ft. Dia. 5 in. to Z2ft, depth Wall Thickness: Inches or | | | |
| 5. Type and color of | | | | | | From | То | Dia in. to ft. de | pth gage No. 2 | | |
| | | Tap | SOIL | <u> </u> | | | 3 | 10. Screen: Manufacturer's | CO | | |
| | | | | ıla | | 3 | 24 | Type Story Gauze 060 Set between 40-80 | Length | 10 | |
| gley Lime | | | | | 24 | 29 | Gravel pack? Size range of material 4448 11. Static water level: 40 ft. below land surface Date 7-21-76 | | | | |
| yellow shale | | | | | 29 | 52 | | | | | |
| • | | Blue | 25/41 | e | | 52 | 20 | 12. Pumping level below la | nd surfaces: | | |
| - | | yell | swLin | e | | 10 | 73 | ft. after | | | |
| · | | grey sha | | | | | izo | Estimated maximum yield — 13. Water sample submitted | | mo./day/yr. | |
| | ······· | 7,507 5.12 | rey cin | ic. | | 12 | | YesNo | Date | | |
| | | | | | | | | 14. Well head completion: Pitless adapter | m 12 | above grade | |
| | | | | | | - | | 15. Well grouted? | the state of the s | | |
| | | | | | | | | With: Neat cement | | Concrete | |
| | | | | | | | | 16. Nearest source of possibility. 120 Direction - | le contamination | COPIC. | |
| | | | | | | | | Well disinfected upon comp | letion?Y | /esNo | |
| | | | | | | | | 17. Pump: Manufacturer's name | - Not insta | alled | |
| | | | | | | | | Model number | | _ Volts | |
| | | | | | | | | Length of drop pipe Type: | ft. capacity | g.p.m. | |
| | | 10.0 | | | | | | Submersible Jet | | urbine eciprocating | |
| | EERS | (Use a second sh | eet if needed) |) | | | | Centrifugal | | Other | |
| 18. Elevation: D | 19. Remarks: | ASTRA | | | | | | 20. Water well contractor's This well was drilled under | | nd this renart | |
| 1204 | owneru | VII' INS | ral s | ظما | | | | is true to the best of my kno | | | |
| Topography: Hill Slope | | | | | | | | States Delay & Business name Address 4 Hall | o Toc | License No. | |
| Upland | 1 | | | | | | | Signed Dala a | deren | Date 7-22-7 | |
| Valley | - 10 | | | | | | | Authorized re | hi eseutative | | |

Forward the white, blue and pink copies to the Department of Health and Environment

BR = 1201

D = 1164

Form WWC-5