

46

ACC

JD

1 LOCATION OF WATER WELL	Fraction <u>SW</u> <u>SW</u> <u>NE</u>	Section Number	Township Number	Range Number
County: <u>Nemaha</u>	<u>1/4</u> <u>1/4</u> <u>1/4</u>	<u>36</u>	T <u>1</u> <u>(S)</u>	R <u>14</u> <u>(EW)</u>

Distance and direction from nearest town or city? 1 N of Sabetha Street address of well if located within city?

2 WATER WELL OWNER: DR. JOHN YULICH  
 RR#, St. Address, Box #: \_\_\_\_\_  
 City, State, ZIP Code: Sabetha, Kansas 66534  
 Board of Agriculture, Division of Water Resources  
 Application Number: \_\_\_\_\_


3 DEPTH OF COMPLETED WELL: 180 ft. Bore Hole Diameter: \_\_\_\_\_ in. to \_\_\_\_\_ ft., and \_\_\_\_\_ in. to \_\_\_\_\_ ft.  
 Well Water to be used as:  
 1 Domestic 3 Feedlot 5 Public water supply 8 Air conditioning 11 Injection well  
 2 Irrigation 4 Industrial 6 Oil field water supply 9 Dewatering 12 Other (Specify below)  
 7 Lawn and garden only 10 Observation well  
 Well's static water level: 90 ft. below land surface measured on June month 8 day 81 year  
 Pump Test Data: Well water was \_\_\_\_\_ ft. after \_\_\_\_\_ hours pumping \_\_\_\_\_ gpm  
 Est. Yield: 1 1/2 gpm Well water was \_\_\_\_\_ ft. after \_\_\_\_\_ hours pumping \_\_\_\_\_ gpm

4 TYPE OF BLANK CASING USED:  
 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile Casing Joints: Glued  Clamped \_\_\_\_\_  
 2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded \_\_\_\_\_  
 7 Fiberglass Threaded \_\_\_\_\_  
 Blank casing dia: 5 in. to 0-90 ft., Dia: 5 in. to 110-150 ft., Dia: 5 in. to 160-180 ft.  
 Casing height above land surface: 24 in., weight: 2.86 lbs./ft. Wall thickness or gauge No: 258  
 TYPE OF SCREEN OR PERFORATION MATERIAL:  
 1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 10 Asbestos-cement  
 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 11 Other (specify) \_\_\_\_\_  
 12 None used (open hole)  
 Screen or Perforation Openings Are:  
 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)  
 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes  
 7 Torch cut 10 Other (specify) \_\_\_\_\_  
 Screen-Perforation Dia: 5 in. to \_\_\_\_\_ ft., Dia: \_\_\_\_\_ in. to \_\_\_\_\_ ft., Dia: \_\_\_\_\_ in. to \_\_\_\_\_ ft.  
 Screen-Perforated Intervals: From 90 ft. to 110 ft., From \_\_\_\_\_ ft. to \_\_\_\_\_ ft., From \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
 From 150 ft. to 160 ft., From \_\_\_\_\_ ft. to \_\_\_\_\_ ft., From \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
 Gravel Pack Intervals: From 10 ft. to 180 ft., From \_\_\_\_\_ ft. to \_\_\_\_\_ ft., From \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
 From \_\_\_\_\_ ft. to \_\_\_\_\_ ft., From \_\_\_\_\_ ft. to \_\_\_\_\_ ft., From \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

5 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other \_\_\_\_\_  
 Grouted Intervals: From 0 ft. to 10 ft., From \_\_\_\_\_ ft. to \_\_\_\_\_ ft., From \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
 What is the nearest source of possible contamination:  
 1 Septic tank 4 Cess pool 7 Sewage lagoon 11 Fertilizer storage 14 Abandoned water well  
 2 Sewer lines 5 Seepage pit 8 Feed yard 12 Insecticide storage 15 Oil well/Gas well  
 3 Lateral lines 6 Pit privy 9 Livestock pens 13 Watertight sewer lines 16 Other (specify below) \_\_\_\_\_  
 Direction from well: E How many feet: 180 ? Water Well Disinfected? Yes  No \_\_\_\_\_  
 Was a chemical/bacteriological sample submitted to Department? Yes \_\_\_\_\_ No  If yes, date sample was submitted \_\_\_\_\_ month \_\_\_\_\_ day \_\_\_\_\_ year Pump Installed? Yes \_\_\_\_\_ No   
 If Yes: Pump Manufacturer's name \_\_\_\_\_ Model No. \_\_\_\_\_ HP \_\_\_\_\_ Volts \_\_\_\_\_  
 Depth of Pump Intake \_\_\_\_\_ ft. Pumps Capacity rated at \_\_\_\_\_ gal./min.  
 Type of pump: 1 Submersible 2 Turbine 3 Jet 4 Centrifugal 5 Reciprocating 6 Other \_\_\_\_\_

6 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on June month 8 day 1981 year  
 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 182  
 This Water Well Record was completed on June month 29 day 1981 year under the business name of Strader Drilling Co., Inc. by (signature) Dale Askren

7 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:



FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG
0	2	TOP SOIL	152	160	SHALE BLACK
2	24	Clay brown	160	164	Limestone grey
24	27	Limestone yellow	164	173	Shale grey
27	48	Shale yellow, Red	173	176	94P
48	51	Limestone yellow	176	180	Shale grey
51	92	Shale Red, grey			
92	104	Limestone yellow			
104	121	Shale grey			
121	126	94P			
126	145	Shale grey			
145	152	Limestone brown			

ELEVATION: 1282 RA

Depth(s) Groundwater Encountered 1. 95 ft. 2. \_\_\_\_\_ ft. 3. \_\_\_\_\_ ft. 4. \_\_\_\_\_ ft. (Use a second sheet if needed)

INSTRUCTIONS: Use typewriter or ball point pen, please press firmly and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Water Well Contractors, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.

BR-1258

1192

OFFICE USE ONLY  
T  
R  
SEC  
36  
14  
1/4  
1/4  
1/4