CORRECTION(S) TO WATER WELL RECORD (WWC-5)

(to rectify lacking or incorrect information)

Location listed as:	County: <u>Brown</u> Location changed to:
Section-Township-Range: None Given	32-/5-15E
Fraction (1/4 1/4 1/4):	32-/5-15E SW SE SW
Other changes: Initial statements:	
Changed to:	
Comments:	
verification method: Latitude & longitude, website, and Sabetha 1:24,0	conversion tool on KGS
website, and Sabetha 1:24,0	000 topo, map.
	initials: DR date: 2/16/2006

submitted by: Kansas Geological Survey, Data Resources Library, 1930 Constant Ave., Lawrence, KS 66047-3726 to: Kansas Dept of Health & Environment, Bureau of Water, 1000 SW Jackson, Suite 420, Topeka, KS 66612-1367.

WATER WELL RECORD	Form WWC	-5	Division of W	ater Resources; App. No.			
1 LOCATION OF WATER WELL:	Fraction			r Township Number	Range Number		
County: BYOUT	4 1/4	j ¹ / ₄		T S	R (E/W		
Distance and direction from nearest town or city street address of well if Global Positioning Systems (decimal degrees, min. of 4 digits)							
located within city? Latitude: 39° 54' 51.6" Longitude: 95° 45' 51.7"							
2 WATER WELL OWNER:	n Schil		Longitude: Elevation:	95 45 51			
RR#, St. Address, Box # :	1 0004	I .	Datum:				
				n Method:	-		
3 LOCATE WELL'S 4 DEPTH OF COMPLETED WELL							
LOCATION							
WITH AN "X" IN SECTION BOX: Depth(s) Groundwater Encountered (1). In the second surface measured on mo/day/yr. 11-10-05.							
N Pump t	est data: Well water was		ft. after	hours pumping.	gpm		
	Ogpm: Well water was						
WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well							
W Town Security 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)							
2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well							
SW SE							
Sample was submitted							
S							
5 TYPE OF CASING USED: 5 W	rought Iron 8 Conc			NG JOINTS: Glued			
		r (specify					
Blank casing diameter 5 in. to 7.	perglass	07	to 100	Threader	d		
Casing height above land surface	in Weight 2	65	hs/ft Wall	thickness or guage No	SDR 21		
TYPE OF SCREEN OR PERFORATION	MATERIAL:		7,411	anemiess of gauge from			
	5 Fiberglass PVC						
		(a) 10 A	sbestos-Cemen	t 12 None used (oper	n hole)		
SCREEN OR PERFORATION OPENING 1 Continuous slot 3 Mill slot		amah aut	0 Duillad hala	na 11 Nama (aman h	ala)		
1 Continuous slot 3 Mill slot 5 Guazed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)							
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cup 10 Other (specify) SCREEN-PERFORATED INTERVALS: From							
GRAVEL PACK INTERVALS:	From ft. to .		ft., From	ft. to .	ft.		
GRAVEL PACK INTERVALS:	From	700	ft., From	ft. to .	ft.		
	From ft. to .		ft., From	ft. to	nt.		
6 GROUT MATERIAL: 1 Neat ceme	nt 2 Cement grout 3 Be	ntonite	4 Other				
Grout Intervals: From ft	. to	f	t. to	. ft., From	ft. toft.		
What is the nearest source of possible cont							
1 Septic tank 4 Lateral 2 Sewer lines 5 Cess po		10 Livesto		Insecticide Storage	16 Other (specify		
3 Watertight sewer lines 6, Seepag		1 Fuel sto		Abandoned water well Oil well/gas well	below)		
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer Storage 15 Oil well/gas well Direction from well?							
FROM TO LITHO	LOGIC LOG	FROM	ТО	-PLUGGING INT	ERVALS		
0 5 No sample		37	41 2/	ale-gray			
5 8 Sandy Clary - 8 18 Sandy Clary - 18 20 Very Danay C	Neddesh ben	41	4.3 Lu	nestone - gra	y		
8 18 Sandy Clary-		4.3	48 25	ale-gray	V		
18 20 very sarrie of	By- Bun grave		53 1/2	sie-rea			
20 21 Shall-ghai	/ ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' '	53 55	55 y	mit gray	and or many		
	ish gray	58	60 M	1le-black	w gypsus		
28 29 limestrale - 1	41	7.0	104 M	MOSULM.			
28 29 limestotle - B 29 31 stale - Bri	<i>y</i> .	64	66 91	mestone-Bri	ر		
31 37 /mestral -	en	66		mestone-gra			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged							
under my jurisdiction and was completed on (mo/day/year) 1.0.05 and this record is true to the best of my knowledge and belief.							
Kansas Water Well Contractor's License No. 308 This Water Well Record was completed on (mo/day/year) 12/12/05 under the business name of Riescheck Drilling by (signature) 17. 18							
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks, underline or circle the correct answers. Send top							
three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone							
785-296-5522. Send one to WATER WELI http://www.kdhe.state.ks.us/geo/waterwells.	The of the constitution will be at the constitution of the constit						

VCA 920 1212

Lithologic' Log Continued

Jem Scoby Rt-1 Morriel, KS 66515

Lat. 39° 54' 51.6° Long. 95° 45' 51.7°

68-71 Sheli-gray limestone-gray 71-72 12-76 Stale-gray Shale-red 76-78 78-84 limestone Ben 84 - 94 Shall-gray 94-95 Shall-red: 95 - 98 Shale-gray 98-100 Dhale-red