¥		WA	ATER WELL REC	ORD Form WWC-	5 KSA 82a-	1212 ID No				
1 LOCAT	ION OF WA		Fraction		Sec	tion Number	Township Number	Ran	ge Number	
County:	BROW		NE 1/4	NW 1/4 NE	1/4	35	Т 5	SI R	15 B	w
Distance ar	nd direction f		wn or city street a	ddress of well if locate	ed within city?					
6	461	1855	COR	WER OF KO	XAUNA A	ND VIRE	INIA ST			
2 WATER	R WELL OW		4 CF MO	RRILL						
RR#, St. Ac	ddress, Box		30×146				Board of Agricultu	re, Division of V	Vater Resor	urces
City, State,	ZIP Code	: mn	1787 LE	66515		-	Application Numb			
3 LOCATE	WELL'S LO	CATION WITH	4 DEPTH OF C	OMPLETED WELL	851	ft. ELEVAT	ION:			
	SECTION I		Depth(s) Groun	dwater Encountered	1 <i>3</i> .	<i>4</i> ft.	2	. ft. 3		. ft.
	N	X'	WELL'S STATIO	WATER LEVEL 3		ow land surface	measured on mo/day/y	r 8-17-0		······
	1	^					ter ho			
	-NW -	- NE			5 Public water			11 Injection well		90
	!	!	1 Domestic		6 Oil field wate			12 Other (Spec		
w	-	E	2 Irrigation	4 Industrial	7 Domestic (lav	vn & garden) 1	Monitoring well		Kt.i.h.h.	٠
	1	t					. /			
	-SW	- SE	i .	l/bacteriological samp	le submitted to		es; If y			sub-
			mitted			Wa	ter Well Disinfected?	s)	No	
	S									
5 TYPE	OF BLANK C	ASING USED:		5 Wrought iron	8 Concr		CASING JOINTS:			
1 Stee		3 RMP (S	R)	6 Asbestos-Cement		(specify below)		Welded Threaded		
2 PVC	; 	4 ABS	6 : (7 Fiberglass		in to	ft., Dia			
Cooling hol	ng diameter	nd curface		in weight		۱۱۱. نن ۱۱۱	bs./ft. Wall thickness or	guage No. 56	1+ 40	11.
	•			Iri., weigitt	(T)PV		10 Asbestos		1.1	
TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless Steel 5				5 Fiberglass				11 Other (Specify)		
2 Bras		4 Galvani	zed Steel	6 Concrete tile	9 AE	S	12 None use	ed (open hole)		
SCREEN	OR PERFOR	ATION OPENII	NGS ARE:	5 Gu	azed wrapped		8 Saw cut	11 None	(open hole))
1 Con	tinuous slot	<u>(3</u>)N	Mill slot		re wrapped		9 Drilled holes			
2 Lou	vered shutte	r 4 K	Key punched		rch cut		10 Other (specify)			
SCREEN-	PERFORATE	ED INTERVALS	: From	. ダ .シft. to	65	ft., From .		ft. to		ft.
			From	ft. to	24	ft., From .		ft. to		ft.
	GRAVEL PA	CK INTERVALS	From	ft. to		ft., From .		ft. to		ft.
6 GROL	JT MATERIA		at cement	Cement grout	③ Ben		Other			
Grout Inter		-		ft., From	6 ft.		ft., From			ft.
			contamination:			10 Livesto	'	14 Abandoned		
1 Septic tank 4 Lateral lines				7 Pit privy		11 Fuel storage		15 Oil well/Gas well		
2 Sewer lines 5 Cess pool				8 Sewage lagoon		12 Fertilizer storage		16 Other (specify below)		
3 Watertight sewer lines 6 Seepage pit				9 Feedyard		13 Insecticide storage How many feet?				••••••
Direction fr	1			21.00	FDOM			NG INTERVALS		
FROM	TO		LITHOLOGIC	LUG	FROM	то	PLUGGII	IG INTERVALS	MARIA A	
85'	34'	FILTER S		FAC144 A			***************************************			
34'	6		E GRANUL	A5						
6	0.	CONCLET	E GROUT							
				· · · · · · · · · · · · · · · · · · ·					I-N-V	
				A CONTRACTOR OF THE PARTY OF TH						
				ALAMAN AND AND AND AND AND AND AND AND AND A						
							V 1400	. 544		
7 CONTR	ACTOR'S C	B I VIDOMINI	ER'S CERTIEICA	TION: This water wall	was (1) constr	ructed @ rocc	nstructed or (2) plugge	d under my juri	ediction and	d was
completed (on (mo/day/y	ear) 8-/	7-09	TION, THIS WATER WEIL	was (1) Consti	and this rec	nstructed, or (3) plugge ord is true to the best of	mv knowledne a	nd belief K	ansas
Water Well	Contractor's	Licence No	631	This Wa	ter Well Record	was completed	d on (mo/day/yr)	28-09		
			NDER Pump				signature)	10.1.	1	
					ease fill in blanks, un		correct answers. Send top three	copies to Kansas De	partment of He	alth
and Enviro	onment, Bureau		ection, 1000 SW Jacks				522. Send one to WATER WELL			