

1 LOCATION OF WATER WELL:	Fraction	Section Number	Township Number	Range Number
County: Brown	NW 1/4 SW 1/4 SE 1/4	26	T 1 S S	R 15 E E/W

Distance and direction from nearest town or city street address of well if located within city?

Northwest of USDA grainstorage 100', Morrill

2 WATER WELL OWNER: KDHE-BER	Board of Agriculture, Division of Water Resources
RR#, St. Address, Box # : Forbes Field, Building 740	Application Number:
City, State, ZIP Code : Topeka, Kansas 66620	

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL: 47 ft. ELEVATION: 1143.9 ft.			
	Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. 1143.9 ft.			
	WELL'S STATIC WATER LEVEL 43.3 ft. below land surface measured on mo/day/yr 2/28/95			
	Pump test data: Well water was ft. after hours pumping gpm			
	Est. Yield . NA. gpm: Well water was ft. after hours pumping gpm			
	Bore Hole Diameter . 8 in. to 51 ft., and in. to ft.			
WELL WATER TO BE USED AS:				
1 Domestic	3 Feedlot	6 Oil field water supply	9 Dewatering	12 Other (Specify below)
2 Irrigation	4 Industrial	7 Lawn and garden only	10 Monitoring well	
Was a chemical/bacteriological sample submitted to Department? Yes. No. X; If yes, mo/day/yr sample was submitted				
Water Well Disinfected? Yes No X				

5 TYPE OF BLANK CASING USED:	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued Clamped
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below)
2 PVC	4 ABS	7 Fiberglass	10 Asbestos-cement
Blank casing diameter 4 in. to 17 ft., Dia in. to ft., Dia in. to ft.			11 Other (specify)
Casing height above land surface in., weight lbs./ft. Wall thickness or gauge No. . Sch. 40			12 None used (open hole)
TYPE OF SCREEN OR PERFORATION MATERIAL:			
1 Steel	3 Stainless steel	5 Fiberglass	7 PVC
2 Brass	4 Galvanized steel	6 Concrete tile	8 RMP (SR)
SCREEN OR PERFORATION OPENINGS ARE:			
1 Continuous slot	3 Mill slot	5 Gauzed wrapped	8 Saw cut
2 Louvered shutter	4 Key punched	6 Wire wrapped	9 Drilled holes
SCREEN-PERFORATED INTERVALS: From 17 ft. to 47 ft., From ft. to ft.			
GRAVEL PACK INTERVALS: From 14.5 ft. to 51 ft., From ft. to ft.			

6 GROUT MATERIAL:	1 Neat cement	2 Cement grout	3 Bentonite	4 Other
Grout intervals: From 0 ft. to 6 ft., From 6 ft. to 14.5 ft., From ft. to ft.				
What is the nearest source of possible contamination:				
1 Septic tank	4 Lateral lines	7 Pit privy	10 Livestock pens	14 Abandoned water well
2 Sewer lines	5 Cess pool	8 Sewage lagoon	11 Fuel storage	15 Oil well/Gas well
3 Watertight sewer lines	6 Seepage pit	9 Feedyard	12 Fertilizer storage	16 Other (specify below)
Direction from well? SE How many feet? 100				

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	1	Clay, Dark Brown			MW4S
1	4	Clay, Medium Brown			GeoCore # 114 Flushmount
4	10	Clay, Medium Red Brown			KDHE # Tag # 117100
10	18	Shale, Tan to Yellow Brown to Green Bro			
18	21	Limestone, Light Brown			
21	22	Shale, Tan to Yellow Brown to Green Bro			
22	24	Shale, Medium to Dark Gray			
24	25	Shale, Light Brown to Yellow Brown			
25	27.5	Limestone, Light Gray			
27.5	31	Shale, Green Brown to Gray Green			
31	36	Shale, Medium Red Brown			
36	43	Shale, Light to Medium Green to Gray Gr			
43	46	Shale, Red Brown			
46	51	Shale, Pale Green to Gray Green			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 2/28/95 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 527 This Water Well Record was completed on (mo/day/yr) 3/6/95 under the business name of GeoCore Services, Inc. by (signature) Dale R. Kelly

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.