WATER WELL R		WWC-5	Div	ision of Water			
	iginal Record Correction Change in Well Use		Resources App. No.			Well ID	
LOCATION OF WATER WELL: Fraction							
County: Brown		1/4 NE 1/4 SE 1/4					
2 WELL OWNER: Last Name: Boggess First: Esther Street or Rural Address where well is located (if unknown, distance)							
Business: Address: 3363 Horned Owl Road direction from nearest town or intersection): If at owner's address, check here:							
Address:							
City: Hiawatha	State: KS	S ZIP: 66434					
3 LOCATE WELL WITH "X" IN 4 DEPTH OF COMPLETED WELL:21							
WITH "X" IN SECTION BOX:	Depth(s) Groundwate	Depth(s) Groundwater Encountered: 1)					
N	2)					4 ■ NAD 83 □ NAD 27	
	WELL'S STATIC WATER LEVEL: £9 ft.				Source for Latitude/Longitude:		
NWNE		ce, measured on (mo-day-y			☐ GPS (unit make/model:) (WAAS enabled? ☐ Yes ☐ No)		
I I I	Pump test data: Well water was ft.			☐ Land Survey ☐ Topographic Map			
W XE	after hours pumping gpm			Online Mapper:			
sw se	Well water was ft.			-			
	after hours pumping gpm Estimated Yield:gpm			6 Elevation:ft. Ground Level TOC			
S	Bore Hole Diameter: in. to ft. and				Source: Land Survey GPS Topographic Map		
1 mile	in. to ft.						
7 WELL WATER TO BE USED AS:							
1. Domestic:		Vater Supply: well ID				ease	
Household Lawn & Garden	6. Dewatering: how many wells?			11. Test Hole: well ID			
Livestock					ermal: how many bores		
2. Irrigation	9. Environmental Remediation: well ID						
3. Feedlot Soil Vapor Extraction b) Open Loop Surface Discharge Inj. of Wat							
4. Industrial Recovery Injection 13. Other (specify):							
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:							
Water well disinfected? ■ Yes □ No							
8 TYPE OF CASING USED: ☐ Steel ☐ PVC ☐ Other Galvanized CASING JOINTS: ☐ Glued ☐ Clamped ☐ Welded ☐ Threaded							
Casing diameter							
TYPE OF SCREEN OR PERFORATION MATERIAL:							
☐ Steel ☐ Stainless Steel ☐ Fiberglass ☐ PVC ☐ Other (Specify)							
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE:							
☐ Continuous Slot ☐ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)							
SCREEN-PERFORATED INTERVALS: From							
GRAVEL PACK INTERVALS: From ft., to ft., From ft., From ft. to ft.							
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other							
Grout Intervals: From							
Nearest source of possible contamination:							
☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage ☐ Sewer Lines ☐ Cess Pool ☐ Sewage Lagoon ☐ Fuel Storage ☐ Abandoned Water Well							
□ Watertight Sewer Lines □ Seepage Pit □ Feedyard □ Fertilizer Storage □ Oil Well/Gas Well							
Other (Specify)							
		Distance from we					
10 FROM TO	LITHOL	OGIC LOG	FROM			PLUGGING INTERVALS	
			0		op Soil		
			5	21 F	lole plug		
						W	
			 				
			Notes:	L			
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged							
under my jurisdiction and was completed on (mo-day-year) .09-2016 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 3008 This Water Well Record was completed on (mo-day-year) .10-03-2016							
under the business name	nuractor's License No. le of Rieschick Drilli	na Co., Inc.	ier well Ke	zoru was com gnature - //	pieteu on tmo-day-y	ear) .111-113-21115	
Mail 1 white copy al	ong with a fee of \$5.00 for	each constructed well to: Kans	sas Department	of Health and E	invironment, Bureau of W	ater, GWTS Section,	
1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Mail one to Water Well Owner and retain one for your records. Telephone 785-296-5524.							
Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212 Revised 7/10/2015							