•	us d. 111			R WELL RECORD	orm WWC-5		<u> </u>		
→	ON OF WAT		Fraction	_	I	tion Number	Township Number	Range Number	
County:	BROU	UN .	1 1/E 1/4	NE 14 NE	1/4	26	T 1 S	R 17 (E)	
Distance a			•	ddress of well if located	•				
-		5 North q	23 EAST	Himotha 1	Ç.				
			d LORI 1	MULLER					
RR#, St. A		(# : 民丁之					Board of Agriculture	, Division of Water Resources	
				66434					
LOCATE	WELL'S LO	OCATION WITH	4 DEPTH OF C	OMPLETED WELL	60	ft. ELEVA	TION:		
- AN X	IN SECTION	BOX:						3	
ī		ı X	WELL'S STATIC	WATER LEVEL	ft. b	elow land sur	face measured on mo/day/y	r449.0	
	- NW	NE	Pum	p test data: Well water	was	ft. a	fter hours p	oumping gpm	
l [- 1777 1		Est. Yield /.	O gpm: _Well water	was	ft. a	fter hours p	oumping gpm	
<u>•</u> L	i		Bore Hole Diame	eter��.�in. to.	6.0		and	n. to	
₹	Ţ	i '	WELL WATER 1	TO BE USED AS:	Public water	r supply	8 Air conditioning 1	I Injection well	
7 l	cw l	SE	Domestio	3 Feedlot 6	Oil field wa	ter supply	9 Dewatering 12	? Other (Specify below)	
l	- 3W	3	2 Irrigation	4 Industrial 7	' Lawn and o	garden only 1	10 Observation well .		
l L	i .	<u> </u>	Was a chemical/	bacteriological sample su	ubmitted to De	epartment? Ye	∍s; If ye	s, mo/day/yr sample was sub-	
<u> </u>			mitted			Wa	ter Well Disinfected? Yes	A No	
5 TYPE C	OF BLANK C	ASING USED:		5 Wrought iron	8 Concre	ete tile	CASING JOINTS: Glu	ed . 🌯 Clamped	
1 Ste	el	3 RMP (S	iR)	6 Asbestos-Cement	9 Other	(specify below	v) We	ded	
2 PV	©	4 ABS		7 Fiberglass			Thr	eaded	
Blank casir	ng diameter	5	.in. to	ft., Dia	in. to		ft., Dia	. in. to ft.	
				.in., weight	2.843.		ft. Wall thickness or gauge	No S. D.R 7./	
TYPE OF	SCREEN O	R PERFORATIO	N MATERIAL:		PV	€ >	10 Asbestos-cen	nent	
1 Ste	eel	3 Stainles	s steel	5 Fiberglass	8 RM	IP (SR)	11 Other (specify	y)	
2 Bra	ass	4 Galvania	zed steel	6 Concrete tile	9 AB		12 None used (d	ppen hole)	
SCREEN (OR PERFOR	RATION OPENIN	NGS ARE:	5 Gauze	d wrapped		8 Saw cut	11 None (open hole)	
1 Co	ntinuous slo	t 3 M	Mill slot	6 Wire w	rapped		9 Drilled holes		
	uvered shutt		(ey punched	7 Torch					
SCREEN-F	PERFORATE	ED INTERVALS:						toft.	
_								toft.	
G	BRAVEL PA	CK INTERVALS:			6			toft.	
.1			From	ft. to		ft., From		to ft.	
_	MATERIAL	<u> </u>	The same of the sa	2 Cement grout					
Grout Inter				π., From	n.			ft. to	
		ource of possible					•	Abandoned water well	
1 Septic tank 4 Lateral lines				7 Pit privy		11 Fuel		15 Oil well/Gas well	
2 Sewer lines 5 Cess pool 3 Watertight sewer lines 6 Seepage pit			•	8 Sewage lagoon		12 Fertilizer storage 16 Other (specify below)			
	_	er lines 6 Seep	page pit	9 Feedyard			_	N. K.N.au.N.	
Direction fr FROM	TO TO		LITHOLOGIC	100	FROM	How mai		GIC LOG	
O	5	* - 1 1		LOG	FROIVI	то	LITHOLO	IGIC LOG	
5	i 1	700 Sa', 1							
	12.5		LAY BROW						
12,5	20		lay gRAY		1				
20	22.6	hs hg	ABY	d shale gang					
22,6	27			a shale gany		 			
27	35.1	Shale							
35.1	36.9		LGARY		1				
36.9	W9.8		med gray		1				
49.8 52.4	57,4	81.1	bluish q	A.A.					
	58,4 60			15 49					
58,4	<i>V V</i>	-s hg	BAY			 			
	-								
	· · · · · · · · · · · · · · · · · · ·					 			
						L			
Z CONTR	RACTOR'S (DR LANDOWNE	R'S CERTIFICATI	ION: This water well wa	s (1) constru	cted (2) reco	enstructed, or (3) plugged u	nder my jurisdiction and was	
							•	knowledge and belief. Kansas	
	Contractor		<i>5</i>			s completed	on (mo/day/yr)	T. 4. T 7. 9	
under the t			1	/					
INCTOLIC	business na	me of	Rioschic	K PA. 11 1 ng	Lo Diogno fill in	by (signat	ture) 13 - 13 in	and top thron popies to Various	
INSTRUC	TIONS: Use ty	pewriter or ball poir	nt pen. <i>PLEASE PRE</i>	<u>SS FIRMLY</u> and <u>PRINT</u> cle á r	ly. Please fill in	blanks, underlin	e or circle the correct answers. S 0. Send one to WATER WELL C		