

1 LOCATION OF WATER WELL:	Fraction	Section Number	Township Number	Range Number
County: <u>Doniphan</u>	<u>SE 1/4 SW 1/4 SW 1/4</u>	<u>6</u>	T <u>1</u> S	R <u>19</u> <u>EW</u>

Distance and direction from nearest town or city street address of well if located within city?

2 west 1 month white cloud iss

2 WATER WELL OWNER: <u>White Cloud GRAIN Co (Roger Wolfe, Pres.)</u>	Board of Agriculture, Division of Water Resources
RR#, St. Address, Box #: <u>Box 276</u>	Application Number:
City, State, ZIP Code: <u>Haworth, KS. 66434</u>	

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL: <u>147</u> ft. ELEVATION:
	Depth(s) Groundwater Encountered 1. <u>117</u> ft. 2. <u>9-11-91</u> ft.
	WELL'S STATIC WATER LEVEL <u>87.3</u> ft. below land surface measured on mo/day/yr
	Pump test data: Well water was <u>90.8</u> ft. after <u>48</u> hours pumping <u>60</u> gpm
	Est. Yield <u>200</u> gpm: Well water was <u>90.8</u> ft. after <u>48</u> hours pumping <u>60</u> gpm
	Bore Hole Diameter: <u>9</u> in. to <u>9</u> in. to <u>9</u> in. to <u>9</u> in.
WELL WATER TO BE USED AS:	
1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well <u>Test well</u>	
Was a chemical/bacteriological sample submitted to Department? Yes <u>X</u> No <u>X</u> ; If yes, mo/day/yr sample was submitted	
Water Well Disinfected? Yes <u>X</u> No <u>X</u>	

5 TYPE OF BLANK CASING USED:	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued <u>X</u> Clamped
1 Steel	6 Asbestos-Cement	9 Other (specify below)	Welded
<u>2 PVC</u>	7 Fiberglass		Threaded
3 RMP (SR)			
4 ABS			
Blank casing diameter <u>5</u> in. to <u>1.27</u> ft. Dia			
Casing height above land surface <u>1.2</u> in., weight <u>2.843</u> lbs./ft. Wall thickness or gauge No. <u>SDR 21</u>			
TYPE OF SCREEN OR PERFORATION MATERIAL:			
1 Steel	3 Stainless steel	5 Fiberglass	8 RMP (SR)
2 Brass	4 Galvanized steel	6 Concrete tile	9 ABS
10 Asbestos-cement			
11 Other (specify)			
12 None used (open hole)			
SCREEN OR PERFORATION OPENINGS ARE:			
1 Continuous slot	3 Mill slot	5 Gauzed wrapped	8 Saw cut
2 Louvered shutter	4 Key punched	6 Wire wrapped	9 Drilled holes
10 Other (specify)			
SCREEN-PERFORATED INTERVALS: From <u>1.27</u> ft. to <u>147</u> ft. From <u>1.27</u> ft. to <u>147</u> ft.			
GRAVEL PACK INTERVALS: From <u>80</u> ft. to <u>147</u> ft. From <u>80</u> ft. to <u>147</u> ft.			

6 GROUT MATERIAL:	1 Neat cement	2 Cement grout	3 Bentonite	4 Other
Grout Intervals: From <u>0</u> ft. to <u>4.0</u> ft. From <u>4.0</u> ft. to <u>4.0</u> ft. From <u>4.0</u> ft. to <u>4.0</u> ft.				
What is the nearest source of possible contamination:				
1 Septic tank	4 Lateral lines	7 Pit privy	10 Livestock pens	14 Abandoned water well
2 Sewer lines	5 Cess pool	8 Sewage lagoon	11 Fuel storage	15 Oil well/Gas well
3 Watertight sewer lines	6 Seepage pit	9 Feedyard	12 Fertilizer storage	16 Other (specify below)
13 Insecticide storage <u>None known</u>				
Direction from well? How many feet?				

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	4	NS			
4	7	Silt & clay BR			
7	13	Silt & clay BR			
13	49	Silt & clay BR			
49	93	SANDY clay BR			
93	103	SANDY clay GRAY			
103	117	SANDY clay GRAY w/ thin mottling			
117	119	SAND BRUF-C			
119	124	SAND BRUF-C			
124	130	SANDY clay GRAY			
130	145.5	SAND & GRAVEL BR			
145.5	147	SHALE GRAY			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was <u>(1) constructed</u> , <u>(2) reconstructed</u> , or <u>(3) plugged</u> under my jurisdiction and was completed on (mo/day/year) <u>9-11-91</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <u>308</u> This Water Well Record was completed on (mo/day/yr) <u>9-11-91</u> under the business name of <u>Bieschick Drilling</u> by (signature) <u>Roy Bieschick</u>
--