CORRECTION(S) TO WATER WELL RECORD (WWC-5)

(to rectify lacking or incorrect information)

Location listed as:	County: Doni Phan Location changed to:
Section-Township-Range: None Given	8-15-19 E SW NE SW
Fraction (1/4 1/4 1/4):	SW NE SW
Other changes: Initial statements:	
Changed to:	
Comments:	
verification method: <u>Latitude</u> # longitude, co and White Cloud 1:24,000	nversion tool on It GS website
and White Cloud 1:24,000	1000 map. initials: DR date: 2/16/2006

submitted by: Kansas Geological Survey, Data Resources Library, 1930 Constant Ave., Lawrence, KS 66047-3726 to: Kansas Dept of Health & Environment, Bureau of Water, 1000 SW Jackson, Suite 420, Topeka, KS 66612-1367.

WATER WELL RECORD	Form WW	C-5	Division	n of Wate	r Resources; App. No.			
1 LOCATION OF WATER WELL:	Fraction		Section No	ımber	Township Number	Range Number		
Distance and direction from nearest town or cit	County: Don phan V4							
located within city?	y street address of	won n	Latitude:	\mathcal{L}	39' 581 4	0.7"		
			Longitude	e: <u>W</u>	95. 19 0	7.1		
	ormley		Elevation	:		·		
	30th		Datum:			· · · · · · · · · · · · · · · · · · ·		
Huwut			Data Coll					
3 LOCATE WELL'S 4 DEPTH OF COME LOCATION	LETED WELL.	••••••). / It.				
WITH AN "X" IN Depth(s) Groundwater	Encountered (1) <u>.</u>	ft. ((2)	ft. (3)	ft.		
SECTION BOX: WELL'S STATIC WA	WELL'S STATIC WATER LEVELft. below land surface measured on mo/day/yr							
N Pump test data	: Well water was		ft. after		hours pumping	gpm		
Est. Yieldgpm WELL WATER TO B								
- N W - N F					vatering 12 Ot			
SWSE					N	YC (1 /		
Was a chemical/bacter Sample was submitted								
Sample was submitted	••••	water	well disin	nectear	1 es No	••••		
5 TYPE OF CASING USED: 5 Wrought 1	ron 8 C	oncrete tile		CASING	G JOINTS: Glued	Clamped		
1 Steel 3 RMP (SR) 6 Asbestos-		her (specify		CASII		Clampea		
2 PVC 4 ABS 7 Fiberglass		(- F)	,		Threaded	1		
Blank casing diameter in. to								
Casing height above land surface			lbs./ft.	Wall thi	ckness or guage No.			
TYPE OF SCREEN OR PERFORATION MATE 1 Steel 3 Stainless Steel 5 Fiber	RIAL: glass 7 PVC	9 A	BS		11 Other (Specify)			
2 Brass 4 Galvanized Steal 6 Conc			sbestos-C		`			
SCREEN OR PERFORATION OPENINGS ARE	:				` •			
	nazed wrapped			d holes	11 None (open h	ole)		
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)								
From								
GRAVEL PACK INTERVALS: From								
From.	ft. t	ю	ft.,	From	ft. to	ft.		
6 GROUT MATERIAL: 1 Neat cement 2	Cement grout 3	Bentonite	4 Other					
Grout Intervals: From ft. to	ft., From		ft. to	f	t., From	ft. toft.		
What is the nearest source of possible contaminat								
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage 16 Other (specify								
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 14 Abandoned water well below) 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer Storage 15 Oil well/gas well								
Direction from well?		How many						
FROM TO LITHOLOGIC	LOG	FROM	TO		PLUGGING INT	ERVALS		
		51	45	NO				
		45	15	Şa				
		15	12	140	ee puig			
				-				
7 CONTRACTOD'S OD I ANDOWNED'S CE	DTIFICATION.	This water	well was (1) const	ructed (2) reconstruc	ted or (3) plugged		
7 CONTRACTOR'S OR LANDOWNER'S CE	day/year) 12/2	and	this record	i j consti Lis true	to the best of my kno	wledge and belief.		
under my jurisdiction and was completed on (mo/day/year)								
under the business name of Hieschick Dulling Co. by (signature) 12 1 and								
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEA</u> three copies to Kansas Department of Health and Environmen	<i>SE PRESS FIRMYY</i> at	nd <i>PRINT</i> clear						
785-296-5522. Send one to WATER WELL OWN								

http://www.kdhe.state.ks.us/geo/waterwells.