KOLAR Document ID: 1575141

WATER WELL RECORD ☐ Original Record ☐ Correction ☐ Change in Well Use							rision of Wate ources App. N		Well	_ш [
1 LOCATION OF WATER WELL:			Fraction			ction Numbe		Township Numb					
County:			1/4 1/4	1/4						□ E □ W			
2 WELL	First:			reet or Rural Address where well is located									
	Business:						direction from nearest town or intersection): If at owner's address, check here:						
Address: Address:	Address:												
City:			State:	ZIP:									
3 LOCAT				IPLETED WELL:			5 Latitude:						
	WITH "A" IN Donth(s) Groundwater			Encountered: 1) ft.			Longitude:						
				ft., or 4) 🗆 Dry Well					WGS 84 □ NAI				
	· 	WELL'S ST			Source	e for	Latitude/Longitude	:					
'		☐ below land surface, measured on (mo-day-yr above land surface, measured on (mo-day-yr						GPS (unit make/model:					
NW	NE	Pump test data: Well water was ft.)		(WAAS enabled? ☐ Yes ☐ No) ☐ Land Survey ☐ Topographic Map					
w H	Е		after hours pumping gp					Online Mapper:					
SW	SFA-		Well w										
		after hours pumping gr Estimated Yield:gpm				pm	6 Eleva	6 Elevation:ft. ☐ Ground Level ☐ TO					
	S	Bore Hole Diameter: in. to				ft and							
1 r	nile	in. to							Other				
7 WELL WATER TO BE USED AS:													
1. Domestic: 5. Public Water Supply: well ID													
				g: how many wells? echarge: well ID				e: well ID					
				g: well ID					al: how many bores				
				al Remediation: well	ID .		a) Clo	Loop Horizont	oop				
3. ☐ Feedlot ☐ Air Sparg			_	traction	b) Open Loop Surface Discharge								
4. ☐ Industrial ☐ Recovery ☐ Injection 13. ☐ Other (specify): .													
Was a chemical/bacteriological sample submitted to KDHE? ☐ Yes ☐ No If yes, date sample was submitted:													
				C D Oth		CACI	NC IOINTS		Clarad D Claman	1 D W	-14-4	Thursday	
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded													
Casing diameter													
	SCREEN OR											ļ	
☐ Steel		less Steel		□ PVC				er (S	Specify)				
☐ Brass ☐ Galvanized Steel ☐ None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:													
		☐ Mill Slot			Torc	ch Cut □ I	rilled Holes		Other (Specify)				
_		☐ Key Puncl					None (Open H		other (speerly)				
				1 ft. to									
				n ft. to									
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other Grout Intervals: From ft., From ft., From ft. to ft. to													
Nearest sou	als: From	II. II. II. II. II.	on: No	π., From potential source of c	II.	. to mination wi	π., From . thin 200 ft	• • • • • •	It. to	π.	•		
☐ Septic			Lateral Line				Livestock Per	ns	☐ Insection	cide Sto	rage		
☐ Sewer	Lines		Cess Pool	☐ Sewage	Lago		Fuel Storage		☐ Abando	oned Wa	ater V	Vell	
Waterti	ight Sewer Lin			☐ Feedyard			Fertilizer Sto	rage	☐ Oil We	:ll/Gas V	Vell		
Direction from	Specify)	• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •	Distance from	 well	 19			ft				
10 FROM	ТО		ITHOLOG		1,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	FROM			HO. LOG (cont.) or		GINC	INTERVALS	
									, ,				
						Notes:							
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged													
under my jurisdiction and was completed on (mo-day-year)													
under the business name of													
under the business name of Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.													
	nent of rieatth at http://www.kdhel			raici, Geology Section,	1000	JOW JACKSOII	51., 5uit 420,	1 opei	Ku, IXansas 00012-130	,,. reiep		A 82a-1212	