

1 LOCATION OF WATER WELL:	Fraction	Section Number	Township Number	Range Number
County: Washington	SW 1/4 SW 1/4 SW 1/4	8	T 1 S	R 2 EW

Distance and direction from nearest town or city street address of well if located within city?

6 East & 1 South of Mahaska, KS

2 WATER WELL OWNER: Dewayne Rose	Board of Agriculture, Division of Water Resources
RR#, St. Address, Box # : 870 29 Road	Application Number:
City, State, ZIP Code : Mahaska, KS 66955	

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL 200 ft. ELEVATION:		
	Depth(s) Groundwater Encountered 144 ft. 2 ft. 3 2/1/06 ft.	WELL'S STATIC WATER LEVEL 144 ft. below land surface measured on mo/day/yr 2/1/06	
	Est. Yield 30 gpm: Well water was ft. after hours pumping gpm	WELL WATER TO BE USED AS:	5 Public water supply 8 Air conditioning 11 Injection well
	1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)	2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well Livestock	
	Was a chemical/bacteriological sample submitted to Department? Yes No * ; If yes, mo/day/yr sample was submitted		Water Well Disinfected? Yes * No

5 TYPE OF BLANK CASING USED:	5 Wrought iron 8 Concrete tile	CASING JOINTS: Glued * Clamped
1 Steel 3 RMP (SR)	6 Asbestos-Cement 9 Other (specify below)	Welded
2 PVC 4 ABS	7 Fiberglass	Threaded
Blank casing diameter 5 in. to 180 ft., Dia in. to ft., Dia in. to ft.
Casing height above land surface 18 in., weight 200 lbs./ft.	Wall thickness or guage No. 265	
TYPE OF SCREEN OR PERFORATION MATERIAL:		
1 Steel 3 Stainless Steel 5 Fiberglass 8 RMP (SR)	10 Asbestos-Cement	11 Other (Specify)
2 Brass 4 Galvanized Steel 6 Concrete tile 9 ABS	12 None used (open hole)	
SCREEN OR PERFORATION OPENINGS ARE:		
1 Continuous slot 3 Mill slot 5 Guazed wrapped 8 Saw cut 11 None (open hole)	2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes	10 Other (specify)
SCREEN-PERFORATED INTERVALS: From 180 ft. to 200 ft., From ft. to ft.	From ft. to ft., From ft. to ft.	
GRAVEL PACK INTERVALS: From 30 ft. to 200 ft., From ft. to ft.	From ft. to ft., From ft. to ft.	

6 GROUT MATERIAL:	1 Neat cement 2 Cement grout <u>3 Bentonite</u> 4 Other	
Grout Intervals: From 5 ft. to 30 ft., From ft. to ft.	From ft. to ft., From ft. to ft.	
What is the nearest source of possible contamination:		
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well	2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well	3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)
Direction from well? None Present		13 Insecticide storage ft.

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	1	Topsoil			
1	24	Tan Clay			
24	63	Gray Clay			
63	109	Sandstone			
109	142	Gray Clay			
142	200	Sandstone			
200	202	Gray Clay			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 2/1/06 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's Licence No 518 . This Water Well Record was completed on (mo/day/yr) 2/12/06 under the business name of Blue Valley Drilling by (signature) <i>[Signature]</i>

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.