WATER WELL R			Division of Water			
	Correction	se	Resources App. No.		Well ID	
1 LOCATION OF WA		V4 SW4SW4	Section Number	Township Number	Range Number R Z	
County: WASA	1 ME CON 14NO	1/4 JW 743W 74	Dural Address w		funknown distance and	
2 WELL OWNER: Last Name ROSE Business First DEWAYNE Street or Rural Address where well is located (if unknown, distance and direction from nearest town or intersection): If at owner's address, check here:						
Address: 870 2974 ROAD						
1 Address:		500				
City: MAHAS				2000000		
3 LOCATE WELL WITH "X" IN	4 DEPTH OF COMPLETED	WELL: 210	. ft. 5 Latitud	e: 57 > 0.5/2	(decimal degrees)	
SECTION BOX:	Depth(s) Groundwater Encountered	: 1) ft.	Longitu	ide:77 14, 25 3	(decimal degrees)	
N	M 2)					
	WELL'S STATIC WATER LEVEL:					
above land surface, measured on (mo-day-yr)						
NW NE	Pump test data: Well water was					
W	after hours pumping gpm Online Mapper:					
SW SE	Well water was ft.					
N S	and mous pumping gpm					
S	Estimated Yield:	210 ft and			S Topographic Map	
mile	in t	o ft.				
7 WELL WATER TO BE USED AS:						
1. Domestic:	5. Public Water Supply:			field Water Supply: lease		
Household	6. Dewatering: how man	•		le: well ID		
☐ Lawn & Garden 7. ☐ Aquifer Recharge: well ID						
I Livestock 8. ☐ Monitoring: well ID 2. ☐ Irrigation 9. Environmental Remediation: well ID				12. Geothermal: how many bores?		
3. Feedlot		oil Vapor Extraction		Loop Surface Disch		
4. 🗌 Industrial	_ , ,	njection		r (specify):		
Was a chemical/bacteriological sample submitted to KDHE? Yes Mo If yes, date sample was submitted:						
Water well disinfected? 7 Yes No						
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: M Glued Clamped Welded Threaded						
Casing diameter						
Casing height above land surface						
TYPE OF SCREEN OR PERFORATION MATERIAL: Steel Stainless Steel Fiberglass PVC Other (Specify)						
☐ Steel ☐ Stainless Steel ☐ Fiberglass ☐ PVC ☐ Other (Specify)						
SCREEN OR PERFORATION OPENINGS ARE:						
☐ Continuous Slot ☐ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)						
Louvered Shutter						
SCREEN-PERFORATED INTERVALS: From 18.0. ft. to 40.0. ft., From ft., From ft. to ft.						
GRAVEL PACK INTERVALS: From 25. ft. to 21.0 ft. From ft. to ft., From ft. to ft.						
Grout Intervals: From ft. to ft.						
Nearest source of possible contamination:						
☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☑ Livestock Pens ☐ Insecticide Storage						
☐ Sewer Lines ☐ Cess Pool ☐ Sewage Lagoon ☐ Fuel Storage ☐ Abandoned Water Well						
☐ Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage ☐ Oil Well/Gas Well						
Other (Specify)	SOUTH Distar	nee from wall?	200	ft.		
19 FROM TO	LITHOLOGIC LOG	FROM	TO L		JUGGING INTERVALS	
	RROWN CLAY	1 101	1 2 1 2		The second secon	
11 32	YELLOW SHALE					
32 83	GRAY SHALF					
93 118	SANDSTONE					
	GRAY SHACE					
	SANDSTUNE					
210 GRAY SHALE Notes:						
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was M constructed, a reconstructed, or plugged						
under my jurisdiction and was completed on (mo-day-year)/O/27/201 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No						
Kansas Water Well Contractor's License No This Water Well Record was completed on (mo-day-year)						
under the business name of BLUE V. BUEV RILLAY THE Signature Sig						
Mail I white copy along with a fee of \$5.00 for each constructed well to. Kansas Department of Health and Environment, Bureau of Water, GWTS Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367 Mail one to Water Well Owner and retain one for your records. Telephone 785-296-5524.						
1000 SW tackeen St						