

WATER WELL RECORD

Form WWC-5

Division of Water Resources; App. No.

1 LOCATION OF WATER WELL: County: WASHINGTON Fraction SW 1/4 NW 1/4 NW 1/4 Section Number 13 Township Number T 1 S Range Number R 3 E/W

Distance and direction from nearest town or city street address of well if located within city? HOLLENBERG 2 WEST . 5 SOUTH 1 WEST . 2 SOUTH ESR Global Positioning Systems (decimal degrees, min. of 4 digits) Latitude: N39°58'13.2" Longitude: W097°02'59.4" Elevation: Datum: WGS 84 Data Collection Method: GPS

2 WATER WELL OWNER: RYAN STRUNK RR#, St. Address, Box #: 2788 QUIVIRA City, State, ZIP Code: HOLLENBERG, KS 66946

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: [Diagram showing NW, NE, SW, SE sections with an X in the NW section] 4 DEPTH OF COMPLETED WELL: 31 ft. Depth(s) Groundwater Encountered (1) 5 ft. (2) ft. (3) ft. WELL'S STATIC WATER LEVEL: 5 ft. below land surface measured on mo/day/yr. 4-19-10 Pump test data: Well water was 10 ft. after 2 hours pumping 10 gpm Est. Yield 30 gpm: Well water was ft. after hours pumping gpm

5 TYPE OF CASING USED: 1 Steel 3 RMP (SR) 5 Wrought Iron 6 Asbestos-Cement 8 Concrete tile CASING JOINTS: Glued Clamped X Welded Threaded 2 PVC 4 ABS 7 Fiberglass 9 Other (specify below) Blank casing diameter 30 in. to 12 ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface 16 in., Weight lbs./ft. Wall thickness or gauge No. 3.75 TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless Steel 5 Fiberglass 7 PVC 9 ABS 11 Other (Specify) 2 Brass 4 Galvanized Steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw cut 10 Other (specify) SCREEN-PERFORATED INTERVALS: From 12 ft. to 31 ft., From ft. to ft. From ft. to ft. GRAVEL PACK INTERVALS: From 12 ft. to 31 ft., From ft. to ft. From ft. to ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other Grout Intervals: From 0 ft. to 12 ft., From ft. to ft., From ft. to ft. What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide storage 16 Other (specify below) 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 14 Abandoned water well 12 Fertilizer storage 15 Oil well/gas well 3 Watertight sewer lines 6 Seepage pit 9 Feedyard Direction from well? EAST How many feet? 800

Table with columns: FROM, TO, LITHOLOGIC LOG, FROM, TO, PLUGGING INTERVALS. Rows: 0-3 TOP SOIL, 3-16 CLAY-BROWN, 16-26 BROWN+YELLOW, 26-31 SANDY RED+WHITE

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 4-19-2010 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 804 This Water Well Record was completed on (mo/day/year) 6-15-10 under the business name of BLUE VALLEY DRIVING LLC by (signature) Royce Shad

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html.