

1 LOCATION OF WATER WELL: Fraction NW 1/4 SW 1/4 SW 1/4 Section Number 4 Township Number T 1 S Range Number R 5 (B/W)

Distance and direction from nearest town or city street address of well if located within city? 1/4 West & 3/4 South of Lanham

2 WATER WELL OWNER: David Kruse RR#, St. Address, Box #: 2773 Yankee Rd. City, State, ZIP Code: Hanover, KS. 66945 Board of Agriculture, Division of Water Resources Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: [Diagram of section box with X in SW quadrant] 4 DEPTH OF COMPLETED WELL: 81 ft. ELEVATION: ... WELL'S STATIC WATER LEVEL: 45 ft. below land surface measured on mo/day/yr 6/24/02

5 TYPE OF BLANK CASING USED: 1 Steel, 2 PVC, 3 RMP (SR), 4 ABS, 5 Wrought iron, 6 Asbestos-Cement, 7 Fiberglass, 8 Concrete tile, 9 Other (specify below) CASING JOINTS: Glued, Clamped, Welded, Threaded. Blank casing diameter: 5 in. to 6.1 ft., Dia. Casing height above land surface: 18 in., weight: 200 lbs./ft. Wall thickness or gauge No.: 265. TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel, 2 Brass, 3 Stainless steel, 4 Galvanized steel, 5 Fiberglass, 6 Concrete tile, 7 PVC, 8 RMP (SR), 9 ABS, 10 Asbestos-cement, 11 Other (specify), 12 None used (open hole). SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot, 2 Louvered shutter, 3 Mill slot, 4 Key punched, 5 Gauzed wrapped, 6 Wire wrapped, 7 Torch cut, 8 Saw cut, 9 Drilled holes, 10 Other (specify), 11 None (open hole). SCREEN-PERFORATED INTERVALS: From 61 ft. to 81 ft. GRAVEL PACK INTERVALS: From 30 ft. to 81 ft.

6 GROUT MATERIAL: 1 Neat cement, 2 Cement grout, 3 Bentonite, 4 Other. Grout Intervals: From 5 ft. to 30 ft. What is the nearest source of possible contamination: 1 Septic tank, 2 Sewer lines, 3 Watertight sewer lines, 4 Lateral lines, 5 Cess pool, 6 Seepage pit, 7 Pit privy, 8 Sewage lagoon, 9 Feedyard, 10 Livestock pens, 11 Fuel storage, 12 Fertilizer storage, 13 Insecticide storage, 14 Abandoned water well, 15 Oil well/Gas well, 16 Other (specify below). Direction from well? None Present How many feet?

Table with columns: FROM, TO, LITHOLOGIC LOG, FROM, TO, PLUGGING INTERVALS. Rows: 0 to 41 Brown Clay, 41 to 68 Yellow Sandstone, 68 to 82 Red Shale & Limestone.

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 6/24/02 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's Licence No. 518. This Water Well Record was completed on (mo/day/yr) 6/30/02 under the business name of Blue Valley Drilling by (signature)