

WATER WELL RECORD Form WWC-5 KSA 82a-1212

LOCATION OF WATER WELL: County: <u>Marshall</u>		Fraction: <u>9E 1/4 SE 1/4 NE 1/4</u>		Section Number: <u>1</u>		Township Number: <u>T 1 S</u>		Range Number: <u>R 6 E</u>	
Distance and direction from nearest town or city street address of well if located within city? <u>7 from Herkimer 5 miles north (D) east 1/2 north on west side</u>									
WATER WELL OWNER: <u>Hennan, Lincolnton</u>					Board of Agriculture, Division of Water Resources				
RR#, St. Address, Box #: <u>2818 gulf road</u>					Application Number:				
City, State, ZIP Code: <u>Lincolnton, Nebr.</u>									
LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:			DEPTH OF COMPLETED WELL: <u>81</u> ft. ELEVATION:						
			Depth(s) Groundwater Encountered: <u>1. 78-81</u> ft. 2. ft. 3. ft.						
			WELL'S STATIC WATER LEVEL: <u>80</u> ft. below land surface measured on mo/day/yr <u>4-16-83</u>						
			Pump test data: Well water was ft. after hours pumping gpm						
			Est. Yield: <u>40</u> gpm: Well water was ft. after hours pumping gpm						
			Bore Hole Diameter: <u>8.10</u> in. to <u>16</u> ft., and <u>7</u> in. to <u>81</u> ft.						
			WELL WATER TO BE USED AS:						
			1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)						
			2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well						
Was a chemical/bacteriological sample submitted to Department? Yes No <u>X</u> ; If yes, mo/day/yr sample was submitted									
Water Well Disinfected? Yes <u>X</u> No									
TYPE OF BLANK CASING USED:					CASING JOINTS: Glued Clamped				
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded					2 PVC 4 ABS 7 Fiberglass Threaded <u>X</u>				
Blank casing diameter: <u>6</u> in. to <u>75</u> ft. Dia. in. to ft. Dia. in. to ft.									
Casing height above land surface: <u>12</u> in. weight: <u>18</u> lbs./ft. (Wall thickness) or gauge No. <u>237</u> Wall									
TYPE OF SCREEN OR PERFORATION MATERIAL:					7 PVC 10 Asbestos-cement				
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)					2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)				
SCREEN OR PERFORATION OPENINGS ARE:					4 Gauzed wrapped 8 Saw cut 11 None (open hole)				
1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes					2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)				
SCREEN-PERFORATED INTERVALS: From <u>81</u> ft. to <u>75</u> ft. From ft. to ft.									
GRAVEL PACK INTERVALS: From <u>81</u> ft. to <u>16</u> ft. From ft. to ft.									
GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other									
Grout Intervals: From <u>16</u> ft. to <u>6</u> ft. From ft. to ft.									
What is the nearest source of possible contamination:									
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well									
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well									
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)									
13 Insecticide storage									
Direction from well? <u>North</u>					How many feet? <u>100</u>				
FROM			TO			LITHOLOGIC LOG			
0			10			oil top soil			
10			32			Sand yellow quick			
32			72			as sand, Blue quick sand			
72			81			Gravel, Blue 'water'			

7. CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 4-16-83 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 237 This Water Well Record was completed on (mo/day/yr) 4-16-83 under the business name of Strader Drilling Co by (signature) Harold Strader

INSTRUCTIONS: Use typewriter or ball point pen, PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Environmental Geology Section, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.