## KOLAR Document ID: 1470872

	WELL R			WWC-5		vision of Wat						
		Correction		e in Well Use		ources App.			Well ID			
<b>1 LOCATION OF WATER WELL:</b> Fraction					ction Numb	1 0						
County: 1/4 1/4 1/4												
						treet or Rural Address where well is located (if unknown, distance and						
	Business: di Address:						irection from nearest town or intersection): If at owner's address, check here:					
Address:												
City:			State:	ZIP:								
3 LOCAT	E WELL						_					
	WITH "X" IN 4 DEPTH OF COMPLETED WELL:											
SECTIO	SECTION BOX: Depth(s) Groundwater Encountered: 1)					——————————————————————————————————————						
1	2) ft. 3) ft., or 4)							WGS 84 INAI		IAD 27		
				n. yr)			Latitude/Longitude unit make/model:		`			
NW	NIE			yr)			WAAS enabled?					
19 W	NL	Pump test d					Survey		.0)			
w	E		hours				e Mapper:					
- Xsw	SE		Well v									
- <b>7</b> 8w	SE		hours	gpm	6 Elevation & Count Level D TOC							
		Estimated Y				6 Elevation:ft.  Ground Level  TOC						
	S	Bore Hole I			Source:  Land Survey  GPS  Topographic Map							
1 mile  in. to ft. Other										,		
7 WELL WATER TO BE USED AS:												
	1. Domestic:     5.          Public Water Supply: well ID											
					how many wells?			11. Test Hole: well ID				
	□ Lawn & Garden       7. □ Aquifer Recharge: well ID         □ Livestock       8. □ Monitoring: well ID											
	a. ☐ Irrigation 9. Environmental Remediation: well ID						<ul><li>12. Geothermal: how many bores?</li><li>a) Closed Loop ☐ Horizontal ☐ Vertical</li></ul>					
3. $\Box$ Feedlo	e							Loop 🗌 Surface Di				
	4. Industrial Recovery Injection						13. $\Box$ Other (specify):					
Was a chemical/bacteriological sample submitted to KDHE?  Yes No If yes, date sample was submitted:												
Water well disinfected? Ves No												
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded												
Casing diameter in. to ft., Diameter in. to ft., Diameter in. to ft.												
Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No												
TYPE OF SCREEN OR PERFORATION MATERIAL:												
$\Box \text{ Steel} \qquad \Box \text{ Stainless Steel} \qquad \Box \text{ PVC} \qquad \Box \text{ Other (Specify)} \dots$												
□ Brass □ Galvanized Steel □ None used (open hole)												
SCREEN OR PERFORATION OPENINGS ARE:												
Continuous Slot Mill Slot Gauze Wrapped Torch Cut Drilled Holes Other (Specify)												
Louvered Shutter Key Punched Wire Wrapped Saw Cut None (Open Hole)												
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft.												
GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft. to ft.												
9 GROUT MATERIAL:  Neat cement Cement grout Bentonite Other												
Grout Intervals: From ft. to ft., From ft. to ft., From ft. to ft.												
		e contaminati		potential source of cont					11 0			
			Lateral Line			Livestock P			cide Storage			
Sewer	Lines ight Sewer Lir		Cess Pool	☐ Sewage Lag ☐ Feedyard		Fuel Storage Fertilizer St			oned Water ` ll/Gas Well			
			Seepage Pit			Fertilizer St	orage		II/Gas well			
Direction from well? ft.												
10 FROM	TO		ITHOLOG		FROM	ТО		HO. LOG (cont.) or		GINTERVALS		
	<u> </u>						1					
	<u> </u>											
							1					
							1					
							1					
	<u> </u>				Notes:	1	1					
11 CONT	RACTOR'S	OR LANDO	OWNER'S	S CERTIFICATION	: This wate	r well was		onstructed, $\Box$ reco	onstructed.	or 🗌 plugged		
under my j	urisdiction ar	nd was compl	eted on (n	no-day-year)	and	this record	is tru	e to the best of m	y knowled	ge and belief.		
Kansas Wa	ter Well Con	tractor's Lice	ense No	This Wa	ter Well Red	cord was co	mple	ted on (mo-day-ye	ear)			
under the b	usiness name	<u>e of</u>				·····						
KS Donorte				ELL OWNER and retain of Vater Geology Section 10						785-206 3565		
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212												