	V	VATER WELL RECORD	Form WWC-	5 KSA 82a-	1212	
LOCATION OF W	ATER WELL: Fractio			ction Number	Township Number	Range Numb
County: Marion	n NE	^{1/4} SE ^{1/4} SE	1/4	4	T 20 S	R 1
	on from nearest town or city str		•			
2 1/2 mi	les South & 1 mi	le West of Leh:	igh, KS	<u>. </u>		
Z WATER WELL C	OWNER: Clifford N	ickel				
RR#, St. Address, E	Box # : R.R. 1, Bo	x 62,			_	ure, Division of Water Resource
City, State, ZIP Cod	e : Lehigh, KS	67073			Application Numb	
AN "X" IN SECTI	LOCATION WITH 4 DEPTH					
7.11 / 111 02011	N Depth(s) G	roundwater Encountered 1.	1 5	ft. 2		ft. 3
ī !	WELL'S ST	TATIC WATER LEVEL	.1.5 ft. l	pelow land surf	ace measured on mo/da	ıy/yr 6-9-92 · · · · ·
NW	-1 1/11					s pumping gpn
1 1	Est. Yield				•	s pumping8gpn
<u> </u>						in. to
≦ "	WELL WAT				-	11 Injection well
sw -	SE _ 1 Dom					12 Other (Specify below)
	2 Irriga					
, <u> </u>	l Was a cher	nical/bacteriological sample s	ubmitted to D	epartment? Ye	s; If	yes, mo/day/yr sample was su
1	5 mitted			Wat	er Well Disinfected? Ye	s X No
5 TYPE OF BLANK	CASING USED:	5 Wrought iron	8 Concr	rete tile	CASING JOINTS: (Glued . χ Clamped
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other	(specify below)	Welded
2 PVC	4 ABS	7 Fiberglass				Threaded
Blank casing diamet	er 5 in. to	3 0 ft., Dia	in. to		ft., Dia	in. to ft
Casing height above	land surface1.2	in., weight2	.37	Ibs./f	t. Wall thickness or gaug	ge No 2.1 4 · · · · ·
TYPE OF SCREEN	OR PERFORATION MATERIA	L:	7 P\	/C	10 Asbestos-	cement
1 Steel	3 Stainless steel	5 Fiberglass	8 RI	MP (SR)	11 Other (spe	ecify)
2 Brass	4 Galvanized steel	6 Concrete tile	9 AE	3S	12 None used	d (open hole)
SCREEN OR PERF	ORATION OPENINGS ARE:	5 Gauze	d wrapped		8 Saw cut	11 None (open hole)
1 Continuous s	slot 3 Mill slot	6 Wire v	vrapped		9 Drilled holes	
2 Louvered sh	utter 4 Key punched	7 Torch	cut		10 Other (specify)	
SCREEN-PERFORA	TED INTERVALS: From	30 ft. to	40	ft., Fron	1	ft. toft
						ft. toft
GRAVEL F	PACK INTERVALS: From	20 ft. to	40	ft., Fron	1	ft. toft
	From			ft., Fron		ft. to
6 GROUT MATERIA		2 Cement grout	3 Bento	onite 4		
Grout Intervals: Fi	rom 0 ft. to	2.0 ft., From	ft.	to	ft., From	ft. toft
	source of possible contamination			10 Livest		14 Abandoned water well
1 Septic tank	4 Lateral lines	7 Pit privy		11 Fuel s	torage	15 Oil well/Gas well
2 Sewer lines	5 Cess pool		8 Sewage lagoon		12 Fertilizer storage 16 Other (specify below)	
3 Watertight se	ewer lines 6 Seepage pit	9 Feedyard		13 Insect	icide storage	
Direction from well?	North			How man	y feet? 125 ft	
FROM TO		OGIC LOG	FROM	ТО	PLUGGIN	NG INTERVALS
0 2	Top Soil	THE CHARLES AND ASSESSED.				
2 12	Gray Clay			l		
12 20	Tan Clay					
20 35	Dark Gray Cla	У		11		
35 40	· - ·	Silt				
40 42						
				1		
				 	AARIN	
7 001701070	1		1			
/ CONTRACTOR'S	OR LANDOWNER'S CERTIF	ICATION: This water well wa	s (1) constru	icted, (2) recor	nstructed, or (3) plugged	under my jurisdiction and was
completed on (mo/da	ay/year) 6 – 9 – 9	7 <i>4</i>		and this recor	d is true to the best of p	y knowledge and belief. Kansa
	or's License No1.3			•		710-97
under the business r	name of Peterson I	rrigation Inc.		by (signati	ure) M	pe verus
INSTRUCTIONS: Use of Health and Enviro	e typewriter or ball point pen. <u>PLEASE Pl</u> Inment, Bureau of Water, Topeka, Kansa	RESS FIRMLY and PRINT clearly. Pleases 66620-0001. Telephone: 913-296-55	ise fill in blanks, i45. Send one to	underline or circle WATER WELL OW	the correct answers. Send top /NER and retain one for your re	three copies to Kansas Department ecords.