WATER WELL RECORD		Form WWC-		Division of Water Resources; App. No.				
1 LOCATION OF WATER WELL: County: Marion		Fraction SW 1/4 S	W 1/4	Section Number 25		Township Number T 20 S	Range Number R / DW	
Distance and di	irection from nearest town or cit	ty street address of we	ell if G	Global Positioning Systems (decimal degrees, min. of 4 digits)				
located within city?				Latitude: 38, 27694				
				Longitude: 97, 27906				
2 WATER WELL OWNER: Mark Grout RR#, St. Address, Box # : 1410 Eagle Road				Elevation:				
RR#, St. Address, Box # : /4/8 Feg/e /2048 City, State, ZIP Code : ////shapa //C			_	Datum:				
71111500101 165 0100				Data Collection Method:				
LOCATION	VITH AN "X" IN Depth(s) Groundwater Encountered (1) ft. (2) ft. (3) ft.							
SECTION BO								
N SECTION BO	N Pump test data: Well water wasft. after							
	Est. Yieldgpm: Well water wasft. after hours pumpinggr							
WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well								
W E 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering Security below								
2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well Geotherma								
Was a chemical/bacteriological sample submitted to Department? Yes No; If yes, mo/day/yrs								
Sample was submitted								
Sample was sacrimed.								
5 TYPE OF CAS	SING USED: 5 Wrought I	fron 8 Conc	rete tile		CASINO	G JOINTS: Glued	Clamped	
1 Steel	3 RMP (SR) 6 Asbestos-	Cement 90the	specify	below)		Welded	X	
2 PVC	4 ABS 7 Fiberglass		HDPM	j 		Threaded		
2 PVC 4 ABS 7 Fiberglass Threaded. Blank casing diameter 7,4 in. to 200 ft., Diameter in. to ft., Diameter in. to ft. Casing height 200 and surface 50 in., Weight lbs./ft. Wall thickness or guage No. 500 II.								
Casing height above land surface								
TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless Steel 5 Fiberglass 7 PVC 9 ABS 11 Other (Specify)								
2 Brass 4 Galvanized Steal 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
1 Continuous slot 3 Mill slot 5 Gauzed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)								
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw cut 10 Other (specify)								
SCREEN-PERFORATED INTERVALS: From								
GRAVEL PACK INTERVALS: From ft to ft From ft to								
From ft. to ft., From ft. to ft.								
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonic 4 Other								
6 GROUT MAT Grout Intervals:								
Grout Intervals: From								
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide storage 6 Other Opecify								
2 Sewer line	es 5 Cess pool		1 Fuel sto	•		andoned water well	below)	
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 15 Oil well/gas well HWSP.								
	11? WRX		How many					
FROM TO	LITHOLOGIC	LOG	FROM	TO	10.4	PLUGGING INT	ERVALS	
9 5 5 30	SOIL SUME OF 1 do	(0	189	200	LIM	EXTENT		
5 30	SHALE Brown to	way	ļ					
30 31	SHALE GRAV	•			1-	200		
7/72	LIMESTONE				1-	IAS		
72 109	SHALENORAY				1 1	70		
109 111	LIMESTONK				1-11	, ,		
111 142	SHALFE, GRAY							
142 143	LAMPSTOME							
145 MI SHITCH COLVY								
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) . 7///								
Kansas Water Well Contractor's License No This Water Well Record was completed on Mode by the angle of the best of my knowledge and belief.								
under the business name of Associated Prilling TWC by (signature)								
INSTRUCTIONS: U	se typewriter or ball point pen. PLEAS	SE PRESS FIRMLY and F	PRINT clearly	y. Please fil	l in blanks	, underline or circle the co	orrect answers. Send top	
three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone								
785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html.								