WATER WELL R		WWC-5		ision of Wat	II.		
Original Record		nge in Well Use		ources App.		Well ID	
					4 -	Range Number	
2 WELL OWNER: L				ral Address			
Address: Add							
					170 # H:11 Sborg 55		
City: Hill b 6		G ZIP:	ray	110-	AIII SU	ory DS	
WITH "X" IN	4 DEPTH OF COMPLETED WELL: ft.				5 Latitude:(decimal degrees)		
SECTION BOX:	Depth(s) Groundwater Encountered: 1) 25 ft.			Long	Longitude:(decimal degrees)		
N	2) ft. 3) ft., or 4) \square Dry Well WELL'S STATIC WATER LEVEL: 30 ft. or 4)				Datum: WGS 84 NAD 83 NAD 27		
	WELL'S STATIC W	A LEK LEVEL:	9. #J7-	Source Source	Source for Latitude/Longitude:		
NWNE	below land surface, measured on (mo-day-yr) above land surface, measured on (mo-day-yr) Pump test data: Well water was			GPS (unit make/model:			
IAM IAE				4	☐ Land Survey ☐ Topographic Map		
W E	after hours pumping gpm				Online Mapper:		
SW SE	Well water was ft.					-	
	after hops pumping			6 Eleva	6 Elevation:ft. Ground Level TOC		
S	Bore Hole Diameter: 7 in. to35 ft. and				Source: Land Survey GPS Topographic Map		
1 mile	Bote Hole Blandet.	in. to					
7 WELL WATER TO BE USED AS:							
1. Domestic:		Water Supply: well ID		10. 🔲 O	il Field Water Supply: 1	ease	
☐ Household				11. Test	11. Test Hole: well ID		
Lawn & Garden					☐ Cased ☐ Uncased ☐ Geotechnical		
Livestock 2. Irrigation	8. Monitoring: well ID				12. Geothermal: how many bores?		
3. ☐ Feedlot	9. Environmental Remediation: well ID				a) Closed Loop ☐ Horizontal ☐ Vertical b) Open Loop ☐ Surface Discharge ☐ Inj. of Water		
4. Industrial	☐ Recover		Allaction				
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:							
Western and I died Control 10 Physics and 10 Physic							
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded							
Casing diameter							
Casing diameter							
TYPE OF SCREEN OR PERFORATION MATERIAL:							
☐ Steel ☐ Stainless Steel ☐ Fiberglass ☐ PVC ☐ Other (Specify)							
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole) SCREEN OR PERFORATION-OPENINGS ARE:							
☐ Continuous Slot							
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)							
SCREEN-PERFORATI	ED INTERVALS: Fro	om 20 ft. to 70	ft., From .	(optil 1	o ft., From	ft. to ft.	
SCREEN-PERFORATED INTERVALS: From							
9 GROUT MATERIAL: Neat cement Cement grout Dentonite Other							
Grout Intervals: From							
Nearest source of possibl		Dia Dia	_	T ! 41- D		:1.0	
☐ Septic Tank☐ Sewer Lines	☐ Lateral Li			Livestock Po Fuel Storage		cide Storage oned Water Well	
☐ Watertight Sewer Lir				Fertilizer St		ell/Gas Well	
Other (Specify)							
	n Field	Distance from we					
10 FROM TO	LITHOLO	OGIC LOG	FROM	TO	LITHO. LOG (cont.) or	PLUGGING INTERVALS	
5 18	Sandy C	1/2 Y					
12 35	Tine sen	1 C 4 1	14.7	ter			
10 33	tine co inc	ed Sand d	- Wa	128			
35 50	Blue SI	018			Orleinal	Polymod to Conden	
					-	Returned to Sender	
			Notes:		for Corre	ection Date: <u>6/30/</u> /	
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was Constructed, reconstructed, or plugged							
11 CONTRACTOR'S	OR LANDOWNER	'S CERTIFICATION	This water	r well was	constructed, reco	onstructed, or plugged y knowledge and belief.	
Kansas Water Well Con	iu was completed on (itractor is L icense No	mo-day-year) $(2 \times \times$		uns record	is irue to the best of m	y knowledge and belief.	
Kansas Water Well Contractor's License No. 180 This Water Well Record was completed on (mo-day-year)							
INSTRUCTIONS: Send one copy to WATER WELL OWNER and retain one copy for your records. Submit fee of \$5.00 for each constructed well along with one (white) copy to Kansas							
Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone (785) 296-3565.							
Visit us at http://www.kdh	eks.gov/waterwell/index.html		KSA 82a-12	212		Revised 9/10/2012	

Revised 9/10/2012