WATER WELL REC	ORD	Form W	WC-5	Di	ivision of Water	r Resources App. N	lo.	
1 LOCATION OF WAT	TER WELL:	Fraction 1/5 LV 1/4 SLV		Santi		Township No.	Range Number	W/
County. Day 1 Address of	Wall I anation is	Sunlan orum diataman 0	direction	Clab	al Dositioning			**
Street/Rural Address of						System (GPS) i		
from nearest town or in	itersection: If at o	wner's address, check	here 14.				(in decimal degrees	
							(in decimal degrees	s)
				Eleva	ation:	· · · · <u>· · · ·</u> · · · · · · · · · · ·		
	WED AA I	75113				4, 🔲 NAD 83, 🗀] NAD 27	
2 WATER WELL OW	NEK: MECTIV	LO HIAMS	۸ (یا	Colle	ction Method:			
RR#, Street Address, I	30x #: 1974	Junebury	ke NW	│ <u>□</u>				
City, State, ZIP Code		, .		1 11	Digital Map/Ph	oto, 🔲 Topograph	ic Map, [] Land Survey	y
	Burl	reton Ks.	66837	Est. A	Accuracy:	3 m, ∐ 3-5 m, ∟] 5-15 m,	
3 LOCATE WELL		COMPLETED WELL	. 30		^	3-200	bures	
WITH AN "X" IN	4 DEPTH OF C	OMPLETED WELL	9 .0.0)	It.	,	<i>(</i> 1)	
SECTION BOX:	Depui(s) Ground	water Encountered	(1) 	11.	(2)	11.	(3)	
N		C WATER LEVEL						
		test data: Well wate						
NW NE		gpm. Well water						n
I will be a long Hole Diameter (a in to 1990) If and in to If								
W 🗶 -	WELL WATER	TO BE USED AS: 🗆	Public wa	ter supp	ly 🔐 Ge	othermal 🔪 🔲	Injection well	
	□ Domestic	☐ Feedlot ☐ □	Oil field wa	ter suppl	lv 🗍 De	watering \ \	Other (Specify below	7)
SW SE		☐ Industrial ☐						
	Was a chemical/b	pacteriological sample	submitted t	o Depar	tment?	Yes DR No	7	
s		lay/yr sample was sub				1 10		
mile		ected? Tyes 🔀						
' 1								
5 TYPE OF CASING U	SED:	□ PVC 🔽 (Other 👯 几 🖸	X0/14	cthylen.	.		
CASING JOINTS:	Glued 🗌 Clam	ped Welded	☐ Threade	d /				
Casing diameter 3.4.	4 in. to . 2.0	ft., Diameter	in	to	ft., D	iameter	in, to f	t.
Casing diameter . 3.4.9 Casing height 35.00 lan	d surface3.	in Weight	SDe L	lbs./1	ft Wall thic	kness or gauge N	10. 160.PS./	
TYPE OF SCREEN OR I	PERFORATION	MATERIAL:	J		.,		,	
		□ PVC	Г	Other (Specify)			
		☐ None used (open he		(
SCREEN OR PERFORA			,					
☐ Continuous slot		☐ Gauze wrapped ☐	Torch cut	☐ Dr	illed holes	☐ None (open ho	le)	
		☐ Wire wrapped ☐		Otl	her (specify)			
SCREEN-PERFORATEI	INTERVALS:	From 1	ft. to					ft.
		From 1						
GRAVEL PACK	INTERVALS:	From 1	ft. to		ft From	ft.	to	ft.
		From 1						
6 CROUT MATERIAL	□ Neat ceme	nt Cement grout	™ Bento	nite [Other			
6 GROUT MATERIAL Grout Intervals: From	・ ファク f to	echient grout	Denne	fito	Culci	From	ft to	 A
What is the nearest source	of possible conto	mination:		16. 10		110111	16. 10	,
Septic tank			Livestock	none	☐ Insecticide	stomas DOt	her (specify below)	
Sewer lines	Cesspool	Sewage lagoon	Fuel stora		Abandoned		ner (specify below)	
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐				storage	Oil well/ga			
Direction from well								
	LITHOLOGI			TO			JGGING INTERVAL	
FROM TO			FROM	10	LITTO. LC	o (cont.) or PL	JOGING INTERVAL	
0 3 50:1+	clay (74	-77 line					· · · · · · · · · · · · · · · · · · ·	
3 6 line	7 \ 77	-130 Shale						
6 14 Sand	Stone 1/30	144 lime						
14 23 Shale	1145	1-151 Shalp						
23 28 lime		1-174 lime						
28 56 Shall		- 177 51.10						
28 56 Shall 56 59 line		18/ 1:00	260	3	3 200	bos Plu	11341	
26 34 1mp		- 186 lime	200		3 34p,		get, warn n	7 (
59 62 Shal	e 186	-193 Shale	-		50//	5 Bent	Brate	
62 72 line		* 200 line					·	
72 74 Shale	·		<u> </u>			<u> </u>		
7 CONTRACTOR'S OR	LANDÓWNER	'S CERTIFICATIO	N: This was	ter well	was 🖫 constr	ucted, 🔲 reconst	ructed, or 📭 plugged	L
under my jurisdiction and								
Kansas Water Well Contra								
under the business name of	ELANS E	ners Dev-	tore	by (signature)	100		
INSTRUCTIONS: Use typewi	iter or ball point pen.	PLEASE RESS FIRMLY	and PRINT c	learly. Ple	ease fill in blanks	and check the corre		
(white, blue, pink) to Kansas D	epartment of Health	and Environment, Bureau	of Water, Geo	logy Secti	on, 1000 SW Jac	ckson St., Suite 420,	Topeka, Kansas 66612-13	367.
Telephone 785-296-5524. Sen		ER WELL OWNER and i	retain one for	your reco	rds. Include <u>fee</u>	of \$5.00 for each	constructed well. Visit u	ıs at
http://www.kdheks.gov/waterwe	ll/index.html.							
KSA 82a-1212								