WATER WELL RE	CORD MW-	form W	WC-5	Division of Wat	er Resources App. No		
1 LOCATION OF WA		Fraction		Section Number	Township No.		
County: Brow	<i>w</i>	14 SE 14 NE		30	T 2 S		
Street/Rural Address	of Well Location; i	f unknown, distance &	& direction	Global Positionin	g System (GPS) inf	formation:	
from nearest town or intersection: If at owner's address, check here \(\begin{align*} \begin{align*} \lambda & \lam							
		Elevation: (in decimal degrees)					
Higwatha, KS 66434				Datum: WGS 84, NAD 83, NAD 27			
2 WATER WELL OWNER: 1 Collection Method:							
Tetri, Street reduces, Box 11.					GPS unit (Make/Model: Magellian)		
City, State, ZIP Code :				☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey Est. Accuracy: 🔀 <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m			
A TOCHTONICA							
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL							
SECTION BOX:	ION BOX: Depth(s) Groundwater Encountered (1)						
WELL'S STATIC WATER LEVEL7.6.8.2ft. below land surface measured on mo/day/yr792							
Pump test data: Well water wasft. after							
1 26 : A							
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well							
Domestic Defection Dil field water supply Dewatering Other (Specify below)							
□ Irrigation □ Industrial □ Domestic-lawn & garden ☒ Monitoring well							
Was a chemical/bacteriological sample submitted to Department? Yes No							
S If yes, mo/day/yr sample was submitted							
Water well disinfected? ☐ Yes X No							
5 TYPE OF CASING USED: Steel PVC Other							
CASING JOINTS: ☐ Glued ☐ Clamped ☐ Welded ☑ Threaded							
Casing diameter							
Casing height above land surface							
☐ Steel ☐ Stainless Steel							
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE:							
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)							
Louvered shutter Key punched Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft.							
From							
GRAVEL PACK INTERVALS: From							
From ft. to ft., From ft. to ft.							
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☑ Bentonite ☐ Other							
Grout Intervals: From							
What is the nearest source of possible contamination: Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)							
Sewer lines							
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well							
Direction from well				from well			
FROM TO	LITHOLOG	IC LUG	FROM	TO LITHO. L	OG (cont.) or PLUC	GGING INTERVALS	
0 2 Top							
		LIAY 1					
4 10 Gray	/ brown m	traft Clay					
10 112001	VVIC 4	119 (4)					
A COMED A CERCE OF	D. I. AND OVERS	AC CEDMINIC : TO	N. Ti	11		. 1	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged							
under my jurisdiction and was completed on (mo/day/year)							
under the business name of Max s by (signature)							
under the business name of							
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at							
http://www.kdheks.gov/waterwell/index.html.							
KSA 82a-1212							