


1 LOCATION OF WATER WELL: Fraction SE 1/4 SE 1/4 SW 1/4 Section Number 18 Township Number T 20 S Range Number R 17 E/W  
 County: COFFEY

Distance and direction from nearest town or city street address of well if located within city?  
6 south, 1 1/2 east of Waverly

2 WATER WELL OWNER: Harold Miller  
 RR#, St. Address, Box # : 2150 19th Rd. NE Board of Agriculture, Division of Water Resources  
 City, State, ZIP Code : Waverly, KS 66871 Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:  
  
 4 DEPTH OF COMPLETED WELL... 140' ft. ELEVATION:  
 Depth(s) Groundwater Encountered 1. .... ft. 2. .... ft. 3. .... ft.  
 WELL'S STATIC WATER LEVEL .. 80' ft. below land surface measured on mo/day/yr .. 6-29-94  
 Pump test data: Well water was .... ft. after .... hours pumping .... gpm  
 Est. Yield .. 20 gpm: Well water was .... ft. after .... hours pumping .... gpm  
 Bore Hole Diameter... 8 3/4 in. to .... ft., and .... in. to .... ft.  
 WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well  
 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)  
 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well  
 Was a chemical/bacteriological sample submitted to Department? Yes.....No...X.....; If yes, mo/day/yr sample was submitted  
 Water Well Disinfected? Yes X No

5 TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued .. X .. Clamped ..  
 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded ..  
 2 PVC 4 ABS 7 Fiberglass Threaded ..  
 Blank casing diameter .. 5" in. to 0-80 ft., Dia .. 5" in. to 130-140 ft., Dia .. in. to .. ft.  
 Casing height above land surface .. 24" in., weight .. 2.82 lbs./ft. Wall thickness or gauge No. .. .258  
 TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement  
 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) ..  
 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)  
 SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole)  
 1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes  
 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) ..  
 SCREEN-PERFORATED INTERVALS: From .. 80 ft. to .. 130 ft., From .. ft. to .. ft.  
 From .. ft. to .. ft., From .. ft. to .. ft.  
 GRAVEL PACK INTERVALS: From .. 24 ft. to .. 140 ft., From .. ft. to .. ft.  
 From .. ft. to .. ft., From .. ft. to .. ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other ..  
 Grout Intervals: From .. 4 ft. to .. 24 ft., From .. ft. to .. ft., From .. ft. to .. ft.  
 What is the nearest source of possible contamination:  
 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well  
 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well  
 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)  
 13 Insecticide storage  
 Direction from well? south How many feet? 105'

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	3	Clay-Brown	127	140	Shaley Limestone-Grey
3	8	Limestone-Yellow			
8	10	Shale-Yellow			
10	12	Shale-Black			
12	13	Limestone-Grey			
13	27	Shale-Grey			
27	43	Limestone-Grey			
43	59	Shale-Grey			
59	74	Limestone-grey			
74	85	Sandstone-Grey			
85	86	Limestone-Grey			
86	94	Sandstone-Grey			
94	99	Shale-Grey			
99	124	Sandstone-Grey			
124	127	Shale-Grey			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) .. 6-29-94 .. and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. .. 182 .. This Water Well Record was completed on (mo/day/yr) .. 7-19-94 .. under the business name of STRADER DRILLING CO., INC. by (signature) [Signature]

OFFICE USE ONLY T R EW SEC.