WATER Y	WELL REC	CORD		Form V	VWC-5	Di	ivision of Wate	r Resources App. No	o. L			
1 LOCATION OF WATER WELL:		ELL:	Fraction	1	Secti	on Number	Township No.	Range 1				
	ANDERSON			NU 454 45	W/NE	4 .	34	T 20 S				
Street/R	tural Address o	f Well Lo	ocation; i	f unknown, distance	Globa	Global Positioning System (GPS) information:						
from nearest town or intersection: If at owner's address, check here .							Latitude: (in decimal degrees) Longitude: (in decimal degrees)					
						Long	gitude:		(ın dec	imal degrees)		
Elevation:									 NAD 27			
I .	R WELL OW		DAVE L	YBARGER		Colle	ction Method:					
RR#, Street Address, Box #: 21517 NW 1650TH RD.												
City, State, ZIP Code : GARNETT, KS 66032							☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m					
3 LOCAT	3 LOCATE WELL											
1	AN "X" IN	4 DEP	TH OF C	COMPLETED WE	LL400		ft.	3-400' bores				
E .	ON BOX:	Depth(s) Ground	Groundwater Encountered (1).0 ft. (2)								
	N	WELL'	S STATI	C WATER LEVEL.	ATER LEVEL							
	1 1	DOT M		test data: Well water wasft. after hours pumping gpmgpm. Well water wasft. after hours pumping gpm								
				meterin. toft., andin. toft.								
W	E			O BE USED AS: Public water supply Geothermal Injection well								
sw sp Domestic Feedlot Oil field water supply Dewatering Other (Speci									ecify below)			
3	l se		gation	☐ Industrial ☐	Domestic-la	awn & ga	arden 🔲 Mo	nitoring well .Cl	-OSED I	.OOP		
<u> </u>	Was a chemical/bacteriological sample submitted to Department? Yes No											
water wen disinfected: 165 lg 140												
5 TYPE OF CASING USED: Steel PVC Other H.D. POLYETHYLENE												
CASING JOINTS: Glued Clamped Welded Threaded FUSION Casing diameter In to 400 Diameter in to Diameter in to Diameter in to Diameter in to Diameter Diamete												
Casing height above land surface												
Steel Stainless Steel PVC Other (Specify)												
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)												
SCREEN OR PERFORATION OPENINGS ARE: NONE												
SCREEN-	PERFORATE	D INTER	VALS:	From	. ft. to					ft		
]	From	. ft. to		ft., From	ft. 1	to	ft		
G	RAVEL PACI	K INTER										
ć oporm												
6 GROUT	6 GROUT MATERIAL: Neat cement Cement grout V Bentonite Other											
			nemical/bacteriological sample submitted to Department?									
	From											
Sewer lines Cesspool			•		Fuel stora	ige	Abandoned	water well	\ 1 - J	,		
	☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well ☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well											
	on from well			······								
FROM 6	SOIL/C	-			FROM	10	LITHO. LC	or (cont.) or PLU	GGING	NIERVALS		
6 55												
55 7												
71 74					400	3	3-400' BOF	RES PLUGGED	WITH			
	41 SANDS											
141 2	17 SHALE		373-390	SHALE								
	50 LIME		390-400	LIME								
	67 SHALE											
h	73 LIME											
273 314 SHALE												
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☐ constructed, ☐ reconstructed, or ☐ plugged ☐ 102/09/2015												
under my jurisdiction and was completed on (mo/day/year) .02/09/2015 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No561 This Water Well Record was completed on (mo/day/year) .02/11/2015												
under the business name of EVANS ENERGY DEVELOPMENT, INC. by (signature)												
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please 25 m blanks and check the correct answers. Send one copy to												
Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.												
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at												