WATER WELL REC	CORD	Form WWC-5	,	Division of Wa	iter Resources; App. No. L		
1 LOCATION OF WATER WELL:		Fraction		Section Number	Township Number	Range Number	
		Sw 45E 1/4 N		16	T 20 S	R 2 (EN	
Distance and direction from nearest town or city street address of well if Global Positioning Systems (decimal degrees, min. of 4 digits)							
located within city?					atitude:		
22 S Hillsboro				Longitude:			
2 WATER WELL OWNER: Jaked Jose RR#, St. Address, Box # : 771 170 SE Rd				Elevation:			
RR#, St. Address, Bo	OSE Rd		Datum:				
City, State, ZIP Code	4:1106	12 15 670	13		Mathadi		
3 LOCATE WELL'S 4 DEPTH OF COMPLETED WELL							
3 LOCATE WELL'S			_				
LOCATION	D 4() C 1 .	_ , , , , , , 4	40	0 (0)	c (2)		
WITH AN "X" IN	Depth(s) Groundwater	Encountered (1)	·	ft. (2)	tt. (3)	tt.	
SECTION BOX:							
N	Pump test data: Well water wasft. after hours pumping gpm						
	Est. Yield. 25. gpm: Well water was. ft. after hours pumping gpm						
NW NE	WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well						
W E							
2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well							
SW SE							
Was a chemical/bacteriological sample submitted to Department? Yes No; If yes, mo/day/yrs							
Sample was submitted							
. S							
5 TYPE OF CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: GluedX Clamped							
	P (SR) 6 Asbestos-	Cement 9 Other (cnecify	helow)			
	7 Fibergless	Cement 9 Other (specify	ociow)			
2 PVC 4 ABS 7 Fiberglass Threaded							
Blank casing diameter in. to ft., Diameter in. to ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface in., Weight S.P.B. 26 lbs./ft. Wall thickness or guage No. 2.							
TYPE OF SCREEN OR PERFORATION MATERIAL: Wall thickness or guage No. 12. 7							
			0.4	DC	11 04 (0 '0)		
	inless Steel 5 Fiber		- 9 A	ABS	11 Other (Specify)	1 1 \	
	vanized Steal 6 Conc		10 A	Asbestos-Cement	12 None used (open	hole)	
SCREEN OR PERFORATION OPENINGS ARE:							
1 Continuous slot 3 Mill slot 5 Gauzed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)							
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw cut 10 Other (specify) SCREEN-PERFORATED INTERVALS: From ft. to ft.							
SCREEN-PERFORATED INTERVALS: From							
From							
From ft. to ft., From ft. to ft.							
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other							
6 GROUT MATERIAL	: 1 Neat cement 2	ement grout 3 Bent	onite	4 Other	О. Т		
Grout Intervals: Fro	m ft. to	π., From	• • • • • • • • • • • • • • • • • • • •	rt. to	It., From	ft. toft.	
What is the nearest source						4604 6 10	
1 Septic tank	4 Lateral lines			•		16 Other (specify	
2 Sewer lines		8 Sewage lagoon 11		•	Abandoned water well	below)	
3 Watertight sewer					oil well/gas well .		
Direction from well?				y feet? 2 0.0			
FROM TO	LITHOLOGIC	LOG	FROM	TO	PLUGGING INT	ERVALS	
	ay						
25 40 BI	ve Shale						
40 45 CM	umblekSh	ale & War	ter				
45 65 Gr	ay Shale	Ho nd					
	7 - 1,7	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,					
		-					
				+	**************************************		
- COMPANIES							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged							
under my jurisdiction and was completed on (mo/day/year) 2.3							
Kansas Water Well Contractor's License No. 1. 2 This Water Well Record was completed on (mo/day/year)							
under the business name of Backhus Drilling by (signature) and the Bashure							
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PNNT</u> clearly. Please fill in blanks, underline or circle the correct answers. Send top							
three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone							
785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at							
http://www.kdheks.gov/waterwell/index.html.							