WATER WELL	RECORD	Form WWC-5	5	Division of	Water	Resources; App. No. L		
1 LOCATION OF	WATER WELL:	Fraction		Section Numl	ber	Township Number	Range Number	
County: Linn		NW/4 NE 1/4 BE				T 20S	R 24 (E)W	
Distance and dire		Global Positioning Systems (decimal degrees, min. of 4 digits)						
located within cit		Latitude: 38920/14.7"						
		Longitude: 94° 46' 32.3"						
2 WATER WELI		Elevation:						
RR#, St. Address	/	Datum: NAD Z7						
City, State, ZIP (Code: LaCygne	e, KS 66040				lethod: GPS		
3 LOCATE WELL		PLETED WELL	29		ft	3, 3		
LOCATION								
WITH AN "X" I	IN Depth(s) Groundwater	Encountered (1)	25	ft. (2).		ft. (3)	ft.	
SECTION BOX: WELL'S STATIC WATER LEVEL								
N Pump test data: Well water wasft. afterhours pumpinggp								
	│ │ Est. Yield@gpm	1: Well water was		ft. after		hours pumping	gpm	
WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well								
w E Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)								
2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well								
SW SE								
Sample was submitted								
S								
5 TYPE OF CASIN	NG USED: 5 Wrought 1	Iron 8 Concre	ete tile	CA	SING	JOINTS: Glued.	Clamped	
	RMP (SR) 6 Asbestos-	-Cement 9 Other (specify	below)		Welded		
		·		• • • • • • • • • • • • • • • • • • • •		Threaded		
Blank casing diameter	ABS 7 Fiberglass er 83/4. in. to25.	ft., Diameter	ir	ı. to	ft., [Diameter i	n. toft.	
Casing height above	land surface	ببج ببير in., Weight	<u>اا</u>	bs./ft. Wal	ll thick	ness or guage No. 4	SDR ZI	
TYPE OF SCREEN	OR PERFORATION MATE	RIAL:				<i>c c</i>		
1 Steel 3	3 Stainless Steel 5 Fiber	glass 7 PVC	9 A	BS		11 Other (Specify).	• • • • • • • • • • • • • • • • • • • •	
	4 Galvanized Steal 6 Conc		10 A	sbestos-Ceme	ent	12 None used (open	hole)	
SCREEN OR PERFORATION OPENINGS ARE:								
1 Continuous slot 3 Mill slot 5 Gauzed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)								
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)								
SCREEN-PERFORATED INTERVALS: From. 25 ft. to 29 ft., From ft. to ft.								
From								
GRAVEL PACK INTERVALS: From. 25 ft. to ft., From ft. to ft. to ft. From. ft. to ft., From ft. to ft.								
	From	It. to	• • • • • • • • • •	ft., Fro	m	ft. to	ft.	
6 GROUT MATER	RIAL: 1 Neat cement 2 (Cement grout 3 Rent	onita	1 Other				
Grout Intervals:	From	25 ft From	dime.	to	ft	From	A	
	ource of possible contaminati	ion·			11.,	110111	11. 1011.	
I Septic tank	4 Lateral lines		Livesto	ck nens 1	3 Inse	cticide Storage	16 Other (specify	
2 Sewer lines			Fuel sto			ndoned water well	below)	
3 Watertight se				_		well/gas well .	ociow)	
	,	•				•	••••••	
FROM TO	LITHOLOGIC		FROM	ТО		PLUGGING INTE		
0 25	Clau					120001101112	TOTAL	
25 28	Carnel-Since	/				,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		
28 29	limestone.					- Constitution of the Cons	<u> </u>	
	China China							
				<u> </u>				

				 		· • · · · · · · · · · · · · · · · · · ·		
				 				
7 CONTRACTOR'	S OR LANDOWNER'S CE	RTIFICATION TING	water	vell was 417 a	onetmy	oted (D) reconstructs	d or (3) plussed	
under my invisdiction	n and was completed on (mo/o	day/year) ///////	2 and	this recording	viiou u	the hest of my know	a, or (3) prugged	
Kansas Water Well C	Contractor's License No	This Water W	/ell Rec	ord was comp	leted ^	in (mo/day/veor)	2/07	
under the business na	ame of Jesse Yoak	Mac Illa (Mac)	hy	(signatura)		1 1 0 (iii)		
INSTRUCTIONS: Use 1	typewriter or ball point pen. PLEAS	SE PRESS FIRMLY and PRI	NT/clearly	Please fill in h	Manks 1	inderline or circle the cor	rect inswers Send ton	
three copies to Kansas De	partment of Health and Environmen	t, Bureau of Water, Geology	Section,	1000 SW Jackson	1 St., Su	ite 420, Topeka, Kansas (6661 2 -1367. Telephone	
785-296-5522. Send	one to WATER WELL OWN	ER and retain one for	your rec	ords. Fee of	\$5.00	for each constructed	well. Visit us at	
http://www.kdheks.gov/wa	aterweii/ingex.html.							