WATER WELL REC	CORD	Form WWC	:-5	Division of Wate	r Resources; App. No. └	
1 LOCATION OF WATER WELL:		I .	I .		Township Number	1 - 1 A
County: Chase  Distance and direction from nearest town or ci		WE 4 3W 45	5W 1/4	22	T 20 S	
Distance and direction	from nearest town or ci	ity street address of v			Systems (decimal de	-
located within city?	Imile SW of	CIEMENTS		atitude:		
2 WATER WELL OW	NED. SORALE	er Harshm	L	ongitude:		
2 WATER WELL OW RR#, St. Address, Box	x# : RRI Ce	dar Point	_	levation:		
City, State, ZIP Code	λ# : ΛΝΙ CE			atum:		
		6684		ata Collection		
3 LOCATE WELL'S	4 DEPTH OF COM	PLETED WELL		£ ft.		
LOCATION	D 41436 1 4	E	20	0 (2)	0 (2)	Δ
WITH AN "X" IN	Depth(s) Groundwater	Encountered (1).	/2 6 1	. π. (2)	π. (3)	Π.
SECTION BOX:	WELL'S STATIC WA	ATER LEVEL	. <b>/. ∠</b> π. be	elow land surface	measured on mo/day	/yii!!Dyi.o44 !
	Est. Yield20gpn				hours pumping	
	WELL WATER TO B					
NW NE	Domestic 3 Fee				vatering 12 Ot	
W E	2 Irrigation 4 Inc	lustrial 7 Domes	tic (lawn & s	parden) 10 Moi	nitoring well	
	2 11118411011 , 1111	, , ,	(	Jun 10 11101		
SW SE	Was a chemical/bacter	riological sample sub	mitted to De	partment? Yes	No×:	If ves. mo/day/yrs
	Sample was submitted	l	Water v	well disinfected?	YesX No	
S	1					
5 TYPE OF CASING U	ISED: 5 Wrought	Iron 8 Con	crete tile	CASIN	G IOINTS: Glued	Clamped
	P (SR) 6 Asbestos	-Cement 9 Oth	er (specify be	elow)		Cramped
2 PVC 4 ABS					Threaded	
Blank casing diameter	5 in. to	8 ft Diameter	in.	to ft	Diameter	in. toft.
Casing height above land	surface2.0	in Weight	lbs	s./ft. Wall thi	ckness or guage No.	SDR-26
TYPE OF SCREEN OR I	PERFORATION MATE	RIAL:			33	
1 Steel 3 Stai	inless Steel 5 Fiber	rglass 7 PVC	) 9 AB	S	11 Other (Specify)	
2 Brass 4 Gal	vanized Steal 6 Cond	erete tile 8 RM (S	R) 10 As	bestos-Cement	12 None used (open	hole)
SCREEN OR PERFORA						
1 Continuous slot		Fauzed wrapped 7	Torch cut	9 Drilled holes	11 None (open h	iole)
2 Louvered shutter	4 Key punched 6 W	Vire wrapped &	Saw Cut	10 Other (specif	ý)	
SCREEN-PERFORATEI	O INTERVALS: From.	ft. to	5.5	? ft., From	ft. to	ft.
	From.	ft. to		ft., From	ft. to	ft.
GRAVEL PACK	INTERVALS: From.					
	From.	ft. to	••••••	ft., From	ft. to	nt.
6 GROUT MATERIAL	· Neat cement 2	Cement grout 3 R	entonite 4	Other		
Grout Intervals: Fro	m3 ft. to	17 ft From	fi	to f	t From	ft to ft
What is the nearest source				10	., 1 10111	10. 10
1 Septic tank	4 Lateral lines		10 Livestock	k pens 13 Ins	secticide Storage	16 Other (specify
2 Sewer lines	5 Cess pool	8 Sewage lagoon	11 Fuel stor	•	bandoned water well	below)
3 Watertight sewer			12 Fertilizer	0		ry Creek Beg
Direction from well? Y			How many f			,
FROM TO	LITHOLOGIC	CLOG	FROM	TO	PLUGGING INT	
	TOP SOIL - BI					
5 10 (	Jay Brw					
10 20 0	Man - TAN		<del></del>			
20 30		3 -~				The state of the s
		) [/				
33 43 S			+			
43 46 5	hate - Gray	/	1			
	20012 - 1871		1			1-11-40-04
46 55 1	IME					
7 CONTRACTOR'S OF	DIANDOWNED'S CI	EDTIFICATION.	Thic water w	all was (1) const	ructed (2) reconstruct	ted or (3) plugged
under my jurisdiction and						
under my jurisdiction and Kansas Water Well Contr						
under the business name				(signature)		
INSTRUCTIONS: Use typew	riter or hall point pen PIF.	ASE PRESS FIRM Y and				orrect answers. Send for
three copies to Kansas Departm	nent of Health and Environme	ent, Bureau of Water, Geo	logy Section, 10	000 SW Jackson St.,	Suite 420, Topeka, Kansas	s 66612-1367. Telephone
785-296-5522. Send one						

http://www.kdheks.gov/waterwell/index.html.