WATER WELL RECORD	Form WV	WC-5	D	ivision of Water	Resources App. N	io.	
1 LOCATION OF WATER WELL: County: Chase	Fraction NE'4 NE/4 NE	E/4 NW 1/4			Township No. T 20 S	Range Number R	
Street/Rural Address of Well Location; if unknown, distance & direction Global Pos					System (GPS) ii	nformation:	
Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here Longitude:						(in decimal degrees)	
Longitude: VI D. J. Apr. L. lo. 1 (in decimal de						(in decimal degrees)	
	and a fine of the second second		- Datur	auon: 	□ NAD 83, □] NAD 27	
2 WATER WELL OWNER: DUSTY FINK RR#, Street Address, Box #: 142517050 Fe115 K3 City, State, ZIP Code : Cotton wood Fe115 K3			Colle	Collection Method:			
City. State. ZIP Code : Cotton wood Fells 15				☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
	56	845	Est. A	Accuracy: $\square < 3$	m, 3-5 m,] 5-15 m,	
3 LOCATE WELL WITH AN "X" IN 4 DEPTH O	E COMPLETED WELL	. 7	b'	ft.			
SECTION BOX: Depth(s) Grou							
N WELL'S STA	Depth(s) Groundwater Encountered (1)						
Pur	Pump test data: Well water was						
W ST. YIELD.	NE EST. YIELD. #gpm. Well water was						
	WELL WATER TO BE USED AS: Public water supply Geothermal Injection well						
Domestic Feedlot Oil field water supply Dewatering Other (Specify below)							
Irrigation Industrial Domestic-lawn & garden Monitoring well							
Was a chemical/bacteriological sample submitted to Department? Yes No If yes, mo/day/yr sample was submitted							
mile Water well disinfected? Yes \[\subseteq \ No							
5 TYPE OF CASING USED: Steel X PVC Other							
CASING JOINTS: A Glued Clamped Welded Threaded							
Casing diameter							
Casing height above land surface							
☐ Steel ☐ Stainless Steel ☐ Other (Specify)							
Brass Galvanized Steel None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE: Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)							
Louvered shutter Key punched Wire wrapped Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From. It. to							
SCREEN-PERFORATED INTERVALS	5: From. 1.8 fi	t. to 		ft., From	ft.	to ft. to ft.	
GRAVEL PACK INTERVALS	: From f	ft. to		ft., From	ft.	to ft.	
	From f	t. to		ft., From	ft.	to ft.	
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other. Grout Intervals: From							
Grout Intervals: From							
	There are	Livestock	pens	☐ Insecticide s		her (specify below)	
Sewer lines Cesspo		Fuel stora		Abandoned v		prek	
Watertight sewer lines Seepag Direction from well	00	Fertilizer s Distance		Oil well/gas rell 3. 0.	Weil	. y	
FROM TO LITHOLO	OGIC LOG	FROM	ТО			UGGING INTERVALS	
0 9 3,							
9. 12 Hill Grav	21	-0-14-0-14-					
12 21 SH Gray							
21 23 Chert -							
29 76 VELIGETE	d 5H						
,	V						
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ★ constructed, ☐ reconstructed, or ☐ plugged							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was A constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo/day/year)							
under the business name of M. W. W. L. D. W. L. L. L. J. W. (signature) G. W. C. L.							
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in banks and check the correct answers. Send three copies							
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at							
http://www.kdheks.gov/waterwell/index.html.							