	WAT	ER WELL RECORD F	orm WWC-5 KSA	32a-1212	
1 LOCATION OF WATER V	VELL Fraction	SW, NE	Section Numb	per Township Nu	mber Range Number
Distance and direction from	nearest town or city?	ness. Ks	Street address of we	Il if located within city	?
2 WATER WELL OWNER:	DAKRELL EDIS				
RR#, St. Address, Box #				Board of A	griculture, Division of Water Resource
City, State, ZIP Code	GOESSEL K	67053		Application	Number:
3 DEPTH OF COMPLETE	D WELL52ft.	Bore Hole Diameter / !	ひ in. to ≶ .	ft., and	in. to
Well Water to be used as:	5 Public water	supply	8 Air conditioning	•	ection well
Domestic 3 Feedlo			9 Dewatering	12 O	ther (Specify below)
2 Irrigation 4 Industr	ial	•	10 Observation well		
Well's static water level			1 1 1 1 1 1 1		dayyea
Pump Test Data Est. Yield 20	: Well water was gpm: Well water was	ft. after	<u> </u>	hours pumping. hours pumping	
4 TYPE OF BLANK CASI	NG USED:	5 Wrought iron	8 Concrete tile	Casing J	oints: Glued .X Clamped
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify b	elow)	Welded
(2 PVC)	4 ABS	7 Fiberglass			Threaded
Blank casing dia	, ,	ft., Dia	1/ 4		in. to _.
Casing height above land s	urface	in., weight		lbs./ft. Wall thickness	or gauge No · · · · · · · · · · · · · · · · · ·
TYPE OF SCREEN OR PE	RFORATION MATERIAL:		PVC	10 Asb	estos-cement
1 Steel	3 Stainless steel	5 Fiberglass	8 RMP (SR)	11 Oth	er (specify)
2 Brass	4 Galvanized steel	6 Concrete tile	9 ABS		ne used (open hole)
Screen or Perforation Open	ings Are:	5 Gauzeo	d wrapped	8 Saw cut	11 None (open hole)
1 Continuous slot	3 Mill slot	6 Wire w	rapped	9 Drilled holes	
2 Louvered shutter	4 Key punched	7 Torch			/)
Screen-Perforation Dia					in to
Screen-Perforated Intervals	_				ft. to
Gravel Pack Intervals:	From	, .ft. to			ft. to
C ODOUT MATERIAL	From	ft. to			ft. to
5 GROUT MATERIAL	Neat cement	2 Cement grout	3 Bentonite		
Grouted Intervals: From		1. 3 π., From			
What is the nearest source	•	7 Causan lane		uel storage ertilizer storage	14 Abandoned water well15 Oil well/Gas well
1 Septic tank 2 Sewer lines	4 Cess pool	7 Sewage lagor		nsecticide storage	16)Other (specify below)
3 Lateral lines	5 Seepage pit 6 Pit privy	8 Feed yard 9 Livestock per		Vatertight sewer lines	WATER WAY
Direction from well	JAZH HO	w many feet	SO 2 W		
Was a chemical/bacteriolog				No Distribution	
was submitted	•	•			
If Yes: Pump Manufacturer	s name GRUND	Fos	Model No SP-4	1-6 HP	1/2 volts 230
Depth of Pump Intake	2 7	ft.	Pumps Capacity rate	7	gal./m
Type of pump:	1 Submersible			•	Reciprocating 6 Other
					plugged under my jurisdiction and w
completed on	6h1x4	month			
and this record is true to the	ne best of my knowledge ar				
This Water Well Record wa				a day	84ear under the busine
	oul's Inc	_	(-1	arl Been	han I wilder the busine
7 LOCATE WELL'S LOCA		, LITHOLOG		ROM TO	LITHOLOGIC LOG
WITH AN "X" IN SECT	111011	Lagan			
BOX:	2 10	DARY BENI	1 A 4		
N	70 15	1 16 HE Beat	CLAY		
Ī !!!	15 20	OVGREEN ZLA	U 1		To the Late of the Control of the Co
NW NE		OB MED FINE	SAND		Project Control of the Control of th
w × w	27 30	Blee Su	1,705		
× 1	2 32	1368AU SUA	1.6		
SW SE	, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Y CIED 1 ZAM			
1 1 1]				
S 1 Mile					
ELEVATION:	'				
	ountered 1 f	12 ft 2	ft A	ft (Llee	a second sheet if needed)
Depth(s) Groundwater End INSTRUCTIONS: Use type	countered 1f	se press firmly and PRINT	clearly. Please fill in b	planks, underline or cir	a second sheet if needed) cle the correct answers. Send top three Send one to WATER WELL OWNER as