WATER W	ELL RECORD	Form W	WC-5	Division of Wat	er Resources App. N	0.	
1 LOCATION	N OF WATER WELL:	Fraction	.1 nr	Section Number	Township No.	Range Number	
County:	sedgman	1/4 / 1/4 / 1/4		<i>J</i>		R DEW	
Street/Rura	al Address of Well Location; st town or intersection: If at	if unknown, distance d		ng System (GPS) in			
Hom neare	st town of intersection. If at	owner's address, chec	Latitude: (in decimal degrees) Longitude: (in decimal degrees)				
				Elevation:			
2 WATER WELL OWNER: Da 1 Dag 10 LL				Datum: WGS 84, NAD 83, NAD 27			
RR#, Street Address, Box #: 700, 1111 (CH) S4				Collection Method: GPS unit (Make/Model:)			
2 WATER WELL OWNER: Pay Paquette RR#, Street Address, Box #: 309 W 124543 84 N City, State, ZIP Code : Wichita, KS47204				☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
WITH AN	"X" IN 4 DEPTH OF	COMPLETED WEL	L 47.	ft	•		
SECTION	BOX: Depth(s) Ground	dwater Encountered	(1)	ft. (2)	ft. (3) ggg .tt.	
N	N WELL'S STATIC WATER LEVEL On the below land surface measured on mo/day/yr. On the below land surface measured on the below land surface measured on the below land surface measured on						
EST. YIELD							
W Bore Hole Diameter 2 in. to 4 .7ft., andin. toft.							
WELL WATER TO BE USED AS: ☐ Public water supply ☐ Geothermal ☐ Injection well							
SWSE Domestic							
Was a chemical/bacteriological sample submitted to Department? Yes No							
S If yes, mo/day/yr sample was submitted							
Water well disinfected? Wes No							
5 TYPE OF CASING USED: Steel Y PVC Other							
CASING JOINTS: Glued Clamped Welded Threaded							
Casing diameter							
TYPE OF SCREEN OR PERFORATION MATERIAL:							
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)							
☐ Brass ☐ Galvanized Steel ☐ None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:							
☐ Continuous slot							
Louvered shutter Key punched Wire wrapped Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From ft. to ft.							
1 10th,							
GRAVEL PACK INTERVALS: From 20 ft. to 4.7 ft., From ft. to ft.							
From ft. to ft., From ft. to ft.							
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other Grout Intervals: From 3							
What is the nearest source of possible contamination:							
Septic tank							
		Sewage lagoon bit Feedyard	e ∐Abandone orage □Oil well/g	ed water well			
						•••••	
FROM TO		SIC LOG	FROM	TO LITHO. L	.OG (cont.) <u>or</u> PLU	IGGING INTERVALS	
0 3	100 200						
3 20	fino Sovel						
30 47	man Sand						
						·	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☑ constructed, ☐ reconstructed, or ☐ plugged							
under my jurisdiction and was completed on (mp/day/year)							
under the business name of							
INSTRUCTIONS: Use typewriter or ball point pen <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blarks and check the correct antwers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.							
Telephone 785-2	96-5524. Send one copy to WAT						
http://www.kdheks.gov/waterwell/index.html.							
KSA 82a-1212							