

M	_		RECORD		· · · · · · · · · · · · · · · · · · ·	3836		sion of Wate					
	Origina	e in Well Use			irces App. N				N				
I			WATER WEL	Fraction $\frac{1}{4}$ $\frac{1}{4}$ $\frac{1}{4}$	4 14	Section Numb			Township NumberRange NumberTSREW				
2	County WFLI	<u>,</u> OWNER:	Lost Nama:		First:	-	reet or Rural Address where well is located (if unknown, distance and						
4	Business:	11181.	direction from nearest town or intersection): If at owner's address, check here:										
	Address:					uncenon					5 uuu 055,		
	Address:			State:	ZIP:								
3	City: LOCAT	F WFLL											
5	WITH "			IPLETED WELL:				5 Latitude:(decimal degrees)					
	SECTIO			Depth(s) Groundwater Encountered: 1) 2)					Longitude:(decimal degrees)				
	Ν	N	WELL'S ST				Datum: WGS 84 NAD 83 NAD 27 Source for Latitude/Longitude:						
			-yr)		GPS (unit make/model:)								
	NW	NE				asured on (mo-day-yr)			(WAAS enabled? ☐ Yes ☐ No)				
					vater was ft.			Land Survey Topographic Map					
W		E		after hours pumping gpm Well water was ft.					Online Mapper:				
4	X - SW	SE	after	after hours pumping gpm									
				Estimated Yield:gpm					6 Elevation:ft. Ground Level TOC				
					in. to ft. and			Source: Land Survey GPS Topographic Map Other					
1 mile													
	Domestic: 5. Public Water Supply: well ID												
	□ Housel				11. Test Hole: well ID								
	_	Lawn & Garden7. Aquifer Recharge: well IDLivestock8. Monitoring: well ID											
	Livesto		Monitorin vironmenta					al: how many bores					
	☐ Inigati ☐ Feedlo		Extraction		a) Closed Loop Horizontal Vertical b) Open Loop Surface Discharge Inj. of Water								
	🔲 Industr			Air Sparge Recovery	Injection			13.					
W	Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:												
	Water well disinfected? \Box Yes \Box No												
	8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded												
Casing diameter in. to ft., Diameter in. to ft., Diameter ft.													
Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No													
1	□ Steel □ Stainless Steel □ Fiberglass □ PVC □ Other (Specify)												
Brass Galvanized Steel Concrete tile None used (open hole)													
SC	SCREEN OR PERFORATION OPENINGS ARE:												
	□ Continuous Slot □ Mill Slot □ Gauze Wrapped □ Torch Cut □ Drilled Holes □ Other (Specify) □ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)												
SC	CREEN-F	PERFOR A		$ALS \cdot From$	ft to	aw Cui ft Fi	rom	ft to		ft From	ft to) ft	
	SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft. or ft. to ft. ft. to ft. ft. to ft. ft. to ft. ft. ft. ft. ft. ft. ft. ft. ft.												
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other													
					ft., From	. ft. to	•••••	ft., From		ft. to	ft.		
		-	ble contaminati	o n: Lateral Line	s 🗌 Pit Privy		Пτ	livestock Pe		🗖 Incestia	ida Stanaa		
	□ Septic ' □ Sewer I			Cess Pool	S Sewage La	agoon		Fuel Storage		☐ Insectic ☐ Abando			
	Watertight Sewer Lines Seepage Pit Feedyard Fertilizer Storage Oil Well/Gas Well												
□ Other (Specify)													
	rection fro	om well? TO		ITHOLO			I? ft. FROM TO LITHO. LOG (cont.) or PLUGGING INTERVALS						
10	INUM	10			517 100	I'KU	1.61	10		10. LOG (colit.) of	LUUUII		
_													
			ļ			_							
						N T - 4							
	Notes:												
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, reconstructed, or plugged													
un	under my jurisdiction and was completed on (mo-day-year) and this record is true to the best of my knowledge and belief.												
Kansas Water Well Contractor's License No													
under the business name of													
	-		n and Environment	Bureau of W	Vater, Geology Section, 1						7. Telephor		
	Visit us at <u>h</u>	<u>ttp://www.kd</u>	heks.gov/waterwel	l/index.html							K	SA 82a-1212	