	TER WELL RECORD Form WWO		
1 LOCATION OF WATER WELL: Fraction		ection Number Township	
County: COFFEY  Distance and direction from nearest town or city street	14 SW 14 NE 14   et address of well if located within city	<u> 2</u> 9   т 2 ?	/ s   R /5 4w
COFFEY COUNTY N			
2 WATER WELL OWNER: COFFEY CO	DUNTY		DW-5
RR#, St. Address, Box # : COUNTY CO	URTHOUSE 5.6=5	7. Board	of Agriculture, Division of Water Resources
City, State, ZIP Code : パンルレハしらて	ONI KS 44051	Applica	tion Number:
WELL'S STA	undwater Encountered 1. 3/. TIC WATER LEVEL/5/2. ft	ft. 2	ft. 3
	) -· N		hours pumping gpm
= W			
_		ater supply 8 Air condition	
- SW SE 1 Domes			12 Other (Specify below)
2 Irrigation		-	vell; If yes, mo/day/yr sample was sub-
· · · · · · · · · · · · · · · · · · ·	cal/bacteriological sample submitted to	•	
§ mitted		Water Well Disinfe	
5 TYPE OF BLANK CASING USED:			
1 Steel 3 RMP (SR)		er (specify below)	Welded
PVC 4 ABS Blank casing diameter 2. in. to 29	7 Fiberglass		Threaded
Blank casing diameter in. to	えるft., Diain.	to	in. to ft.
Casing height above land surface30	in., weight	lbs./ft. Wall thickne	
TYPE OF SCREEN OR PERFORATION MATERIAL:			Asbestos-cement
1 Steel 3 Stainless steel	<u>-</u>	, ,	Other (specify)
2 Brass 4 Galvanized steel	6 Concrete tile 9 /	ABS 12	None used (open hole)
SCREEN OR PERFORATION OPENINGS ARE:	5 Gauzed wrapped	8 Saw cut	11 None (open hole)
1 Continuous slot		9 Drilled hole	
2 Louvered shutter 4 Key punched	7 Torch cut	10 Other (spe	cify)
From GRAVEL PACK INTERVALS: From	27,5 ft. to 29,5	ft. From	ft. to ft ft.
From	ft. to	ft., From	ft. to ft.
6 GROUT MATERIAL: 1 Neat cement	Cement grout Be	ntonite 4 Other	
Grout Intervals From . O. D ft. to . 24.	D ft From Z.Y. O ft	. to. <b>27, 5</b> ft., From	
Grout Intervals From . D. D ft. to	.O f B From Z.Y.O ft :	to. 27,5ft., From 10 Livestock pens	ft. toft.  14 Abandoned water well
Grout Intervals From . D. D ft. to	. O ft From . Z.Y.O ft : 7 Pit privy	to. <b>27.5</b> ft., From 10 Livestock pens 11 Fuel storage	ft. toft.  14 Abandoned water well  15 Oil well/Gas well
Grout Intervals From . D. D ft. to	From Z	to. <b>27.5</b> ft., From 10 Livestock pens 11 Fuel storage 12 Fertilizer storage	ft. toft.  14 Abandoned water well  15 Oil well/Gas well  6 Other (specify below)
Grout Intervals From. D. D ft. to	. O ft From . Z.Y.O ft : 7 Pit privy	to. 27,5ft., From 10 Livestock pens 11 Fuel storage 12 Fertilizer storage 13 Insecticide storage	ft. toft.  14 Abandoned water well  15 Oil well/Gas well
Grout Intervals From. O. O. ft. to	From Z. Y. O ft: 7 Pit privy 8 Sewage lagoon 9 Feedyard	to. 27,5ft., From 10 Livestock pens 11 Fuel storage 12 Fertilizer storage 13 Insecticide storage How many feet?	ft. to
Grout Intervals From. O.O. ft. to . Z4.4  What is the nearest source of possible contamination  1 Septic tank	From Z. Y. O ft: 7 Pit privy 8 Sewage lagoon 9 Feedyard	to. 27,5ft., From 10 Livestock pens 11 Fuel storage 12 Fertilizer storage 13 Insecticide storage	ft. to
Grout Intervals From . D. D ft. to	From Z. Y. O ft: 7 Pit privy 8 Sewage lagoon 9 Feedyard	to. 27,5ft., From 10 Livestock pens 11 Fuel storage 12 Fertilizer storage 13 Insecticide storage How many feet?	ft. toft.  14 Abandoned water well  15 Oil well/Gas well  (6)Other (specify below)
Grout Intervals From D.D. ft. to .24.4  What is the nearest source of possible contamination  1 Septic tank	From Z.Y.O. ft  7 Pit privy 8 Sewage lagoon 9 Feedyard  FROM	to. 27,5ft., From 10 Livestock pens 11 Fuel storage 12 Fertilizer storage 13 Insecticide storage How many feet?	ft. to
Grout Intervals From. D.D. ft. to .Z4.  What is the nearest source of possible contamination  1 Septic tank 4 Lateral lines  2 Sewer lines 5 Cess pool  3 Watertight sewer lines 6 Seepage pit  Direction from well?  FROM TO LITHOLOG  0.0 0.5 Topsoic  0.5 17.0 SILTY CLAY  17.0 Z5.0 LIMESTONE (	From Z.Y.O. ft  7 Pit privy 8 Sewage lagoon 9 Feedyard  FROM	to. 27,5ft., From 10 Livestock pens 11 Fuel storage 12 Fertilizer storage 13 Insecticide storage How many feet?	ft. to
Grout Intervals From. D.D. ft. to .Z4.  What is the nearest source of possible contamination  1 Septic tank 4 Lateral lines  2 Sewer lines 5 Cess pool  3 Watertight sewer lines 6 Seepage pit  Direction from well?  FROM TO LITHOLOG  0.0 0.5 Topsoic  0.5 17.0 SILTY CLAY  17.0 25.0 LIMESTONE ( 25.0 29.4 SHALE (HEE	7 Pit privy 8 Sewage lagoon 9 Feedyard FROM PLATTSMOUTH	to. 27,5ft., From 10 Livestock pens 11 Fuel storage 12 Fertilizer storage 13 Insecticide storage How many feet?	ft. to
Grout Intervals From. D.D. ft. to .Z4.  What is the nearest source of possible contamination  1 Septic tank 4 Lateral lines  2 Sewer lines 5 Cess pool  3 Watertight sewer lines 6 Seepage pit  Direction from well?  FROM TO LITHOLOG  0,0 0.5 Topsoic  0,5 17.0 SiLTY CLAY  17.0 Z5.0 HIMESTONE ( Z5.0 Z9.4 SHALE (HEE  Z9.4 30.4 LIMESTONE (	From Z.Y.O ft  7 Pit privy 8 Sewage lagoon 9 Feedyard  FROM  FROM  PLATTSMOUTH  EBNER  LEAUENWORTH	to. 27,5ft., From 10 Livestock pens 11 Fuel storage 12 Fertilizer storage 13 Insecticide storage How many feet?	ft. to
Grout Intervals From. D.D. ft. to .Z4.  What is the nearest source of possible contamination  1 Septic tank 4 Lateral lines  2 Sewer lines 5 Cess pool  3 Watertight sewer lines 6 Seepage pit  Direction from well?  FROM TO LITHOLOG  0.0 0.5 Topsoic  0.5 17.0 SILTY CLAY  17.0 Z5.0 LIMESTONE ( Z5.0 Z9.4 SHALE (HEE)  29.4 30.4 LIMESTONE ( 30.4 38.9 SHALE (S	7 Pit privy 8 Sewage lagoon 9 Feedyard FROM PLATTSMOUTH	to. 27,5ft., From 10 Livestock pens 11 Fuel storage 12 Fertilizer storage 13 Insecticide storage How many feet?	ft. to
Grout Intervals From. D.D. ft. to .Z4.  What is the nearest source of possible contamination  1 Septic tank 4 Lateral lines  2 Sewer lines 5 Cess pool  3 Watertight sewer lines 6 Seepage pit  Direction from well?  FROM TO LITHOLOG  0,0 0.5 Topsoic  0,5 17.0 SiLTY CLAY  17.0 Z5.0 HIMESTONE ( Z5.0 Z9.4 SHALE (HEE  Z9.4 30.4 LIMESTONE (	From Z.Y.O ft  7 Pit privy 8 Sewage lagoon 9 Feedyard  FROM  FROM  PLATTSMOUTH  EBNER  LEAUENWORTH	to. 27,5ft., From 10 Livestock pens 11 Fuel storage 12 Fertilizer storage 13 Insecticide storage How many feet?	ft. to
Grout Intervals From. D.D. ft. to .Z4.  What is the nearest source of possible contamination  1 Septic tank 4 Lateral lines  2 Sewer lines 5 Cess pool  3 Watertight sewer lines 6 Seepage pit  Direction from well?  FROM TO LITHOLOG  0.0 0.5 Topsoic  0.5 17.0 SILTY CLAY  17.0 Z5.0 LIMESTONE ( Z5.0 Z9.4 SHALE (HEE)  29.4 30.4 LIMESTONE ( 30.4 38.9 SHALE (S	From Z.Y.O ft  7 Pit privy 8 Sewage lagoon 9 Feedyard  FROM  FROM  PLATTSMOUTH  EBNER  LEAUENWORTH	to. 27,5ft., From 10 Livestock pens 11 Fuel storage 12 Fertilizer storage 13 Insecticide storage How many feet?	ft. to
Grout Intervals From. D.D. ft. to .Z4.  What is the nearest source of possible contamination  1 Septic tank 4 Lateral lines  2 Sewer lines 5 Cess pool  3 Watertight sewer lines 6 Seepage pit  Direction from well?  FROM TO LITHOLOG  0.0 0.5 Topsoic  0.5 17.0 SILTY CLAY  17.0 Z5.0 LIMESTONE ( Z5.0 Z9.4 SHALE (HEE)  29.4 30.4 LIMESTONE ( 30.4 38.9 SHALE (S	From Z.Y.O ft  7 Pit privy 8 Sewage lagoon 9 Feedyard  FROM  FROM  PLATTSMOUTH  EBNER  LEAUENWORTH	to. 27,5ft., From 10 Livestock pens 11 Fuel storage 12 Fertilizer storage 13 Insecticide storage How many feet?	ft. to
Grout Intervals From. D.D. ft. to .Z4.  What is the nearest source of possible contamination  1 Septic tank 4 Lateral lines  2 Sewer lines 5 Cess pool  3 Watertight sewer lines 6 Seepage pit  Direction from well?  FROM TO LITHOLOG  0.0 0.5 Topsoic  0.5 17.0 SILTY CLAY  17.0 Z5.0 LIMESTONE ( Z5.0 Z9.4 SHALE (HEE)  29.4 30.4 LIMESTONE ( 30.4 38.9 SHALE (S	From Z.Y.O ft  7 Pit privy 8 Sewage lagoon 9 Feedyard  FROM  FROM  PLATTSMOUTH  EBNER  LEAUENWORTH	to. 27,5ft., From 10 Livestock pens 11 Fuel storage 12 Fertilizer storage 13 Insecticide storage How many feet?	ft. to
Grout Intervals From. D.D. ft. to .Z4.  What is the nearest source of possible contamination  1 Septic tank 4 Lateral lines  2 Sewer lines 5 Cess pool  3 Watertight sewer lines 6 Seepage pit  Direction from well?  FROM TO LITHOLOG  0.0 0.5 Topsoic  0.5 17.0 SILTY CLAY  17.0 Z5.0 LIMESTONE ( Z5.0 Z9.4 SHALE (HEE)  29.4 30.4 LIMESTONE ( 30.4 38.9 SHALE (S	From Z.Y.O ft  7 Pit privy 8 Sewage lagoon 9 Feedyard  FROM  FROM  PLATTSMOUTH  EBNER  LEAUENWORTH	to. 27,5ft., From 10 Livestock pens 11 Fuel storage 12 Fertilizer storage 13 Insecticide storage How many feet?	ft. to
Grout Intervals From. D.D. ft. to .Z4.  What is the nearest source of possible contamination  1 Septic tank 4 Lateral lines  2 Sewer lines 5 Cess pool  3 Watertight sewer lines 6 Seepage pit  Direction from well?  FROM TO LITHOLOG  0.0 0.5 Topsoic  0.5 17.0 SILTY CLAY  17.0 Z5.0 LIMESTONE ( Z5.0 Z9.4 SHALE (HEE)  29.4 30.4 LIMESTONE ( 30.4 38.9 SHALE (S	From Z.Y.O ft  7 Pit privy 8 Sewage lagoon 9 Feedyard  FROM  FROM  PLATTSMOUTH  EBNER  LEAUENWORTH	to. 27,5ft., From 10 Livestock pens 11 Fuel storage 12 Fertilizer storage 13 Insecticide storage How many feet?	ft. to
Grout Intervals From. D.D. ft. to .Z4.  What is the nearest source of possible contamination  1 Septic tank 4 Lateral lines  2 Sewer lines 5 Cess pool  3 Watertight sewer lines 6 Seepage pit  Direction from well?  FROM TO LITHOLOG  0.0 0.5 Topsoic  0.5 17.0 SiLTY CLAY  17.0 25.0 LIMESTONE (12.4)  29.4 30.4 LIMESTONE (13.4)  30.4 38.4 SHALE (3.4)	From Z.Y.O ft  7 Pit privy 8 Sewage lagoon 9 Feedyard  FROM  FROM  PLATTSMOUTH  EBNER  LEAUENWORTH	to. 27,5ft., From 10 Livestock pens 11 Fuel storage 12 Fertilizer storage 13 Insecticide storage How many feet?	ft. to
Grout Intervals From. D.D. ft. to .Z4.  What is the nearest source of possible contamination  1 Septic tank 4 Lateral lines  2 Sewer lines 5 Cess pool  3 Watertight sewer lines 6 Seepage pit  Direction from well?  FROM TO LITHOLOG  0.0 0.5 Topsoic  0.5 17.0 SiLTY CLAY  17.0 25.0 LIMESTONE (12.4)  29.4 30.4 LIMESTONE (13.4)  30.4 38.4 SHALE (3.4)	From Z.Y.O ft  7 Pit privy 8 Sewage lagoon 9 Feedyard  FROM  FROM  PLATTSMOUTH  EBNER  LEAUENWORTH	to. 27,5ft., From 10 Livestock pens 11 Fuel storage 12 Fertilizer storage 13 Insecticide storage How many feet?	ft. to
Grout Intervals From. D.D. ft. to .Z4.  What is the nearest source of possible contamination  1 Septic tank 4 Lateral lines  2 Sewer lines 5 Cess pool  3 Watertight sewer lines 6 Seepage pit  Direction from well?  FROM TO LITHOLOG  0.0 0.5 Topsoic  0.5 17.0 SiLTY CLAY  17.0 25.0 LIMESTONE (12.4)  29.4 30.4 LIMESTONE (13.4)  30.4 38.4 SHALE (3.4)	From Z.Y.O ft  7 Pit privy 8 Sewage lagoon 9 Feedyard  FROM  FROM  PLATTSMOUTH  EBNER  LEAUENWORTH	to. 27,5ft., From 10 Livestock pens 11 Fuel storage 12 Fertilizer storage 13 Insecticide storage How many feet?	ft. to
Grout Intervals From. D.D. ft. to .Z4.  What is the nearest source of possible contamination  1 Septic tank	From Z.4.0. ft  7 Pit privy 8 Sewage lagoon 9 Feedyard  FROM  PLATTSMOUTH  EBNER  LEAUENWORTH  NYDERVILE  TORONTU	to. 27.5. ft., From 10 Livestock pens 11 Fuel storage 12 Fertilizer storage 13 Insecticide storage How many feet?	ft. to
Grout Intervals From. D.D. ft. to .Z4.  What is the nearest source of possible contamination  1 Septic tank	From Z.4.0. ft  7 Pit privy 8 Sewage lagoon 9 Feedyard  FROM  PLATTSMOUTH  EBNER  LEAUENWORTH  NYDERVILE  TORONTU	to. 27.5. ft., From 10 Livestock pens 11 Fuel storage 12 Fertilizer storage 13 Insecticide storage How many feet? TO	ft. to
Grout Intervals From. D.D. ft. to .Z4.  What is the nearest source of possible contamination  1 Septic tank	From Z. Y. O ft  7 Pit privy 8 Sewage lagoon 9 Feedyard  FROM  FR	to. 27.5. ft., From 10 Livestock pens 11 Fuel storage 12 Fertilizer storage 13 Insecticide storage How many feet? TO	ft. to
Grout Intervals From. D.D. ft. to .Z4.  What is the nearest source of possible contamination  1 Septic tank	From Z. Y. O ft  7 Pit privy 8 Sewage lagoon 9 Feedyard  FROM  PLATTSMOUTH  EBNER  LEAUENWORTH  NYDERVIUE  TORONTU)  ATION: This water well was (1) cons	to. 27.5. ft., From 10 Livestock pens 11 Fuel storage 12 Fertilizer storage 13 Insecticide storage How many feet? TO  tructed, (2) reconstructed, or (3 and this record is true to the was completed on (mo/day/yr)	ft. to
Grout Intervals From. D.D. ft. to .Z4.  What is the nearest source of possible contamination  1 Septic tank	From ZY, O. ft  7 Pit privy 8 Sewage lagoon 9 Feedyard  FROM  PLATTSMOUTH)  EBNER  LEAUENWOOTH  NYDERVIUE  TORONTU)  ATION: This water well was (1) cons  CONSULTANTS INC.	to. 27.5. ft., From 10 Livestock pens 11 Fuel storage 12 Fertilizer storage 13 Insecticide storage How many feet? TO  tructed, (2) reconstructed, or (3 and this record is true to the was completed on (mo/day/yr) by (signature)	ft. to