			ER WELL RECO	ORD Form	WWC-5	KSA 82a-12		· · · · · · · · · · · · · · · · · · ·	
1 LOCATION OF W		Fraction	AN#	CVA		tion Number	Township Number	1	ge Number
County: Distance and direction	Correy	SW 1/4	NW ½	SW	½ hip city?	26	T 21	S R	15E E
Distance and direction	from nearest town to	or city street at	11 South 4 th	Street. E	nin city? Burlinato	n Kansas			
2 WATER WELL OV	NER: Sandra f								
RR#, St. Address, Bo							Board of Agricultur	e. Division of Wa	ater Resources
City, State, ZIP Code	Burlingt	on. Ks 66	839				Application Number		
, LOCATE WELL'S	OCATON WITH								
AN "X" IN SECTIO	N BOX:	DEPTH OF	COMPLETED	WELL	9		ATION:		
	D	epth(s) Ground	dwater Encoun				2		
	N N	ELL'S STATIO	C WATER LEV	EL N	IA ft.	below land su	rface measured on m	o/day/yr	
A		Pum	np test data: \				after h		Gpm
	E	st. Yield	Gpm: \	Nell water w			after		
NW	T		eter 8.625	In. to	9)	t. and	in. to	
W Mile	FN	ELL WATER	TO BE USED	S: 5 Put	lic water s	upply	8 Air conditioning	11 Injection	n well
- "		1 Domesti	c 3 Feed lot						Specify below)
Xsw	SE	2 Irrigation	n 4 Industria	al 7 Lav	n and gard	den (domestic)	10 Monitoring wel	∟ MW-11	
- SVV	; W	las a chemical	l/bacteriologica				'es No X		r sample was
↓ <u>Li</u>		ubmitted					er Well Disinfected?		No X
5 TYPE OF BLANK	SASING USED:		5 Wrough	t Iron	8 Concr	ete tile			Clamped
1 Steel	3 RMP (SF	3)	_			(specify below		Welded	
2 PVC	4 ABS	,	7 Fibergla			(´	Threaded	Χ
			Ft.,	00			Ft.,	····	
Blank casing diamete	2 i	n. to 3			In. t	to	Dia	in. to	ft.
Casing height above I	and surface F	FLUSH	In., weight		H 40		Wall thickness or gau		
TYPE OF SCREEN C					7	PVC	10 Asbestos		
1 Steel	3 Stainless	steel	5 Fibergla	SS	8	RMP (SR)	11 Other (sp	a aifu)	
2 Brass	4 Galvaniz	ed steel	6 Concret	e tile	9	ABS		ed (open hole)	
SCREEN OR PERFO	_			5 Gauzeo			8 Saw cut	11 None	e (open hole)
 Continuous s 	lot 3 M	ill slot		6 Wire wr	apped		9 Drilled holes		
2 Louvered shi	itter 4 Ke	ey punched		7 Torch o	ut		10 Other (specify)		
SCREEN-PERFORA	ED INTERVALS:	From	fi	. to	9	ft. Fr		ft. to	ft.
		From	ff	. to		ft. Fr			
SAND PACK	INTERVALS:	From		. to	9	ft. Fr	om		
		From		. to		ft. Fı		ft. to	Ft.
6 GROUT MATERIA	L: 1 Neat cer	ment 2	2 Cement grou	ıt	3 Ber	ntonite	4 Other		
			Ft.		Ft.				
Grout Intervals Fro	m3 <u> </u>	to 1	From2	1	to	2.5	ft. From	ft. to	ft.
What is the nearest se	ource of possible cor	ntamination:				10 Livesto	ock pens	14 Abandoned v	vater well
1 Septic tank	4	Lateral lines	7	Pit privy		11 Fuels	torage	15 Oil well/ Gas	well
2 Sewer lines	5	Cess pool	8	Sewage la	igoon	12 Fertiliz	er storage	16 Other (specif	y below)
3 Watertight se	wer lines 6	Seepage pit	9	Feedyard		13 Insect	cide storage	Contamin	ated Site
Direction from well?						How many	eet?		
FROM TO	CODE	LITHO	LOGIC LOG		FROM	ТО	PLUGG	ING INTERVAL	S
0 .5	Aspl								
.5 2			k gray, sof						
2 6			e gray, sof	t					
6 9		dy Clay, ta							
9 TD	End	of Boreho	ole						
						-			
						-			
						-			
						-			

7 CONTRACTOR'S	OR LANDOWNER'S	S CERTIFICAT	TION: This wat	er well was	(x) constru	icted, (2) recoi	nstructed, or (3) plugg	ed under my jur	isdiction and w
Completed on (mo/da	y/yr) 03/04/08						ue to the best of my k		
Water Well Contracto			585				cord was completed of	-	04/04/08
under the business na	ime of	Associa	ted Enviro	nmental	. Inc.	P.	(signature) - Brad	Mohas	
INSTRUCTIONS	Please fill in blanks a	and circle the co	rrect answers. S	end three co	pies to Kans	sas Department	of Health and Favorecords	ect Sugar of W	ater, Topeka,
Kansas 66620-00	01. Telephone: 913-2	96-5545. Send	one to WATER	WELL OWN	ER and reta	in one for your	ecords W	y	
				****				/	