WATER WELL RECORD		Form WWC-5		Division of Water Resources App. No.			
1 LOCATION OF WATER WELL:		Fraction			Township No.		
County: Coffey	14 NE 14 NE	22		R 15 17€ □W			
Street/Rural Address of Well Location; if unknown, distance & direction Global Positioning System (GF						iformation:	
from nearest town or intersection: If at owner's address, check here . Latitude					1-0.65 	(in decimal degrees)	
Conoco #16010 Gas Station				Longitude:			
1124 N. 4thst. Burlington, KS				Datum: ☐ WGS 84, ☑ NAD 83, ☐ NAD 27			
2 WATER WELL OWNER: Consco Phillips				Collection Method		NAD 21	
RR#, Street Address, Box #: 1604-02 Phillips Building				GPS unit (M	ake/Model: . Secono	60	
City State 710 Code				☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
	Bartics	rille, OK 7400	٦	Est. Accuracy:	<3 m, 🛛 3-5 m, 🗌	5-15 m, □ >15 m	
3 LOCATE WELL	A DEPEND OF	COMPLETED WELL	. 2	4			
WITH AN "X" IN	4 DEPTH OF	COMPLETED WELL	L	1	••		
SECTION BOX:	Depth(s) Groundwater Encountered (1)						
	Pump test data: Well water was						
' '	FST VIELD and Well water was ft after hours pumping and						
NWNE	EST. YIELDgpm. Well water wasft. afterhours pumpinggpm Bore Hole Diameterin. toft., andin. toft.						
1"1 1 1 1 1 -	WELL WATER TO BE HOLD AC. D Bubble senses and D Conthernal Distriction and						
Domestic Dendlet Oil field water cumply Dewatering Other (Specify below)							
SW SE							
Was a chemical/bacteriological sample submitted to Department? Yes Yes No							
S If yes, mo/day/yr sample was submitted							
water well disinfected? ☐ Yes ☑ No							
5 TYPE OF CASING USED: Steel PVC Other							
CASING IOINTS: ☐ Glued ☐ Clamped ☐ Welded 📆 Threaded							
Casing diameter							
Casing height above land surface Fluid in, Weight							
TYPE OF SCREEN OR PERFORATION MATERIAL:							
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)							
Brass Galvanized Steel None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE: Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)							
☐ Continuous stot ☐ Wint stot ☐ Gauze wrapped ☐ Total cut ☐ Difficult notes ☐ Note (open note)							
☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☐ Saw cut ☐ Other (specify)							
From							
GRAVEL PACK INTERVALS: From							
From							
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other							
Grout Intervals: From							
What is the nearest source of possible contamination:							
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☐ Other (specify below) ☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well							
Sewer lines							
Direction from well			_	rom well			
FROM TO	LITHOLOG	IC LOG	FROM	TO LITHO. L	OG (cont.) or PLUC	GGING INTERVALS	
0 24 51/40	lay						
					- W		
	I AND CHIEF	SC CERTIFICATION	In This sector	well was Masset	moted \square reconstant	oted or Dislugged	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, preconstructed, or plugged							
under my jurisdiction and was completed on (mo/day/year) (4.21.12							
under the business name of Below bearing License No							
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies							
(white, blue, pink) to Kansas Depar trment of Health and E nvironment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 666 12-1367. Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Vi sit us at							
Telephone 785-296-5524. Sen	d one copy to WATE	R WELL OWNER and re	tain one for yo	ur records. I nclude fe	e of \$5.00 for each con-	structed well. Vi sit us at	
http://www.kdheks.gov/waterwell/index.html.							
KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy							