4		ER WELL RECORD	Form WWC-5	KSA 82a-1			PORT
1 LOCATION OF WATER	1 0-	CE 115	'	n Number	Township N		Range Number
County: Coffey		4 SE 14 NE	/4	1	т 21	S	R 15 🖎
	n nearest town or city street						_
	mi east, 1.5 mi s		jton				
	a: KG&E, KCP and L	_, KEPCo					
RR#, St. Address, Box #						•	Division of Water Resources
	: Burlington, KS					n Number:	
LOCATE WELL'S LOCA	TION WITH 4 DEPTH OF	COMPLETED WELL	.30	ft. ELEVATI	ON:		
→ AN "X" IN SECTION B	Depth(s) Groun	ndwater Encountered 1.		ft. 2.		ft. 3	
ī T	I WELL'S STATI	C WATER LEVEL 14	ft. beld	ow land surfa	ce measured or	n mo/day/yr	12-2091
	Pur	np test data: Well water	rwasNA	ft. afte	er	. hours pu	mping gpm
NW							mping gpm
	X Bore Hole Diar						toft.
# W 1			5 Public water s		Air conditioning		
- '	1 Domesti		6 Oil field water				Other (Specify below)
SW	SE 2 Irrigation						
	• • •		_	_			mo/day/yr sample was sub
<u> </u>	mitted	m bacteriological cample c	abilitioa to Dopi		r Well Disinfecte		
5 TYPE OF BLANK CAS		5 Wrought iron	8 Concrete				1 Clamped
1 Steel	3 RMP (SR)	6 Asbestos-Cement			D L		ed
		7 Fiberglass	Nativ	e Stone	Rack		aded
Plank assing diameter L	/. € in. to		in to		f Dia	111100	in to #
	surface 6 feet below						
<u> </u>	ERFORATION MATERIAL:	vp., weight	7 PVC				٨
		5 Fibereless				bestos-ceme	J/N
1 Steel	3 Stainless steel	5 Fiberglass	9 ABS	(SR)			
2 Brass	4 Galvanized steel	6 Concrete tile				ne usea (op	en hole) 7
SCREEN OR PERFORAT			d wrapped		8 Saw cut		11 None (open hole)
 Continuous slot 	3 Mill slot		vrapped		9 Drilled holes		11/4
	4 Key punched	7 Torch	CLIF		(1) ()thar (enacit	V)	N./. M.
2 Louvered shutter							
2 Louvered shutter SCREEN-PERFORATED	NTERVALS: From	ft. to		ft., From		ft. t	o
SCREEN-PERFORATED	NTERVALS: From	ft. to		ft., From		ft. t	o
	NTERVALS: From From	ft. to ft. to ft. to ft. to		ft., From ft., From ft., From		ft. t ft. t	o
SCREEN-PERFORATED	NTERVALS: From From From From From	ft. to		ft., From ft., From ft., From ft., From		ft. t ft. t ft. t	o
GRAVEL PACK 6 GROUT MATERIAL:	NTERVALS: From From INTERVALS: From From 1 Neat cement	ft. to ft. to ft. to ft. to ft. to	3 Bentonit	ft., From ft., From ft., From ft., From	ther	ft. t ft. t ft. t. t	o
GRAVEL PACK GROUT MATERIAL: Grout Intervals: From.	NTERVALS: From From INTERVALS: From From 1 Neat cement7ft. to5.	ft. to ft. to ft. to ft. to ft. to	3 Bentonit	ft., From ft., From ft., From ft., From	ther	ft. t. ft. t. ft. t. ft. t. ft. t. ft. t.	o
GRAVEL PACK GROUT MATERIAL: Grout Intervals: From. What is the nearest source	NTERVALS: From From INTERVALS: From From 1 Neat cement7ft. to5. e of possible contamination:	ft. to	3 Bentonit	ft., From ft., From ft., From ft., From te 4 O	ther	ft. t. ft. t. ft. t. ft. t. ft. t. ft. t.	6
GRAVEL PACK GROUT MATERIAL: Grout Intervals: From. What is the nearest source 1 Septic tank	NTERVALS: From	ft. to 7 Pit privy	3 Bentonit	ft., Fromft., Fromft., From ft., From te 4 0	tthertt., Fromck pens	ft. t. ft. f	o
GRAVEL PACK GROUT MATERIAL: Grout Intervals: From What is the nearest source 1 Septic tank 2 Sewer lines	NTERVALS: From From INTERVALS: From From 1 Neat cement7ft. to5. e of possible contamination: 4 Lateral lines 5 Cess pool	ft. to 7 Pit privy 8 Sewage lago	3 Bentonit	ft., Fromft., Fromft., From ft., From te 4 0	ther	ft. t. ft. f	o
GRAVEL PACK GRAVEL PACK GROUT MATERIAL: Grout Intervals: From. What is the nearest source 1 Septic tank 2 Sewer lines 3 Watertight sewer lines	NTERVALS: From From INTERVALS: From From 1 Neat cement7ft. to5. e of possible contamination: 4 Lateral lines 5 Cess pool ines 6 Seepage pit	ft. to 7 Pit privy	3 Bentonit	ft., Fromft., Fromft., From tt., From te 4 0	ther	ft. t ft. t ft. t ft. t 14 A 15 O 16 O	o
GRAVEL PACK GRAVEL PACK GROUT MATERIAL: Grout Intervals: From. What is the nearest source 1 Septic tank 2 Sewer lines 3 Watertight sewer li Direction from well?	NTERVALS: From From INTERVALS: From From 1 Neat cement7ft. to5. e of possible contamination: 4 Lateral lines 5 Cess pool ines 6 Seepage pit	ft. to ft. to ft. to ft. to ft. to ft. to 7 Pit privy 8 Sewage lago 9 Feedyard	3 Bentonit	ft., From ft., From ft., From te 4 0 10 Livesto 11 Fuel st 12 Fertilize 13 Insectic How many	ther	ft. t. ft. f	o
GRAVEL PACK GRAVEL PACK GROUT MATERIAL: Grout Intervals: From. What is the nearest source Septic tank Septic tank Septic tank Septic tank Substituting Sewer lines Watertight sewer lines FROM TO	NTERVALS: From From INTERVALS: From From 1 Neat cement7ft. to5. e of possible contamination: 4 Lateral lines 5 Cess pool ines 6 Seepage pit uth LITHOLOGIC	ft. to ft. to ft. to ft. to ft. to ft. to ft. privy Fit privy Sewage lago Feedyard	3 Bentonit	ft., Fromft., Fromft., From tt., From te 4 0	ther	ft. t ft. t ft. t ft. t 14 A 15 O 16 O	o
GRAVEL PACK GRAVEL PACK GRAVEL PACK GROUT MATERIAL: Grout Intervals: From. What is the nearest source 1 Septic tank 2 Sewer lines 3 Watertight sewer li Direction from well? Sol FROM TO 30 ft 15 ft C	NTERVALS: From	ft. to ft. to ft. to ft. to ft. to ft. to ft. privy Fit privy Sewage lago Feedyard	3 Bentonit	ft., From ft., From ft., From te 4 0 10 Livesto 11 Fuel st 12 Fertilize 13 Insectic How many	ther	ft. t. ft. f	o
GRAVEL PACK GRAVEL PACK GRAVEL PACK GRAVEL PACK GRAVEL PACK GRAVEL PACK From Materials: From What is the nearest source 1 Septic tank 2 Sewer lines 3 Watertight sewer lines Gravel Pack 1 Septic tank 2 Sewer lines 3 Watertight sewer lines To FROM TO 1 30 ft 15 ft C	INTERVALS: From	ft. to 7 Pit privy 8 Sewage lago 9 Feedyard CLOG Sinfected	3 Bentonit	ft., From ft., From ft., From te 4 0 10 Livesto 11 Fuel st 12 Fertilize 13 Insectic How many	ther	ft. t. ft. f	o
GRAVEL PACK GRAVEL PACK GRAVEL PACK GROUT MATERIAL: Grout Intervals: From. What is the nearest source 1 Septic tank 2 Sewer lines 3 Watertight sewer li Direction from well? Sol FROM TO 30 ft 15 ft C 15 ft 7 ft C 7 ft 5 ft C	From INTERVALS: From From 1 Neat cement 7 ft. to 5. e of possible contamination: 4 Lateral lines 5 Cess pool ines 6 Seepage pit uth LITHOLOGIC rushed gravel, dis ompacted clay ement Grout (2 cub	ft. to 7 Pit privy 8 Sewage lago 9 Feedyard CLOG Sinfected	3 Bentonit	ft., From ft., From ft., From te 4 0 10 Livesto 11 Fuel st 12 Fertilize 13 Insectic How many	ther	ft. t. ft. f	o
GRAVEL PACK GRAVEL PACK GRAVEL PACK GROUT MATERIAL: Grout Intervals: From. What is the nearest source 1 Septic tank 2 Sewer lines 3 Watertight sewer li Direction from well? Sol FROM TO 30 ft 15 ft C 15 ft 7 ft C 7 ft 5 ft C	INTERVALS: From	ft. to 7 Pit privy 8 Sewage lago 9 Feedyard CLOG Sinfected	3 Bentonit	ft., From ft., From ft., From te 4 0 10 Livesto 11 Fuel st 12 Fertilize 13 Insectic How many	ther	ft. t. ft. f	o
GRAVEL PACK GRAVEL PACK GRAVEL PACK GROUT MATERIAL: Grout Intervals: From. What is the nearest source 1 Septic tank 2 Sewer lines 3 Watertight sewer li Direction from well? Sol FROM TO 30 ft 15 ft C 15 ft 7 ft C 7 ft 5 ft C	From INTERVALS: From From 1 Neat cement 7 ft. to 5. e of possible contamination: 4 Lateral lines 5 Cess pool ines 6 Seepage pit uth LITHOLOGIC rushed gravel, dis ompacted clay ement Grout (2 cub	ft. to 7 Pit privy 8 Sewage lago 9 Feedyard CLOG Sinfected	3 Bentonit	ft., From ft., From ft., From te 4 0 10 Livesto 11 Fuel st 12 Fertilize 13 Insectic How many	ther	ft. t. ft. f	o
GRAVEL PACK GRAVEL PACK GRAVEL PACK GROUT MATERIAL: Grout Intervals: From. What is the nearest source 1 Septic tank 2 Sewer lines 3 Watertight sewer li Direction from well? Sol FROM TO 30 ft 15 ft C 15 ft 7 ft C 7 ft 5 ft C	From INTERVALS: From From 1 Neat cement 7 ft. to 5. e of possible contamination: 4 Lateral lines 5 Cess pool ines 6 Seepage pit uth LITHOLOGIC rushed gravel, dis ompacted clay ement Grout (2 cub	ft. to 7 Pit privy 8 Sewage lago 9 Feedyard CLOG Sinfected	3 Bentonit	ft., From ft., From ft., From te 4 0 10 Livesto 11 Fuel st 12 Fertilize 13 Insectic How many	ther	ft. t. ft. f	o
GRAVEL PACK GRAVEL PACK GROUT MATERIAL: Grout Intervals: From. What is the nearest source 1 Septic tank 2 Sewer lines 3 Watertight sewer li Direction from well? Source FROM TO 30 ft 15 ft Co 7 ft 5 ft Co	From INTERVALS: From From 1 Neat cement 7 ft. to 5. e of possible contamination: 4 Lateral lines 5 Cess pool ines 6 Seepage pit uth LITHOLOGIC rushed gravel, dis ompacted clay ement Grout (2 cub	ft. to 7 Pit privy 8 Sewage lago 9 Feedyard CLOG Sinfected	3 Bentonit	ft., From ft., From ft., From te 4 0 10 Livesto 11 Fuel st 12 Fertilize 13 Insectic How many	ther	ft. t. ft. f	o
GRAVEL PACK GRAVEL PACK GRAVEL PACK GROUT MATERIAL: Grout Intervals: From. What is the nearest source 1 Septic tank 2 Sewer lines 3 Watertight sewer li Direction from well? Sol FROM TO 30 ft 15 ft C 15 ft 7 ft C 7 ft 5 ft C	From INTERVALS: From From 1 Neat cement 7 ft. to 5. e of possible contamination: 4 Lateral lines 5 Cess pool ines 6 Seepage pit uth LITHOLOGIC rushed gravel, dis ompacted clay ement Grout (2 cub	ft. to 7 Pit privy 8 Sewage lago 9 Feedyard CLOG Sinfected	3 Bentonit	ft., From ft., From ft., From te 4 0 10 Livesto 11 Fuel st 12 Fertilize 13 Insectic How many	ther	ft. t. ft. f	o
GRAVEL PACK GRAVEL PACK GRAVEL PACK GROUT MATERIAL: Grout Intervals: From. What is the nearest source 1 Septic tank 2 Sewer lines 3 Watertight sewer li Direction from well? Sol FROM TO 30 ft 15 ft C 15 ft 7 ft C 7 ft 5 ft C	From INTERVALS: From From 1 Neat cement 7 ft. to 5. e of possible contamination: 4 Lateral lines 5 Cess pool ines 6 Seepage pit uth LITHOLOGIC rushed gravel, dis ompacted clay ement Grout (2 cub	ft. to 7 Pit privy 8 Sewage lago 9 Feedyard CLOG Sinfected	3 Bentonit	ft., From ft., From ft., From te 4 0 10 Livesto 11 Fuel st 12 Fertilize 13 Insectic How many	ther	ft. t. ft. f	o
GRAVEL PACK GRAVEL PACK GRAVEL PACK GROUT MATERIAL: Grout Intervals: From. What is the nearest source 1 Septic tank 2 Sewer lines 3 Watertight sewer li Direction from well? Sol FROM TO 30 ft 15 ft C 15 ft 7 ft C 7 ft 5 ft C	From INTERVALS: From From 1 Neat cement 7 ft. to 5. e of possible contamination: 4 Lateral lines 5 Cess pool ines 6 Seepage pit uth LITHOLOGIC rushed gravel, dis ompacted clay ement Grout (2 cub	ft. to 7 Pit privy 8 Sewage lago 9 Feedyard CLOG Sinfected	3 Bentonit	ft., From ft., From ft., From te 4 0 10 Livesto 11 Fuel st 12 Fertilize 13 Insectic How many	ther	ft. t. ft. f	o
GRAVEL PACK GRAVEL PACK GRAVEL PACK GROUT MATERIAL: Grout Intervals: From. What is the nearest source 1 Septic tank 2 Sewer lines 3 Watertight sewer li Direction from well? Sol FROM TO 30 ft 15 ft C 15 ft 7 ft C 7 ft 5 ft C	From INTERVALS: From From 1 Neat cement 7 ft. to 5. e of possible contamination: 4 Lateral lines 5 Cess pool ines 6 Seepage pit uth LITHOLOGIC rushed gravel, dis ompacted clay ement Grout (2 cub	ft. to 7 Pit privy 8 Sewage lago 9 Feedyard CLOG Sinfected	3 Bentonit	ft., From ft., From ft., From te 4 0 10 Livesto 11 Fuel st 12 Fertilize 13 Insectic How many	ther	ft. t. ft. f	o
GRAVEL PACK GRAVEL PACK GRAVEL PACK GROUT MATERIAL: Grout Intervals: From. What is the nearest source 1 Septic tank 2 Sewer lines 3 Watertight sewer li Direction from well? Source FROM TO 30 ft 15 ft Co 7 ft 5 ft Co	From INTERVALS: From From 1 Neat cement 7 ft. to 5. e of possible contamination: 4 Lateral lines 5 Cess pool ines 6 Seepage pit uth LITHOLOGIC rushed gravel, dis ompacted clay ement Grout (2 cub	ft. to 7 Pit privy 8 Sewage lago 9 Feedyard CLOG Sinfected	3 Bentonit	ft., From ft., From ft., From te 4 0 10 Livesto 11 Fuel st 12 Fertilize 13 Insectic How many	ther	ft. t. ft. f	o
GRAVEL PACK GRAVEL PACK GRAVEL PACK GROUT MATERIAL: Grout Intervals: From. What is the nearest source 1 Septic tank 2 Sewer lines 3 Watertight sewer li Direction from well? Sol FROM TO 30 ft 15 ft C 15 ft 7 ft C 7 ft 5 ft C	From INTERVALS: From From 1 Neat cement 7 ft. to 5. e of possible contamination: 4 Lateral lines 5 Cess pool ines 6 Seepage pit uth LITHOLOGIC rushed gravel, dis ompacted clay ement Grout (2 cub	ft. to 7 Pit privy 8 Sewage lago 9 Feedyard CLOG Sinfected	3 Bentonit	ft., From ft., From ft., From te 4 0 10 Livesto 11 Fuel st 12 Fertilize 13 Insectic How many	ther	ft. t. ft. f	o
GRAVEL PACK GRAVEL PACK GRAVEL PACK GROUT MATERIAL: Grout Intervals: From. What is the nearest source 1 Septic tank 2 Sewer lines 3 Watertight sewer li Direction from well? Sol FROM TO 30 ft 15 ft C 15 ft 7 ft C 7 ft 5 ft C	From INTERVALS: From From 1 Neat cement 7 ft. to 5. e of possible contamination: 4 Lateral lines 5 Cess pool ines 6 Seepage pit uth LITHOLOGIC rushed gravel, dis ompacted clay ement Grout (2 cub	ft. to 7 Pit privy 8 Sewage lago 9 Feedyard CLOG Sinfected	3 Bentonit	ft., From ft., From ft., From te 4 0 10 Livesto 11 Fuel st 12 Fertilize 13 Insectic How many	ther	ft. t. ft. f	o
GRAVEL PACK GRAVEL PACK GRAVEL PACK GROUT MATERIAL: Grout Intervals: From. What is the nearest source 1 Septic tank 2 Sewer lines 3 Watertight sewer li Direction from well? Sol FROM TO 30 ft 15 ft C 15 ft 7 ft C 7 ft 5 ft C	From INTERVALS: From From 1 Neat cement 7 ft. to 5. e of possible contamination: 4 Lateral lines 5 Cess pool ines 6 Seepage pit uth LITHOLOGIC rushed gravel, dis ompacted clay ement Grout (2 cub	ft. to 7 Pit privy 8 Sewage lago 9 Feedyard CLOG Sinfected	3 Bentonit	ft., From ft., From ft., From te 4 0 10 Livesto 11 Fuel st 12 Fertilize 13 Insectic How many	ther	ft. t. ft. f	o
GRAVEL PACK GRAVEL PACK GRAVEL PACK GROUT MATERIAL: Grout Intervals: From What is the nearest source 1 Septic tank 2 Sewer lines 3 Watertight sewer li Direction from well? Source FROM TO 30 ft 15 ft Co 15 ft 7 ft Co 7 ft 5 ft Co 5 ft Surface Co	INTERVALS: From	ft. to ft. to ft. to ft. to ft. to ft. to 7 Pit privy 8 Sewage lago 9 Feedyard C LOG Sinfected Dic yards) Dp soil	3 Bentonit	ft., Fromft., Fromft., From ft., From te 4 O	ther	14 A 15 O 16 OCro feet LUGGING II	o
GRAVEL PACK GRAVEL PACK GRAVEL PACK GROUT MATERIAL: Grout Intervals: From What is the nearest source 1 Septic tank 2 Sewer lines 3 Watertight sewer li Direction from well? Sol FROM TO 30 ft 15 ft C 7 ft 5 ft C 5 ft Surface C	INTERVALS: From	ft. to 7 Pit privy 8 Sewage lago 9 Feedyard C LOG Sinfected Dic yards) Dp soil	3 Bentonit	ft., Fromft., Fromft., From ft., From te 4 O	ther	ft. t. ft. t.	ft. to ft
GRAVEL PACK GRAVEL PACK GRAVEL PACK GRAVEL PACK GROUT MATERIAL: Grout Intervals: From. What is the nearest source 1 Septic tank 2 Sewer lines 3 Watertight sewer li Direction from well? SOI FROM TO 30 ft 15 ft Coi 15 ft 7 ft Coi 7 ft 5 ft Coi 5 ft Surface Coi Completed on (mo/day/year	INTERVALS: From	ft. to ft. to ft. to ft. to ft. to ft. to Cement grout 7 Pit privy 8 Sewage lago 9 Feedyard CLOG Sinfected Dic yards) Dp soil	3 Bentonitft. to.	ft., Fromft., Fromft	structed, or (3)	ft. t. ft. t.	der my jurisdiction and was owledge and belief. Kansas
GRAVEL PACK From What is the nearest source 1 Septic tank 2 Sewer lines 3 Watertight sewer lines 3 Watertight sewer lines 10 FROM TO 10 To	INTERVALS: From	ft. to ft. to ft. to ft. to ft. to ft. to Cement grout 7 Pit privy 8 Sewage lago 9 Feedyard CLOG Sinfected Dic yards) Dp soil	3 Bentonitft. to.	ft., Fromft., Fromft	structed, or (3) I is true to the bar (mo/day/yr)	ft. t. ft. t.	der my jurisdiction and was owledge and belief. Kansas
GRAVEL PACK 6 GROUT MATERIAL: Grout Intervals: From. What is the nearest source 1 Septic tank 2 Sewer lines 3 Watertight sewer li Direction from well? SOI FROM TO 30 ft 15 ft Coi 7 ft 5 ft Coi 5 ft Surface Coi Completed on (mo/day/year	INTERVALS: From	ft. to ft. to ft. to ft. to ft. to ft. to Cement grout 7 Pit privy 8 Sewage lago 9 Feedyard CLOG Sinfected Dic yards) Dp soil	3 Bentonitft. to.	ft., Fromft., Fromft	structed, or (3)	ft. t. ft. t.	ft. to