

1 LOCATION OF WATER WELL: County: Coffey		Fraction NE 1/4 NW 1/4 SE 1/4		Section Number 28		Township Number T 21 S		Range Number R 45 EW	
Distance and direction from nearest town or city street address of well if located within city? Little over 1/4 Mile West of Burlington, Kansas									
2 WATER WELL OWNER: Jim Bull									
RR#, St. Address, Box # :						Board of Agriculture, Division of Water Resources			
City, State, ZIP Code : Burlington, Kansas						Application Number:			
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:			4 DEPTH OF COMPLETED WELL: 65 ft. ELEVATION:						
			Depth(s) Groundwater Encountered 1. 21 ft. 2. ft. 3. ft.						
			WELL'S STATIC WATER LEVEL 7 ft 71/2 ft. below land surface measured on mo/day/yr 5-30-89						
			Pump test data: Well water was ft. after hours pumping gpm						
			Est. Yield 10 gpm: Well water was ft. after hours pumping gpm						
			Bore Hole Diameter 9 in. to ft. and in. to ft.						
WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well									
1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)									
2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well									
Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr sample was submitted									
Water Well Disinfected? Yes X No									
5 TYPE OF BLANK CASING USED:									
1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued X Clamped									
2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded									
Blank casing diameter 6 in. to 4.5 ft. Dia in. to ft. Dia in. to ft.									
Casing height above land surface 12 in., weight lbs./ft. Wall thickness or gauge No. Schedule 40									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 10 Asbestos-cement									
2 Brass 4 Galvanized steel 6 Concrete tile 8 RMP (SR) 11 Other (specify)									
SCREEN OR PERFORATION OPENINGS ARE:									
1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)									
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)									
SCREEN-PERFORATED INTERVALS: From 4.5 ft. to 6.5 ft. From ft. to ft.									
GRAVEL PACK INTERVALS: From 2.0 ft. to 6.5 ft. From ft. to ft.									
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other									
Grout Intervals: From 0 ft. to 20 ft. From ft. to ft. From ft. to ft.									
What is the nearest source of possible contamination:									
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well									
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well									
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)									
13 Insecticide storage									
Direction from well? Southeast How many feet? 50									
FROM TO LITHOLOGIC LOG FROM TO LITHOLOGIC LOG									
0 3 Top Soil									
3 20 Yellow Clay									
20 26 Sand									
26 34 Gravel									
34 46 Gray Shale									
46 48 Lime									
48 65 Shale									
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) May 27, 1989 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 464 This Water Well Record was completed on (mo/day/yr) June 9, 1989 under the business name of Water Well Services, Inc. by (signature)									
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water Protection, Topeka, Kansas 66620-7320, Telephone: 913-862-9360. Send one to WATER WELL OWNER and retain one for your records.									