WATE	R WELL	RECORD	Form WW	C-5	Division of Wate	r Resources; App. No.		
ŀ		F WATER WELL:	Fraction	را ا		Township Number	Range Number	
	ty: Cof		SW 1/4 NW 1/4	NE 1/4	7	T 21 S	R 16 (E)W	
		ection from nearest town o		well if		Systems (decimal deg	rees, min. of 4 digits)	
locate	ed within c	ty? 1550 Oxen L	ane NE		Latitude: N38° 14' 18.9"			
2 33/47	2 WATER WELL OWNER: Walf Course Course					Longitude: <u>W95° 41' 28.4"</u>		
WATER WELL OWNER: Wolf Creek Oper. Corp. RR#, St. Address, Box # : 1550 Oxen Lane NE					Elevation: 1100'			
	State, ZIP	1550 OX		,	Datum: DMS		3 626	
		During		Method: handhel	.a GPS			
§	ATE WEI	L'S 4 DEPTH OF CO	MPLETED WELL .	/.4	It.			
i	ATION H AN "X"	IN Denth(s) Groundwe	oter Encountered (1)	ft (2)	ft (2)	£.	
l .	H AN A							
SEC	N	Pump test data: Well water wasft. afterhours pumpinggpm						
	Est. Yieldgpm: Well water wasft. after hours pumpinggpm							
l '	V X - NE -	WELL WATER TO	D BE USED AS: 5 Pt	ublic water	supply 8 Air o	conditioning 11 Inj		
w - N	V A - INE -	E I Domestic 3			ipply 9 Dew		her (Specify below)	
	2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well							
SW	SWSE							
Sample was submitted								
5 TYPE OF CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped								
			ght Iron 8 Co tos-Cement 9 Ot	oncrete tile	CASINO	3 JOINTS: Glued		
	Steel	3 RMP (SR) 6 Asbes	tos-Cement 9 Ot	ner (specify	below)	Welded	x	
Plank as	cina diama	tor R in to A	1888 ft Diameter	6	in to 57 ft	Diameter 2	in to EH ft	
Blank casing diameter 8 in. to								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
1 Steel 3 Stainless Steel 5 Fiberglass 7 PVC 9 ABS 11 Other (Specify)								
2 Brass 4 Galvanized Steal 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
1 Continuous slot 3 Mill slot 5 Gauzed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)								
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw cut 10 Other (specify)								
SCREEN-PERFORATED INTERVALS: From								
PACK INTERVALS: From								
From								
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other								
Grout In		From 4 It. to	рг. п., From .		ft. to f	t., From	ft. toft.	
What is the nearest source of possible contamination:								
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide storage 16 Other (specify								
	Sewer lines		8 Sewage lagoon	11 Fuel st	•	pandoned water well	below)	
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 15 Oil well/gas well Nuc. Reactor How many feet? ±200.								
FROM	TO	LITHOLO		FROM		PLUGGING INT		
0	2'		Clay & lg Gra			TEOGORIO II II	ERVILES	
2'	5'	Sandstone	<u> </u>					
5'	6'	Limestone						
61	11'	Sandstone						
11'	36¹	Shale						
36'	48'	Limestone						
48'	50.5	Shale						
50.5'	52 '	Limestone						
52 ¹	64'	Shale						
64'	74'	Limestone						
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed (2) reconstructed, or (3) plugged								
under my jurisdiction and was completed on (mo/day/year) .5./.1.9./.08 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No. 788 This Water Well Record was completed on (mo/day/year)								
under the business name of Roberts Fry. Drilling Inc. by (signature) INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMEY and PRINT clearly. Please fill in blanks, underline of circle the correct answers. Send top								
three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone								
785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at								
http://www.kdheks.gov/waterwell/index.html.								