WATER WELL RECORD			Form W	WC-5	Division of Water	er Resources App. No	o. L	
1 LOCATION OF WATER WELL:			Fraction		Section Number	Township No.	Range Number	
	ity: Co		1/4 NE 1/4 SV			T 21 S	R 16	
Street/Rural Address of Well Location; if unknown, distance & direction Global Positioning System (GPS) information:								
from nearest town or intersection: If at owner's address, check here . Latitude:38.237.116 (in decimal degree town or intersection).							(in decimal degrees)	
				Longitude: -95.689197 (in decimal degrees) Elevation:				
ļ				Elevation:	4 C NAD 82 C	 NAD 27		
2 WATER WELL OWNER: WOLF CREEK NUCLEAR OP.CORP.						Datum: ☑ WGS 84, ☐ NAD 83, ☐ NAD 27 Collection Method:		
RR#, Street Address, Box #: 1550 OXEN LANE NE						ke/Model:)	
City, State, ZIP Code : BURLINGTON, KS 66839					☑ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
<u>Est. Accuracy</u> :								
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 47								
1								
SEC.	SECTION BOX: Depth(s) Groundwater Encountered (1)							
	Pump test data: Well water was							
1 '	EST VIELD ann Well water was ft after hours numping ann							
W - NW NE - EST TIELD								
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well								
Demostic Deadlet Doil field water supply Dewatering Dother (Specify below)								
SW SE								
Was a chemical/bacteriological sample submitted to Department? Yes No								
S If yes, mo/day/yr sample was submitted								
Water well disinfected? ☐ Yes ☐ No								
5 TYPE OF CASING USED: Steel PVC Other								
CASING JOINTS: Glued Clamped Welded Threaded								
Casing diameter								
Casing height above land surface 27 in., Weight								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
☐ Steel ☐ Stainless Steel ☑ PVC ☐ Other (Specify)								
Brass Galvanized Steel None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)								
☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☐ Saw cut ☐ Other (specify)								
From								
GRAVEL PACK INTERVALS: From 47 ft. to 35 ft., From ft. to ft.								
From								
6 GROUT MATERIAL: ☐ Neat cement ☑ Cement grout ☑ Bentonite* ☐ Other								
Grout Intervals: From 32 ft. to 2.5 ft., From 35 ft. to 32 ft., From ft. to ft.								
What is the nearest source of possible contamination:								
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☑ Other (specify below)								
☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well								
_∵⊓	Watertig	ht sewer lines	t 🔲 Feedyard	Fertilizer s			LING LAKE	
		m well WEST & SOUTH			from wellLESS.T		CCDIC DIFFERNAL C	
FROM	TO	LITHOLOGI		FROM	TO LITHO. LO	OG (cont.) or PLU	GGING INTERVALS	
0	2'	Brown Silty Clay w/ Gra	vel					
2'	8'	Brown Silty Clay						
8'	34.5'	Shale		+				
34.5'	46.5' 47'	Limestone Bedrock						
46.5'	4/	Black Shale						
				 				
12.51	2.5'	4" X 5' AboveGround W	all Protector					
+2.5'	2.5							
Completion w/2'x2'x2.5'Concrete Pad 7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ✓ constructed, ☐ reconstructed, or ☐ plugged								
under my jurisdiction and was completed on (mo/day/year)1/01/12 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No788 This Water Well Record was completed on (mg/day/year)01/03/13								
under the business name of ROBERTS ENV. DRILLING, INC. by (signature)								
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies								
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.								
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html.								
KSA 82a-1212 / 9 = 50 8 # / 22172- AP) Check: White Copy, Blue Copy, Pink Copy								
	/	00NC 30R 45/2	ニン(フェンニ イヤ)				FJ,	