


# PLUGGING REPORT

USE TYPEWRITER OR BALL POINT PEN—PRESS FIRMLY, PRINT CLEARLY.

WATER WELL RECORD  
KSA 82a-1201-1215

Kansas Department of Health and Environment—Division of Environment  
(Water well Contractors)  
Topeka, Kansas 66620

1. Location of well:	County <b>Coffey</b>	Fraction <b>SE 1/4 SW 1/4 NW 1/4</b>	Section number <b>8</b>	Township number <b>T 21 S R 16</b>	Range number <b>EN</b>
2. Distance and direction from nearest town or city: Street address of well location if in city:			3. Owner of well: <b>KG E, KC PEL</b> R.R. or street: City, state, zip code:		
4. Locate with "X" in section below: N W E S 1 Mile			Sketch map: 		
5. Type and color of material			From	To	
<b>ESW 23</b>					
<b>3" hole to 33' - pulled PVC pipe out of hole</b>					
<b>3/4" pipe extended to 32.5' - grout pump to surface</b>					
<b>Grout mix 1:1 sand cement</b>					
(Use a second sheet if needed)					
18. Elevation:  Topography: <input type="checkbox"/> Hill <input checked="" type="checkbox"/> Slope <input type="checkbox"/> Upland <input type="checkbox"/> Valley	19. Remarks:  <b>PIEZOMETER</b>		20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. <b>Layne-Western Co., Inc. 102</b> Business name License No. Address <b>1010 W. 39th, K. C., MO.</b> Signed <b>C. Alexander</b> Date <b>1/5/78</b> Authorized representative		

6. Bore hole dia. 3 in. Completion date Oct. 29, 77  
Well depth 33 ft.

7.  Cable tool  Rotary  Driven  Dug  
 Hollow rod  Jetted  Bored  Reverse rotary

8. Use:  Domestic  Public supply  Industry  
 Irrigation  Air conditioning  Stock  
 Lawn  Oil field water  Other #19

9. Casing: Material \_\_\_\_\_ Height: Above or below  
Threaded \_\_\_\_\_ Welded \_\_\_\_\_ Surface 6"-1' in.  
RMP \_\_\_\_\_ PVC  Weight \_\_\_\_\_ lbs./ft.  
Dia. 1.5 in. to 33 ft. depth Wall Thickness: inches or  
Dia. \_\_\_\_\_ in. to \_\_\_\_\_ ft. depth gauge No. \_\_\_\_\_

10. Screen: Manufacturer's name N/A  
Type \_\_\_\_\_ Dia. \_\_\_\_\_  
Slot/gauze \_\_\_\_\_ Length \_\_\_\_\_  
Set between \_\_\_\_\_ ft. and \_\_\_\_\_ ft.  
\_\_\_\_\_ ft. and \_\_\_\_\_ ft.  
Gravel pack? \_\_\_\_\_ Size range of material \_\_\_\_\_

11. Static water level: N/A mo./day/yr.  
\_\_\_\_\_ ft. below land surface Date \_\_\_\_\_

12. Pumping level below land surfaces:  
\_\_\_\_\_ ft. after \_\_\_\_\_ hrs. pumping \_\_\_\_\_ g.p.m.  
\_\_\_\_\_ ft. after \_\_\_\_\_ hrs. pumping \_\_\_\_\_ g.p.m.  
Estimated maximum yield \_\_\_\_\_ g.p.m.

13. Water sample submitted: \_\_\_\_\_ mo./day/yr.  
 Yes  No Date \_\_\_\_\_

14. Well head completion: After plugging  
 Pitless adapter \_\_\_\_\_ Inches above grade

15. Well grouted? YES  
With:  Neat cement  Bentonite 1:1 Concrete  
Depth: From 33 ft. to 3 ft.

16. Nearest source of possible contamination: None  
ft. \_\_\_\_\_ Direction \_\_\_\_\_ Type \_\_\_\_\_  
Well disinfected upon completion?  Yes  No

17. Pump:  Not installed  
Manufacturer's name \_\_\_\_\_  
Model number \_\_\_\_\_ HP \_\_\_\_\_ Volts \_\_\_\_\_  
Length of drop pipe \_\_\_\_\_ ft. capacity \_\_\_\_\_ g.p.m.  
Type:  
 Submersible  Turbine  
 Jet  Reciprocating  
 Centrifugal  Other

T 21 S R 16 E  
Sec 8  
SE 1/4 SW 1/4

Forward the white, blue and pink copies to the Department of Health and Environment

Form WWC-5