

1 LOCATION OF WATER WELL:		Fraction	Section Number	Range Number	
County: Coffey		NW 1/4 NW 1/4 NE 1/4	35	T 21 S R 16 E	
Distance and direction from nearest town or city street address of well if located within city?					
6 1/2 East Burlington Ks.					
2 WATER WELL OWNER:		Board of Agriculture, Division of Water Resources			
RR#, St. Address, Box # :		Application Number:			
City, State, ZIP Code :		NA			
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL:			
		51 ft. ELEVATION:			
1 Mile		Depth(s) Groundwater Encountered 1. 21-30 ft. 2. ft. 3. ft.			
W		WELL'S STATIC WATER LEVEL 20 ft. below land surface measured on mo/day/yr 8-21-84			
E		Pump test data: Well water was ft. after hours pumping gpm			
S		Est. Yield 10 gpm: Well water was ft. after hours pumping gpm			
		Bore Hole Diameter 10 in. to 30 ft., and 8 in. to 51 ft.			
		WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well			
		Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)			
		2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well			
		Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr sample was submitted			
		Water Well Disinfected? Yes X No			
5 TYPE OF BLANK CASING USED:		CASING JOINTS: Glued X Clamped			
1 Steel 3 RMP (SR)		Welded			
2 PVC 4 ABS		Threaded			
Blank casing diameter 6 in. to 20 ft., Dia		in. to ft., Dia			
Casing height above land surface 48 in., weight		lbs./ft. Wall thickness or gauge No. 160			
TYPE OF SCREEN OR PERFORATION MATERIAL:		7 Asbestos-cement			
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR)		11 Other (specify)			
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS		12 None used (open hole)			
SCREEN OR PERFORATION OPENINGS ARE:		10 Saw cut 11 None (open hole)			
1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes		10 Other (specify)			
2 Louvered shutter 4 Key punched 7 Torch cut					
SCREEN-PERFORATED INTERVALS: From 20 ft. to 50 ft., From ft. to ft.					
GRAVEL PACK INTERVALS: From 16 ft. to 51 ft., From ft. to ft.					
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other					
Grout Intervals: From 4 ft. to 16 ft., From ft. to ft., From ft. to ft.					
What is the nearest source of possible contamination:		10 Livestock pens 14 Abandoned water well			
1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well		12 Fertilizer storage 16 Other (specify below)			
2 Sewer lines 5 Cess pool 8 Sewage lagoon 13 Insecticide storage					
3 Watertight sewer lines 6 Seepage pit 9 Feedyard					
Direction from well? South.		How many feet? 60			
FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG
0	3	TS			
3	21	CL Brown + yellow			
21	30	CL Gravel + sand Brown.			
30	32	Calc Sh Blue.			
32	51	Sh Gray Med.			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was 1 constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on 8-21-84 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 203 This Water Well Record was completed on 6-11-85 under the business name of McNece Drilling + Metals. by (signature) J. McNece					
INSTRUCTIONS: Use typewriter or ball point pen, PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Environmental Geology Section, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.					