

USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

We have enclosed these blank forms for you to use in the field if you wish gather the information on these well log forms and then transfer the information onto the back well log forms. Please note both Back and Front of these forms can be used.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

1. Location of well: Anderson		Fraction: 1/4 1/4 NE 1/4		Section number: 1		Township number: T 21 S R 18 E/W		Range number: 18	
2. Distance and direction from nearest town or city: 3 1/2 north of Mt. Ida.				3. Owner of well: Lewis D Drywood R.R. or street: R.R. 2 Garnett Kansas 66032 City, state, zip code:					
4. Locate with "X" in section below:				Sketch map:				6. Bore hole dia: 8 1/2 x 6 1/4 in. Completion date: 8/25/76	
								7. <input checked="" type="checkbox"/> Cable tool <input type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Reverse rotary	
5. Type and color of material				From		To		8. Use: <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other	
Soil + Clay				6		0		9. Casing: Material PVC Height: Above or below Threaded <input type="checkbox"/> Welded <input checked="" type="checkbox"/> Surface 2 1/2 in. RMP <input type="checkbox"/> PVC Weight 316 lbs./ft. Dia. 6 in. to 15 1/2 ft. depth Wall Thickness: inches or Dia. 5 in. to 80 ft. depth gage No. 316	
Clay + natural gravel				1		6		10. Screen: Manufacturer's name none	
White lime layers				9		7		Type _____ Dia. _____ Slot/gauze _____ Length _____ Set between _____ ft. and _____ ft. _____ ft. and _____ ft. Gravel pack? _____ Size range of material _____	
White lime				1		16		11. Static water level: _____ mo./day/yr. 6 ft. below land surface Date 8/24/76	
Blue lime				13		17		12. Pumping level below land surfaces: 15 ft. after 2 hrs. pumping 14 g.p.m. _____ ft. after _____ hrs. pumping _____ g.p.m. Estimated maximum yield 15 to 16 g.p.m.	
Gray shale				15		30		13. Water sample submitted: _____ mo./day/yr. Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Date _____	
Red shale				5		45		14. Well head completion: no Pitless adapter 24 inches above grade	
Gray shale				5		50		15. Well grouted? _____ With: _____ Neat cement _____ Bentonite <input checked="" type="checkbox"/> Concrete Depth: From 10 ft. to 16 ft.	
Blue lime				25		80		16. Nearest source of possible contamination: _____ ft. 100 Direction west Type waterway Well disinfected upon completion? <input checked="" type="checkbox"/> Yes _____ No	
(Use a second sheet if needed)								17. Pump: _____ Not installed Manufacturer's name Rel gasket Model number 1239 HP 3/4 Volts 230 Length of drop pipe 75 ft. capacity 10 g.p.m. Type: <input checked="" type="checkbox"/> Submersible _____ Turbine <input type="checkbox"/> Jet _____ Reciprocating <input type="checkbox"/> Centrifugal _____ Other	
18. Elevation:		19. Remarks: Customer Put curb on 6'x6'x8" thick + casing up 1 ft above floor.				20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Swank Waterwell Drilling 107 Business name _____ License No. _____ Address R.R. 1 Princeton Kansas Signed George Swank Date 8/25/76 Authorized representative			

Forward the white, blue and pink copies to the Department of Health and Environment

Form WWC-5