		TER WELL RECORD	Form WWC-5	KSA 82		<u> </u>	
LOCATION OF WATE		14 5 E 14	NE 1/4 Section	on Number Z	Township Number	er F S R	Range Number
Distance and direction from	om nearest town or city stree	t address of well if loca			,		
	7 miles N.	of Mand Cit	tiks or	TH	WY and 1	4 Mile	west.
WATER WELL OWN			7		1	, ,	
⊒ RR#, St. Address, Box⊣	"	ekton Lan	_		Board of Agricu	ılture, Division	of Water Resources
City, State, ZIP Code	East Way	KS 667	4 /		Application Nur	nber:	
LOCATE WELL'S LOC	CATION WITH 4 DEPTH OF	COMPLETED WELL.		. ft. ELEV	ATION:		
AN "X" IN SECTION	BOX: Depth(s) Grou	indwater Encountered	126-2	8 ft.	2	ft. 3	
					irface measured on mo		
	L P	ımp test data: Well w	ater was	ft. :	afterho	urs pumping	gpm
NW -					afterho		
	Bore Hole Dia	ameter 63/4 in.	to 1.0.5	ft.,	and	in. to	
w I	WELL WATER	R TO BE USED AS:	5 Public water	supply	8 Air conditioning	11 Injectio	n well Specify below)
7 !	1 Domes	tic 3 Feedlot	6 Oil field water		9 Dewatering		Specify below)
5W -	2 Irrigation	on 4 Industrial	7 Lawn and ga	rden only	10 Monitoring well	. ,	
1	Was a chemic	al/bacteriological samp	le submitted to Dep	partment?	/esNo	; If yes, mo/da	y/yr sample was sub-
<u> </u>	mitted			W	ater Well Disinfected?	Yes	No
TYPE OF BLANK CA	SING USED:	5 Wrought iron	8 Concret	e tile	CASING JOINTS	: Glued	Clamped
1 Steel	3 RMP (SR)	6 Asbestos-Ceme	nt 9 Other (s	specify belo)W)	Welded	
2 PVC	4 ABS	7 Fiberglass		/.	V.O.U.S	Threaded	
Blank casing diameter .	D NONE 10 999	ft., Dia	in. to .		ft., Dia	in. to	ft. 🍴
Casing height above lan	d surface	in., weight		lbs	./ft. Wall thickness or ga	auge No	
TYPE OF SCREEN OR	PERFORATION MATERIAL:		7 PVC	:	10 Asbesto	s-cement	
1 Steel	3 Stainless steel	5 Fiberglass	8 RMF	(SR)	11 Other (s	pecify)	
2 Brass	4 Galvanized steel	6 Concrete tile	9 ABS		12 None us	sed (open hole	9)
SCREEN OR PERFORA	ATION OPENINGS ARE:	5 Ga	auzed wrapped		8 Saw cut	11 N	one (open hole)
1 Continuous slot	3 Mill slot	6 W i	6 Wire wrapped		9 Drilled holes	-	
2 Louvered shutter	r 4 Key punched	7 To	rch cut		10 Other (specify)		
SCREEN-PERFORATED	INTERVALS: From	. <i>NA</i> ft. to	NA	ft., Fre	om	ft. to	
	From	ft. to	.	ft., Fre	om	ft. to	
GRAVEL PACI	K INTERVALS: From	ft. to)	ft., Fr	om	ft. to	
	From	ft. to		ft., Fr	om	ft. to	ft.
6 GROUT MATERIAL:	1 Neat cement	2 Cement grout	3 Benton		Other		
Grout Intervals: From	<i>1.0.5</i> ft. to <i>8</i>	ft., From	ft. te	o	ft., From	ft. 1	o
What is the nearest sou	rce of possible contamination			10 Live	stock pens	14 Abandor	ned water well
1 Septic tank	ateral lines	7 Pit privy		11 Fue	l storage	15 Oil well/	Gas well
2 Sewer lines	5 Cess pool	8 Sewage	lagoon	12 Fert	ilizer storage	16 Other (s	pecify below)
3 Watertight sewer	r lines 6 Seepage pit	9 Feedyard	1	13 Inse	cticide storage		
Direction from well?	West				any feet?		
FROM TO	LITHOLOG	IC LOG	FROM	то		GING INTERV	ALS
0 26	Clay		103	_0_	Benton	TE	
24 28	Umestone + (21602					
28 36	Clay						
36 78	Shale						
98 105	Limeston	·е					
	0,1-09	,					
		_			<u> </u>		
Z CONTRACTOR'S OF	R LANDOWNER'S CERTIFIC	ATION: This water wel	II was (1) construc	ted. (2) red	constructed, or (3) plug	ed under mv	iurisdiction and was
completed on (mo/day/y	ear) 6 - 2 8 - 9	5			cord is true to the best o		1
Water Well Contractor's		This Wate	r Well Record was			-30-2	35
under the business nam		<u> </u>	T. "	by (sign		20	
	ewriter or ball point pen. PLEASE PRE		Please fill in blanks			on three copies	Kansas Denartment
instructions: Use type	ewriter or ball point pen. <u>PLEASE PHE</u> nt, Bureau of Water, Topeka, Kansas (66620-0001 Telephone: 913-2	r. Flease IIII III DIANKS, U 296-5545. Send one to V	VATER WELL	OWNER and retain one for you	op in so copies ii ir records.	raneas Department