KOLAR Document ID: 1635958

WATER V		ECORD Correction		WWC-5 ge in Well Use		vision of Wat			Well ID		
				Fraction		ction Numb		Township Numbe		ige Number	
1 LOCATION OF WATER WELL: Fr County: Fr						1 0				$\Box E \Box W$	
2 WELL O Business:	ast Name:		First:		treet or Rural Address where well is located (if unknown, distance and rection from nearest town or intersection): If at owner's address, check here:						
Address:											
Address: City:			State:	ZIP:							
3 LOCATE	WELL										
WITH "X				f		5 Latitude:(decimal degrees)					
SECTION	BOX:	Depth(s) Gr		Dry Well		Longitude:					
N		WELL'S ST			Datum: WGS 84 NAD 83 NAD 27 Source for Latitude/Longitude:						
				-yr)		GPS (unit make/model:)					
NW	- NE			-yr)			WAAS enabled?				
		Pump test data: Well water was ft. after hours pumping gpm					□ Land Survey □ Topographic Map				
W	E	after	Well v			Online Mapper:					
SW		after									
	X	Estimated Y		61		6 Elevation:ft. Ground Level TOC					
S		Bore Hole D			Source	Source: Land Survey GPS Topographic Map Other					
1 mi			in. to ft.								
7 WELL WATER TO BE USED AS: 1. Domestic: 5. Public Water Supply: well ID 10. Oil Field Water Supply: lease 											
□ Househo	old				11. Test Hole: well ID						
Lawn &						□ Cased □ Uncased □ Geotechnical					
☐ Livestoc							al: how many bores				
				al Remediation: well II			a) Closed Loop 🔲 Horizontal 🗌 Vertical				
3. ☐ Feedlot 4. ☐ Industria	1	□ Air Sparge □ Soil Vapor Ext □ Recovery □ Injection			Extraction		b) Open Loop □ Surface Discharge □ Inj. of Water 13. □ Other (specify):				
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:											
Was a chemical bacteriological sample submitted to \mathbf{KDHE} ? \Box Yes \Box No \Box Yes, date sample was submitted:											
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded											
Casing diameter in. to ft., Diameter in. to ft., Diameter ft.											
Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No											
TYPE OF SCREEN OR PERFORATION MATERIAL:											
$\Box \text{ Steel} \qquad \Box \text{ Stainless Steel} \qquad \Box \text{ PVC} \qquad \Box \text{ Other (Specify)} \dots \dots$											
Brass Galvanized Steel None used (open hole)											
SCREEN OR PERFORATION OPENINGS ARE:											
□ Continuous Slot □ Mill Slot □ Gauze Wrapped □ Torch Cut □ Drilled Holes □ Other (Specify) □ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)											
SCREEN-PERFORATED INTERVALS: From											
GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft.											
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other											
							1	ft. to	ft.		
Septic Ta		e contaminati	ateral Line	o potential source of contest I Pit Privy		Livestock P	ens	□ Insectic	ide Storage		
Sewer Li			Cess Pool	Sewage La		Fuel Storage			oned Water		
Watertight Sewer Lines Seepage Pit Feedyard Feedyard Oil Well/Gas Well											
Direction from well? ft.											
10 FROM	TO		ITHOLO		FROM	ТО		HO. LOG (cont.) or	PLUGGIN	GINTERVALS	
	10	L			TROM	10				5 INTERVALS	
						1					
ļ											
-					Notes:						
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, a reconstructed, or plugged											
under my jur	risdiction a	nd was compl	eted on (n	no-day-year)	and	this record	is tru	ie to the best of my	y knowled	ge and belief.	
				no-day-year) 							
under the bus	siness name	<u>e of</u>			£						
KS Departme				ELL OWNER and retain Water, Geology Section, 10						2785-296-3565.	
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212											