Nell No 1 North of House								
WATER WELL REC	CORD	Form W	WC-5			er Resources App. N	Vo	
1 LOCATION OF WA	TER WELL:	Fraction 14SW 14SW	A/. C11/		n Number	Township No.	Range Number R 3 DE W	
County: May: Street/Rural Address of	f Well Location:	if unknown, distance &	direction	Global	Positioning	g System (GPS)		
from nearest town or ir	ntersection: If at	owner's address, check	here .	Latitue	de:		(in decimal degrees)	
		,					(in decimal degrees)	
2W/N	Peabo	du.		- Datum	:	4, □ NAD 83, [NAD 27	
2 WATER WELL OW	NER: Dowi	d'hies		Collect	tion Method:			
RR#, Street Address, Box #: 1930S. Sabin					☐ GPS unit (Make/Model:) ☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
City, State, ZIP Code	Wic	hita, tot	1209	Est. Ac	ccuracy: []	<3 m, 3-5 m,] 5-15 m, □ >15 m	
3 LOCATE WELL		COMPLETED WELL			ft			
WITH AN "X" IN SECTION BOX:	Denth(c) Ground	dwater Encountered	(1) (7.5	It.	(2)	II.	(3), ft.	
N N	WELL'S STAT	IC WATER LEVEL.	.ftft	below l	and surface	measured on mo/	day/yr.1.4.7.4.1	
	Pumr	test data: Well wate	r was	ft.	after	hours pur	nping gpm	
NW NE	EST. YIELD	gpm. Well water neterin. to	r was	π. ft and	arterin	to	nping gpm	
W	WELL WATER	TO BE USED AS:	Public wat	er supply	y 🔲 G	eothermal	Injection well	
SW SE	□ Domestic	☐ Feedlot ☐	Oil field wat	er supply	/ D		Other (Specify below)	
X	☐ Irrigation	☐ Industrial	Domestic-lay	wn & gai	rden □ M ment? □	onitoring well		
S	Was a chemical	/bacteriological sample /day/yr sample was sub	mitted	o Departi	ment	ies Pino		
mile		nfected? res						
5 TYPE OF CASING U	SED: Stee	I Z PVC 🗆 (Other				and the second of the second o	
CASING IOINTS: Glued Clamped Welded Threaded								
Casing diameter								
Casing height above land surface								
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)								
☐ Brass ☐ Galvanized Steel ☐ None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:								
Continuous slot Mill slot								
Louvered shutter Key punched Wire wrapped Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft.								
SCREEN-PERFORATED INTERVALS: From								
From								
		From	ft. to		ft., From .	<u> fi</u>	. to ft.	
6 GROUT MATERIAL	: Neat cem		t Bento	nite [ft to	
Grout Intervals: From								
Septic tank	Lateral li	nes Pit privy	Livestock		Insecticid		ther (specify below)	
Sewer lines Watertight sewer l	☐ Cesspool		☐ Fuel storag☐ Fertilizer s		∐ Abandone □ Oil well/g	ed water well		
			_		ell . <i>J. 5.0</i>			
FROM TO	LITHOLOG		FROM	TO	LITHO. L	.OG (cont.) <u>or</u> PL	UGGING INTERVALS	
0 3 (-) (0)	12/12/01/2							
0 35 YELL	low Cla	γ						
35 38 Lim	estone	<u>e</u>						
7.0								
38 60 yel	10W + 150	ed Clay						
100 60 Ha	nd Oba	10						
62 49 Crv	n bled S	hale - Wal	er					
69 75 850	1/2							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, reconstructed, or plugged								
under my jurisdiction and was completed on (mo/day/year)								
under the business name	of Bank	hus Dnill	.j.p	by (s	ignatule)	Soul Ba	Man	
under the business name of								
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at								