


1 LOCATION OF WATER WELL: Fraction NW 1/4 NW 1/4 NE 1/4 Section Number 26 Township Number T 21 S Range Number R 4 E/W
 County: Marion

Distance and direction from nearest town or city street address of well if located within city?
3 South of 1/4 West of Florence

2 WATER WELL OWNER: Rex SAVAGE
 RR#, St. Address, Box # : 2203 110th Board of Agriculture, Division of Water Resources
 City, State, ZIP Code : Florence, KS 66851 Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:

 4 DEPTH OF COMPLETED WELL 115 ft. ELEVATION:
 Depth(s) Groundwater Encountered 1 94 ft. 2 ft. 3 ft.
 WELL'S STATIC WATER LEVEL 94 ft. below land surface measured on mo/day/yr Sep 16 06
 Pump test data: Well water was ft. after hours pumping gpm
 Est. Yield 20-30 gpm: Well water was ft. after hours pumping gpm
 WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well
Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)
 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well
 Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr sample was submitted
 Water Well Disinfected? Yes No

5 TYPE OF BLANK CASING USED:
 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued X Clamped
2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded
 Blank casing diameter 5 in. to 94 ft., Dia in. to ft., Dia in. to ft.
 Casing height above land surface 18 in., weight lbs./ft. Wall thickness or guage No. SDR-20
 TYPE OF SCREEN OR PERFORATION MATERIAL:
 1 Steel 3 Stainless Steel 5 Fiberglass 7 PVC 10 Asbestos-Cement
 2 Brass 4 Galvanized Steel 6 Concrete tile 8 RMP (SR) 11 Other (Specify)
 9 ABS 12 None used (open hole)
 SCREEN OR PERFORATION OPENINGS ARE:
 1 Continuous slot 3 Mill slot 5 Guazed wrapped 8 Saw cut 11 None (open hole)
 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes
 7 Torch cut 10 Other (specify) ft.
 SCREEN-PERFORATED INTERVALS: From 94 ft. to 115 ft., From ft. to ft.
 GRAVEL PACK INTERVALS: From NONE ft. to ft., From ft. to ft.
Extra Packer (CAVEE Cather) set at 90'

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other
 Grout Intervals: From 0 ft. to 27 ft., From ft. to ft.
 What is the nearest source of possible contamination:
 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well
 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well
 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)
 Direction from well? No Know Pollution Source within 1000' How many feet? Farm Land on Hill top

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	2	Blk	65	75	Lime-gray - Fractured Lost Water
2	5	Shale - Red	75	77	Shale gray
5	15	LIME - TAN (Fractured)	77	83	LIME TAN
15	17	Shale - Lite TAN to yel	83	87	Crevice Lost Water Big Time
17	21	LIME - Lite	87	94	Shale - Blue
21	25	Shale-TANNISH Yel	94	102	LIME - TAN
25	28	LIME - Lite TAN	102	105	Shale - Gray
28	29	Shale - Lite Yel	105	107	LIME - Gray
29	33	LIME - Lite Yel	107	109	Shale-TAN
33	35	Shale-Yel	109	116	LIME - TAN
35	40	LIME - Yel			
40	43	Shale - olive green			
43	46	Shale - Blue Green			
46	65	Shale - Red			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) Sep 16 06 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's Licence No 218 This Water Well Record was completed on (mo/day/yr) Sep 17 06 under the business name of ZINN Water Well Drng by (signature) Joseph d. Zinn