		WA	TER WELL REC	ORD Form	n WWC-5	KSA 82	a-1212 ID N	lo.				
A/1			Fraction				Section Number	Township Nu	umber	Rang	ge Number	
County: /	Mario	\sim	SE 1/4	SE 1/4	NE 1	4	23	T 21	S	R	4 (E	- I
Distance and direction from nearest town or city street address of well if located within city?												
11/2	Wesi	f & 2/2	South	f Flore	oNCL							
2 WATER	WELL OW			PVAGE								
	dress, Box			WY, 50				Board of Ag	riculture D	ivision of W	later Resou	irces
City, State,		/	prewce ,	Ks	668	351	120	Application		10101011 01 11	4101 110000	
3 LOCATE	WELL'S LO	CATION WITH		OMPLETED V		/	ft. ELEVA	TION:				
	SECTION		 Depth(s) Grour	dwater Encou	ntered 1	l	60 t	t. 2	ft. 3			ft.
	N N		WELL'S STATION	C WATER LEV	'EL	<i>G.O.</i> .ft. b	elow land surface	ce measured on mo	/day/yr (7.ct. / !	4-06	<u>e</u>
	; l	;	Pur	np test data:	Well water	was	ft.	after	hours p	umping		gpm
	Est. Yield 2.0										gpm	
WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below												
W E 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well												
, , , , , , , , , , , , , , , , , , , ,												
SW												eub-
mitted water Well Disinfected (Yes) No										•	Sub-	
		1										
E TYPE C	S S	ACINO LICED		= 144								
1 Stee		ASING USED: 3 RMP (SI	₽/	5 Wrought in 6 Asbestos-0			crete tile er (specify below	CASING JOII		d		
2 EV0		4 ABS	')	7 Fiberglass				···		aded		
Blank casin	ng diameter		5in. to					ft., Dia				
				in weigh	t			lbs./ft. Wall thickne	ss or quag	e No	DR 26	,
		PERFORATIO		, 3			PVC>		estos-Cem			
1 Steel		3 Stainless		5 Fiberglass			RMP (SR))		
2 Brass	s	4 Galvaniz	ed Steel	6 Concrete t	ile		ABS	12 Non	e used (op	en hole)		
SCREEN O	R PERFOR	ATION OPENIN	IGS ARE:		5 Guaze	ed wrappe	d ^c	8 Saw cut		11 None (open hole)	
1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes									(,		
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)												
SCREEN-PERFORATED INTERVALS: From 60 ft. to 20 ft., From ft. to ft.												
_			From	PACUED	ft. to		ft., From		ft. to		***************************************	ft.
G	RAVEL PAC	CK INTERVALS:	From	750	ft. to	•••••••	ft., From		ft. to			ft.
			FIOIR	·····>	11. 10	•••••••	IL., FIOIII		11. 10		•••••	
6 GROU	T MATERIAI	L: 1 Neat	cement	2 Cement	arout	3 Be	entonite	4 Other				
Grout Interv	vals: From	0	ft. to 2.	7 ft., Fro	m	ft	t. to	ft., From		ft. to		ft.
		irce of possible		•				tock pens		bandoned v		
1 Septic tank 4 Lateral lines			al lines	7 Pit privy			11 Fuel storage 15 Oil well/Ga					
2 Sewer lines 5 Cess pool				8 Sewage lago						other (specif		
3 Watertight sewer lines 6 Seepage pit				9 Feedyard			13 Insecticide storage Pasture					
Direction fro	•	MII A	ound				How mar	=				
FROM	то	////////	LITHOLOGIC	LOG		FROM	то		GGING IN	TERVALS		\dashv
0	-3	TOPC	oil Bl	4			+	. 20				-
.3	7	18/3	Red Di									-
7	15	5/2/2	Ba 1									-
15	25	Share	& Frac	LIME	ye I		+ -	***************************************				\dashv
25	42	1105	- Gran	/								
42	48	Shela	(200									-
48	52	Tiare	TAN				 					\dashv
52	67		7,7,0	LIME	-TA./							
67	77	Jian	E Frac	ZimE	///N							
27		LIME	1. 6.									
81	120	Juan	e gray	101	1		+					
01	120	LIME 8	FIIN	r Jor	PNCE							-
					1							\longrightarrow
7												
' CONTRA	ACTOR'S O	R LANDOWNE	R'S CERTIFICAT	TION: This wat	ter well wa	(1) cons	tructed (2) reco	onstructed, or (3) pl cord is true to the be	ugged und	ler my juriso	diction and	was
		-	\sim \sim							owledge an		nsas
Water Well Contractor's Licence No												
under the business name of Ziriw Water Well Drig by (signature) Joseph A. Zenn												
								correct answers. Send top 5522. Send one to WATER				lth
		ich constructed well.	1000 GVV DackSC	Julio 420, 10	rpunu, nalisas	JUU12-130/.	Tolepholic 700-290-0	ALL. GOING ONE ID WATER	TALLE CANINE	and retain of	ie ioi you!	