WATER WELL RECORD			Form WWC-5			Division of Water Resources; App. No.					
1 LOCA	ATION OF	WATER WELL:	Fraction			Section N	umber	Township N	lumber	Range Number	
County:	and direction	Marion	or city stree	NE ¼	NW ¼	7 Clobal Pos	sitionin	T Z1	imal dea	rees min of 4 digits)	
County: Marion SW ½ NE ½ NW ½ 7 T 21 S R 5 E  Distance and direction from nearest town or city street address of well if located within city? 511 Main St., Florence, KS  County: Marion SW ½ NE ½ NW ½ 7 T 21 S R 5 E  Clouding: Global Positioning System (decimal degrees, min. of 4 digits)  Latitude: N 38.24283°											
Longitude: W 96.92647°											
2 WATER WELL OWNER: Shanklin Oil						Elevation: RIM: 1269.33; TOC: 1268.94 Datum: above mean sea level					
RR#, St. Address, Box # : 400 Witmarsum West Dr City State ZIP Code : North Newton, Kansas, 67117-8086						Data Collection Method: legal survey					
RR#, St. Address, Box # : 400 Witmarsum West Dr City, State, ZIP Code : North Newton, Kansas, 67117-8086 Data Collection Method: legal survey  3 LOCATE WELL'S 4 DEPTH OF COMPLETED WELL 23 ft.											
LOCATON MW7											
1	I AN "X" I	N Depth(s) Groun	ndwater Enc	ountered 1			ft. 2		ft. 3	ft.	
SECT	<b>ION BOX:</b>	WELL'S STAT	FIC WATE	R LEVEL	<b>5.51</b> f	. below la	nd surf	face measured	on mo/c	lay/yr 6/17/09	
	N Pump test data: Well water was ft. after hours pumping gpt										
Est. Yield gpm: Well water was ft. after hours pumping gpm											
WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well										njection well	
W   I Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well											
											SW SE Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yrs
Sample was submitted  Water Well Disinfected? Yes  No X											
5 TYPE OF CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped											
1 04	1 Steel 2 DMD (SD) 6 Ashestes Coment 0 Other (specific helevy) Welded										
(2) PV	2 PVC 4 ABS 7 Fiberglass Threaded X  Clark casing diameter 2 in. to 8 ft., Dia in. to ft., Dia in. to ft.  Clasing height below land surface 0.39 ft., Weight lbs./ft. Wall thickness or gauge No.										
Blank casing diameter 2 in to 8 ft. Dia in to ft. Dia in to ft.											
Casing height below land surface 0.39 ft., Weight lbs./ft. Wall thickness or gauge No.											
TYPE OF SCREEN OR PERFORATION MATERIAL:											
1 Steel 3 Stainless steel 5 Fiberglass (7) PVC 9 ABS 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)											
2 Brass 4 Galvanized steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)											
SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot (3) Mill slot 5 Gauze wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)											
1 Continuous slot 3 Mill slot 5 Gauze wrapped 7 Torch cut 9 Drilled holes 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)  SCREEN-PERFORATED INTERVALS: From 8 ft. to 23 ft. From ft. to ft.											
SCREEN	-PERFORA	TED INTERVALS:	From	8	ft. to	23	ft. F	rom	ft. t	to ft.	
			From		ft. to		ft. F	rom	ft. t	tt.	
GF	RAVEL PAG	CK INTERVALS:	From	6	- ft. to	23	II. FI	rom	II. t	π.	
From ft. to ft. From ft. to ft.  GRAVEL PACK INTERVALS: From 6 ft. to 23 ft. From ft. to ft.  From ft. to ft. From ft. to ft.  GROUT MATERIAL: 1 Neat cement Cement grout 3 Bentonite 4 Other Concrete: 0-2 ft											
6 GRO	UT MATEI	RIAL: 1 Neat cen	nent  Cer	ment grout	(3 Bento	onite (	4)Othe	r Concrete: 0	-2 ft		
Grout Into	ervais ri	rom 2 n. to	. 4 . II.	LIOIII	4 It.	to6	) It	. From		π. to π.	
What is the nearest source of possible contamination:  1 Septic tank  4 Lateral lines 7 Pit privy  10 Livestock pens  13 Insecticide Storage  16 Other (specify)											
	ver lines	5 Cess pool		ge lagoon (1				pandoned water		below)	
		er lines 6 Seepage p						l well/ gas wel		,	
		Southeast			How many	/ feet? ~1	50 ft				
FROM	TO	LITHO	LOGIC LOC	3	FROM	TO	1	PLUGGIN	IG INT	ERVALS	
0		Grass, topsoil to 0.								althorn to	
		manufactured sub									
1	10	Brown silty clay, n	noderate pl	asticity,							
10	23	moist Brown silty clay, n	noderate to	high				CORRE	<del>-CT</del>	<del>FD</del>	
10	23	plasticity, wet	iouerate to	nign			-	<b>ACTIVITY</b>			
		plasticity, wes									
										2011	
				····			Flush	mount waive	r from l	BOM	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged											
under my jurisdiction and was completed on (mo/day/year) 6/16/09 and this record is true to the best of my knowledge and belief.											
Kansas W	ater Well Cor	ntractor's License No.	757	. This Wa	ter Well R	ecord was o	complete	ed on (moday/y	ear)7	7/21/09	
I.		e of Larsen & Asse			by (signa		7			•	
INSTRUC'	TIONS: Please	e fill in blanks or circle th	e correct answ	ers. Send top t	hree copies	to Kansas De	epartmen	t of Health and Er	vironmer	nt, Bureau of Water,	
Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell.											