WATER WELL RECORD		Form WWC-5		Division of Water Resources App. No.			
1 LOCATION OF WATER WELL:		Fraction		Section Number			
		5W/4 Mg 1/4 NE			T 21 S	R 7 1 1 1 1 W	
Street/Rural Address of Well Location; if unknown, distance & direction				Global Positioning	g System (GPS) i	nformation:	
from nearest town or intersection: If at owner's address, check here .				Global Positioning System (GPS) information: Latitude:			
3,8 W /25 Bazaar Ks				Longitude: 1.963631.9 (in decimal degrees)			
				Elevation:			
2 WATER WELL OWNER: WINCOTRanch LLC				C-114: M-4 1.			
RR#. Street Address.	RACKINER	GPS unit (Mal	ke/Model: G a V	min ALLIELT			
RR#, Street Address, Box #: 1365 ROCK Crack Rd City, State, ZIP Code Cotton wood Falls KS				☐ Collection Method:  ☐ GPS unit (Make/Model: G. J. V. M. J. A. L. U. S. J)  ☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
	CONDI	6681	14	Est. Accuracy:	<3 m, ☐ 3-5 m, ☐	] 5-15 m,	
3 LOCATE WELL	1		•				
WITH AN "X" IN	4 DEPTH OF	COMPLETED WEL	L	<b>₼.</b> Ø ft.			
SECTION BOX:	Depth(s) Groundwater Encountered (1)						
14	WELL S STATIC WATER LEVEE						
	Pump test data: Well water was						
W NW NY E EST. YIELD. 10 gpm. Well water was ft. after hours pumping gpm Bore Hole Diameter 2.8 ft., and in. to ft.							
	WELL WATER TO BE USED AS: Public water supply Geothermal Injection well  Domestic Feedlot Oil field water supply Dewatering Other (Specify below)						
SWSE							
Was a chemical/bacteriological sample submitted to Department? Yes No							
S If yes, mo/day/yr sample was submitted							
1 mile  Water well disinfected? ▼ Yes □ No							
5 TYPE OF CASING USED: Steel V PVC Other Other							
CASING JOINTS: Glued Clamped Welded Threaded Casing diameter							
Casing diameter							
Casing height above land surface							
Steel Stainless Steel PVC Other (Specify)							
Brass Galvanized Steel None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE:							
☐ Continuous slot ☑ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole)							
☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☐ Saw cut ☐ Other (specify)							
SCREEN-PERFORATED INTERVALS: From							
From							
URAVEL FACK INTERVALS: FIGHT. 10							
From							
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other							
What is the nearest source of possible contamination:							
Septic tank    Lateral lines    Pit privy    Livestock pens    Insecticide storage    Other (specify below)							
Sewer lines Cesspool Sewage lagoon Fuel storage Ahandoned water well							
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well . C.F. C.F.							
Direction from well			Distance	from well		••••••	
FROM TO	LITHOLOG	IC LOG	FROM	TO LITHO. LO	OG (cont.) or PLU	JGGING INTERVALS	
/ 8 75							
8 14 CL	W Grz	VE(				0.17.0	
14 20 G1	-Buxl						
20 28 5h	ale Gra	<u>y                                    </u>					
	A CONTRACTOR OF THE CONTRACTOR	- Indianter -					
	9000						
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, $\Box$ reconstructed, or $\Box$ plugged							
under my jurisdiction and was completed on (mo/day/year) 11.7. 30.7.12 and this record is true to the best of my knowledge and belief.							
Kansas Water Well Contractor's License No. 2.0. 3 This Water Well Record was completed on (mo/day/year) 11.7.36.12							
under the business name of M. Dr. 111. h.q. 1. M.C. 2. by (signature). B. C. M. C. INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESSFIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies							
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.							
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at							
http://www.kdheks.gov/waterwell/index.html.							
KSA 82a-1212							