		WATER V	VELL RE	CORD	Form WV	VC-5 K	SA 82a-1	212				
1 LOCATION OF WAT	ER WELL:	FRACTION	CTT		SEC	TION NUMBER	TOWNS	SHIP NUMBER	RANG	SE NUM		
Sedgwick		SW 1/4		1/4 <b>SW</b>	1/4	22	Т	<b>26</b> S	R	1E	E/W	
Distance and direction from 4616 N. Hydi		•	ity, Kansa	•								
2 WATER WELL		OUNTRY PAR										
RR#,ST. ADDRES		616 N. Hydraul	ic					Board of Ag	riculture, Division	of Wate	er Resource	
CITY	, STATE: Pa	ark City, Kans	as			IP CODE:		Application Nu	mber:			
3 LOCATE WELL'S L	OCATION	4 DEPTH OF COM	IPLETED WE	ELL: 16	<b>00</b> ft.		ELEVATION	N:				
N N	CTION BOX:	Depth of groundwat	ter Encounter		fi	t.		ft.			ft.	
		WELL'S STATIC W				OW LAND SU		ASURED ON mo		1/12/0	)9	
NW	NE		ump test data		iter was		ft. after		s of pumping (	_	gpm	
M Mile	F	Est. Yield: Bore Hole Diamet	gpm er 12	in.	ater was to	<b>100</b> ft.	ft. after and	in.	s of pumping ( to	_	gpm ft.	
- "		WELL WATER TO			10	100 10.	and	9. Dewater	44	Injectio		
- sw	SE	1. Domestic	3. Feedlot	5. Public wa	ater supply	7. Lawn a	nd garden o	only	9	-	ify below)	
		ı -	4. Industrial	6. Oil field v		-	<u> </u>	10. Monitor	ing well what mo/day/			
s		Was a chemical/bac submitted	teriological sam	ple submitted to	Department?	YES Was V	NO Vater Well Di		YES YES	yr was <b>NO</b>		
5 TYPE OF CA	SING USED:	5 \\	h4 l	7 [ibaralass	9.0	Other (Specify		CASING JOINTS:	Glued	Th	hreaded	
1. Steel	3. RPM	, ,		7. Fiberglass	, SD	R-26	20.011,		Welded		lamped	
2. PVC	> 4. ABS		os-Cement	8. Concrete	tile 5D	10-20						
Blank casing diame	ter 5	in. to	50 ft.,	Dia.	in.	to	ft.,	Dia.	in. to		ft.	
Casing height abov		12 in.,		Weight:	2.35	bs. / ft.	Wal	ll thickness or gau	ige No2	214		
TYPE OF SCREEN			_	7. PVC	0 /	NDC	11	Other (specify)				
1. Steel 3. Stainless Steel 5. Fiberglass 7. PVC 9. ABS 11. Other (specify)  2. Brass 4. Galvanized 6. Concrete Tile 8. RMP (SR) 10. Asbestos-Cement 12. None used (open hole)												
SCREEN OR PERF			7,110	(2.1)					,			
1. Continuous slo			. Gauzed wra	apped	7. <b>T</b> c	orch cut	9. 🖸	rilled holes	11. Non	e ( ope	n hole)	
2. Louvered shutt			. Wire wrapp	• •		aw cut		Other (specify)		- (	,	
					400							
SCREEN - PERFOR	ATION INTERV			ft. to		ft.,	From	ft.	to		ft.	
0511/5/ 5/		From		ft. to ft. t		ft.,	From	ft.	to		ft.	
GRAVEL PA	ACK INTERVAL				o 100	ft.,	From	ft.	to		ft.	
- L ORGUTANATES	NA 6	From			0	ft.,	From	ft.	to		ft.	
GROUT MATER	From	eat cement 4 ft. to	• •	ent Grout		3. Bentonite			tonite hole			
What is the nearest s		•	<ul><li>24 ft</li><li>7. Pit privy</li></ul>		ft.		ft.,		ft.	to	ft.	
1. Septic tank	10. Livesto	estock pens 13. Insecticide storage 15. Oil well/Gas well										
2. Sewer lines	5. <b>Ce</b>	ss Pool	8. Sewage la	agoon	11. Fuel sto	rage	14. <b>Ab</b> a	ındon water well	16. Other	r (speci	ify below)	
3. Watertight sew	er line 6. Se	epage pit	9. Feed yard	l	12. Fertilize	r storage		10	64 . 1			
Prom To	East	LITHOLOG	IC I OG	***************************************	From	То	How	many feet? 10	OGIC LOG			
0 3	topsoil	LITHOLOG	ic Log		From	1 10		LITHOL	JGIC LOG	,		
3 45	clay											
45 50	fine sand											
50 60	medium sa				_	-		*** **				
60 100	grey shale											
					<b></b>							
					+							
<del></del>	<del> </del>					-						
7	l and a d a	-48-4						mlu	under	adia#!-	224	
		ertification: This wate				constructed		plugged	under my juris	saiction	and	
was completed or		11-12-200	J	and this record		-						
Kansas Water Well Contractor's License No. 236  This water well record was completed on (mo/day/year)  11-16-2009												
under the business	s name of ${ m Ha}$	under the business name of Harp Well and Pump Service by (signature)  Todd S. Harb										