WATER WELL RECORD		Form W	WC-5	Di	Division of Water Resources App. No.			
1 LOCATION OF WA		Fraction			ion Number		Range Number	
County: GAEEN	wood		145E4	Clab	al Positionine		R IL KE W	
Street/Rural Address of Well Location; if unknown, distance & direction from pearest town or intersection: If at owner's address, check here								
from nearest town or intersection: If at owner's address, check here off 3654 St About 314 mile well of in ten section of hur 58099					Longitude: W 096.09 83/ (in decimal degrees)			
west of madison KS				Eleva	Elevation: //67			
2 WATER WELL OWNER: OKY USA INC Collection Method:								
RR#, Street Address, Box #: 7, G/ENN SONAS Hold INSL THE DIGITAL (Make/Model: 1920-1920)								
City, State, ZIP Code 5005 LBJ Presently, Survey Digital Map/Photo, Topographic Map, Land Survey								
DA 1/AS T x 75044 Est. Accuracy: □ <3 m, □ 3-5 m, □ 5-15 m, □ >15 m								
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL								
SECTION BOX: Depth(s) Groundwater Encountered (1)								
N WELL'S STATIC WATER LEVELft. below land surface measured on mo/day/yr								
Pump test data: Well water was ft. after hours pumping gpm EST. YIELD gpm. Well water was ft. after hours pumping gpm								
W -NWNE E Bore Hole Diameter							.ft.	
WELL WATER TO BE USED AS:								
SWSE								
Was a chemical/bacteriological sample submitted to Department? Yes No If yes, mo/day/yr sample was submitted								
Water well disinfected? Yes No								
5 TYPE OF CASING USED: Steel PVC Other								
CASING JOINTS: Glued Clamped Welded Threaded								
Casing diameter								
Casing height above land surface								
TYPE OF SCREEN OR PERFORATION MATERIAL: ☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)								
Brass Galvanized Steel None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
☐ Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole) ☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☐ Saw cut ☐ Other (specify)								
SCREEN-PERFORATED INTERVALS: From 20 ft. to 20 ft., From ft. to ft.								
From						to ft.		
GRAVEL PAC								
From								
Grout Intervals: From								
What is the nearest source	e of possible conta	amination:			_ ^			
☐ Septic tank ☐ Sewer lines	∐ Lateral lin ☐ Cesspool		☐ Livestock☐ Fuel stora		☐ Insecticide	estorage ☐ Oti d water well	ner (specify below)	
Watertight sewer			Fertilizer		☑ Abandoned ☑ Oil well/ga			
Direction from well Distance from well 135 xds								
FROM TO	LITHOLOG	IC LOG	FROM	TO	LITHO. LO	OG (cont.) <u>or</u> PLU	JGGING INTERVALS	
2 70	Clay					······································		
5 10	CINI				 			
15 20	clay.				-			
20 25	Clay							
25 3a	clay							
					1.			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, reconstructed, or plugged								
under my jurisdiction and was completed on (mo/day/year) $31.91.22.4$, and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No 1.1.2 This Water Well Record was completed on known day year? 41.1.1.1.1								
under the business name of CanQuartum Schull by (signature) by (signature) INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and speeck the correct answers. Send one copy to								
Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 426, Topeka, Kansas 66612-1367.								
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at								
		MULLING WEST COV	A SHIELD WELL THOU					





General OXY Madison Site Map