111004	ION OF WATE	ED MELL		R WELL RECORD		KSA 82a		nhor	Dange Number
	ION OF WATE			SW 1/4 N	IW 1/4	on Numbe	T 22	nber S	Range Number
			town or city street ad			10		3	N 14 E
			town or only on our do	South East o		y 40			
2 WATER	WELL OWN	ER: Kan	sas Departmen	t of Health and	I Environme	nt			
			SW Jackson S				Board of Agricu	lture, Divisio	n of Water Resources
City, State,	ZIP Code	: Top	eka, KS. 66612	-1367			Application Nun	nber:	
3 LOCATI	E WELL'S LO	CATON WI	TH 4		25		EVATION: ft. 2		
AN "X" I	N SECTION E	BOX:	DEPTH OF C	OMPLETED WELL	20	ft. ELI	EVATION:		
			Depth(s) Ground	water Encountered	1 22.5	<b></b>	ft. 2	Ft. 3	7 Ft. 3/4/2010
	N		WELL'S STATIC	WATER LEVEL	12.61 ft.	below land	I surface measured or	n mo/day/yr	3/4/2010
1			Pump	test data: Well wa	ater was		Ft. after	hours pum	ping Gpm Gpm Gpm Gpm Ft. Sping Ft. Spingertion well
-	NW	.–- NE	Est. Yield	Gpm: Well wa	ater was		Ft. after	_ Hours pun	nping
	<b>√</b>	i	Bore Hole Diame	eter <b>6.825</b> In. to	o 25		ft. and	in. to	njection well Other (Specify below)
∯ W <b>-</b>	<del>-^</del> -		E WELL WATER I	OBE USED AS: 5	Public water su	pply	8 Air conditioni 9 Dewatering	ng 11 I	njection well Other (Specify below)
7			1 Domestic				o Bewatering		V_2
<b> </b> -	sw	SE	2 Irrigation	4 Industrial 7	Lawn and gard	en (domes	stic) 10 Monitoring	well	V-Z
1		į	Was a chemical/	bacteriological samp	le submitted to D	epartment	? Yes No X	If yes, me	
<u> </u>	3		Submitted				Vater Well Disinfected		
	F BLANK CA			5 Wrought Iron					Clamped
1 St			IP (SR)	6 Asbestos-Cem	ent 9 Other	specify be	low)	Welded	
2 PV	/C	4 AB	S	7 Fiberglass			L	Threade	d X
Dlank *	a diameter	2	in 4a 40	Ft.,	h 4		4 Dia		to 5.
Blank casin	ig diameter	<del></del>	IN. TO IV	Dia	in. t	·	π., Dia	in.	toFt.
				In., weight	ЗСП 4U - T	Lbs./	ft. Wall thickness or o	gauge No.	
			ION MATERIAL:	5 50 - 1			10 Asbes		
1 Ste			inless steel	5 Fiberglass 6 Concrete tile	8	RMP (SR) ABS	11 Otner 12 None	(specity)	
2 Bra SCREEN C			lvanized steel NINGS ARE:	6 Concrete tile 5 Ga	_		8 Saw cut		
	ntinuous slot		3 Mill slot		re wrapped			• •	Hone (open nois)
	uvered shutte		4 Key punched		rch cut			v)	
	PERFORATED		, ,			#	From	ff to	#
SCINELIN-P	LINFORMILL	JINILINVA							
ÇA.	ND PACK INT	TEDVAL C:							
SA	ND FACK IIVI	IERVALS.							i i
6 00011	. A.A.TEDIAL		From				From	-	
			at cement 2	E+	<u></u>				
Grout Interv	als From3	7	ft. to 9	From2	.5 to	7	ft. From		ft. toft.
			le contamination:				estock pens		
1 Se	ptic tank		4 Lateral lines	7 Pit pr	ivy	11 Fue	el storage	15 Oil we	II/ Gas well
2 Se	wer lines		5 Cess pool	8 Sewa	ige lagoon	12 Fer	tilizer storage	16 Other	(specify below)
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage Contaminated Site									aminated Site
Direction fro	•				-	How man	•		
FROM	то	CODE	LITHOL	OGIC LOG	FROM	то	PLUG	GGING INTE	RVALS
0	2		Topsoil, silty cl	ay loam firm					
2	10		Silty Clay (CL),						
10	22.5		Silty Clay (CL),			<u> </u>			
22.5	25		Sandy Clay (SC						
25	TD		End Borehole						
		-							
·									
		-							
		1				-	<del>                                     </del>		
						_			
7 CONTR	ACTOR'S OR	LANDOW	NER'S CERTIFICATI	ON: This water well	was (x) construc	ted, (2) red	constructed, or (3) plu	gged under	my jurisdiction and w
_	on (mo/day/y		3/1/2				true to the best of my		
	Contractor's I			585			Record was completed		
Jnder the b	ousiness name	e of	Associat	ed Environme	ntal, Inc.		By (signature) Bra	dley J. J	ohnson
INSTR	UCTIONS: PI	ease fill in bl	anks and circle the corr	ect answers. Send thre	ee copies to Kansa	s Departm	ent of Health and Enviro	nment, Burea	of Water, Topeka,
Kansa	s 66620-0001.	Telephone:	913-296-5545. Send of	one to WATER WELL (	OWNER and retain	one for you	ur records.`		) / //